

JASMINE®

佳飾美 國際事業有限公司
A&D JASMINE International CO., LTD.

since 1987

三版

 章記衛廚

再次打破框架

重新定義

你對櫥櫃五金的想像

PRODUCT CATALOG

ABOUT JASMINE

佳飾美 成立於1987年

我們是一家超過三十五年的特殊鋼產品加工、製造、生產、研發的公司，從代工走向品牌，專注於廚具功能五金的開發，秉持「MIT」創新研發精神與卓越製造技術，推出多款解決廚房收納問題的創新產品，而隨著市場需求的多樣化，產品線已從廚具五金拓展至紅酒收納、衣櫥收納五金及衛浴配件領域。我們結合傳統工藝與現代設計，持續創新，以永續理念打造高品質產品，為您實現更理想的居家空間。

佳飾美擁有ISO 9001國家認證，通過SGS與UL的認證，且擁有一百多項新型專利及發明申請，團隊的技術獲得美國Costco等大型企业客戶的信賴，使本公司成為歐美知名大廠OEM/ ODM的配合廠商。

A & D Jasmine Int'l Co., Ltd. is a manufacturer specializes in producing Functional Storage Hardware to satisfy the needs of our global clients and end-users.

In the past 30+ years, our team has been focused on innovative design and functionality in product development, as well as our up-to-date production management and government-certified QA system. Hence A & D Jasmine has earned not only more than 30 patents but also the trust from many of the well-known international companies for OEM/ODM projects.

We hope to mark our next milestone with integrated brand marketing in the globalized market in the near future.



有限空間 無限可能



再次跨界為衣櫥收納空間帶來全新演繹，
運用秋葉橘編織紋及杏色荔枝紋皮革，
憑藉色彩與紋理的相輔相成，
在高調時尚與低調中性的相互對比中
打造出輕奢風格的LW 系列，
為衣櫥空間賦予潮流時尚氣息。
也同時推出SE2.0及智能廚衛系列，
提供更多元產品選擇。

研發團隊歷時2年，推出金屬質感
簡約及流線的外型的五金紅酒收納系列，
並於第33屆台北國際建築建材展首次發表。
是業界唯一將紅酒收納五金整合成完整系列，
滿足紅酒收納於櫃內櫃外的各種需求。

由研發團隊歷經3年憑著強調「MIT」卓越的工
藝開發出「SE系列功能性收納五金」。
SE系列選擇工藝上較為困難的水抽扁鐵，
提升產品造型美感，
因大量減少電鍍使用，對地球環保盡一份心力。

堅持MIT的創新研發及精實製造生產技術。
並取得產品ISO9001 / SGS / UL 產品認證
，成為業界深具專業與誠信品牌，放眼世界
。

佳飾美團隊以超越同業的創新、
具前瞻性的研發思維與先進的製程管理
通過政府認證的品檢規範在技術層面上，
更獲得許多合作客戶信賴，以及在美國、德國、
台灣、大陸等地區擁有超過100項專利，
成為歐美知名大廠OEM/ODM的配合廠商。

正式更名為 ®
【佳飾美國際事業有限公司】

確立以櫥櫃功能收納五金為發展主力，
以JASMINE為品牌名稱註冊行銷全球，
並完成櫥櫃功能收納五金之廚房及吊掛系列、
衣櫥系列與頂天立地系列，朝發展自有品牌努力。

公司在1987年創立於高雄燕巢，
以特殊鋼材買賣為主要營業項目。
隔年購入銑床等六面及形狀加工用機具設備，成為特
殊鋼材買賣加工全台第一家，
將材料買賣帶入附加工的新里程，
以提升服務層面及產品價值。

2024

HISTORY

2021

2019

2014

2009

2003

1998

1987

行銷全球

BusinessArea

JASMINE 產品機能多樣創新且堅持品質
透過各個國際展覽的平台
與各地買家進行市場與產品的交流
藉此行銷至全球五大洲超過30個國家
並獲得歐美知名大廠之肯定與青睞
指定為OEM/ODM 的配合廠商
建立起長期互惠之夥伴關係



Are you looking for a "Functional Storage" solution?

JASMINE[®] is here for you



3 years Warranty

Quality Control & Product Warranty

投保產品責任險

600萬

功能性五金保固三年

不含人為因素損害 · 請注意使用說明

佳飾美在產品品質方面做到嚴格的把關，配有國家標準之鹽水噴霧試驗，設有嚴格的五金功能品質耐久測試標準，並提供三年保固佳飾美功能性五金的承諾，佳飾美團隊對產品的認真與服務的用心全世界看的見。



鹽霧檢測

針對線籃及滑軌之電鍍、烤漆等所有表面處理做侵蝕性檢測



轉角檢測

針對轉角櫃系列測試金屬疲乏及載重安全值



直拉檢測

針對底櫃、高櫃、垃圾桶系列測試金屬疲乏及載重安全值



升降檢測

針對升降櫃系列測試金屬疲乏及載重安全值



橫移檢測

針對橫移門、半邊怪物組系列測試金屬疲乏及載重安全值

- ◎ 通過55,000次以上耐久載重之各項專業測試
 - ◎ 耐久(ANSI/BHMA.A 156.9-03)
 - ◎ 包裝落下測試 (依ASTM D5276)
 - ◎ 耐蝕(CNS 8886中性鹽霧第9級及JASMINE SPEC)
 - ◎ 烤漆、電鍍通過CNS.8886中性鹽霧第9級測試
- 腐蝕面積分級法：0表示腐蝕缺陷最大值，10表示腐蝕缺陷最小值

CONTENTS

Smart LIVING 智能廚衛系列

電熱毛巾架 12
Electric Towel Rack

電熱毛巾架 (長) 14
Electric Towel Rack

LW系列 LW SERIES

配件收納架 22
Accessories Storage Tray

多功能收納盒 23
Multi Functional Organizer

收納拉籃 24
Pull-out Storage

褲架 26
Pants Rack

180 度旋轉鞋架 27
180° Swivel Shoe Rack

層板裝飾邊條 30
Partition decorative end rack

吊衣桿 / 衣架 30
Hanger Rod / Hanger

層板裝飾邊條 30
Partition decorative end rack

紅酒系列 WINE STORAGE

紅酒拉籃 34
Wine Pullout Basket

紅酒小側拉 35
Wine Rack Side-Mounted Kit

紅酒架 36
Desktop Wine Rack

壁掛式紅酒架 / 高腳杯架 37
Wall-Mounted Wine Rack / Goblet Holder

SE系列 SE SERIES

三邊拉籃 46
3-Sided Basket

四邊拉籃 48
4-Sided Basket

鋁合金收納盒 50
Utensil Holder

新款 JAS 緩衝薄牆磁吸鋁抽組 52
JAS Aluminum Drawer Series Soft Close

磁吸隔板 / 磁吸棒 53
Magnetic Divider / Magnetic Bar Divider

小側拉 54
Side-mounted Pull Out Kit

多功能內移收納架 56
Kitchen-Keeper

緩衝分類垃圾桶 57
Soft Closing Waste Bin

底怪 58
Bottom Pull Out Kit

冰怪 59
Above the Fridge Pull Out Organize

雙緩單層昇降櫃 60
Single Pull-Down Storage Kit

雙緩昇降櫃 61
Pull-Down Storage Kit

緩衝旋弧小怪物 62
Magic Corner Soft-Close

緩衝全都露 63
2-Way Magic Corner Soft-Close

高昇櫃 64
Tall Unit

中、高納櫃 66
Tall Master

門板置物架 68
Link Storage Rack

CONT

1 FAUCET 水龍頭系列

#304 不鏽鋼抽拉式出水管頭水龍頭 #304 Stainless Steel Extractable Spout	80
#304 不鏽鋼三水通式出水頭水龍頭 #304 Stainless Steel 3-Flow Spout	82
角閥 Angle Valve	83
#304 不鏽鋼水龍頭附 360° 花灑頭 #304 Stainless Steel 360° Rotation	84
#304 不鏽鋼可彎折水龍頭 #304 Stainless Steel	85

HangiNG Series 2 收納吊掛系列

掛桿 (易利鉤) 附左右邊蓋 Aluminum Rail	88
木紋抗倍特板吊掛系列 搭配易利鉤掛桿使用 Compact Laminate Hanging Series (Aluminum Rail)	89
琉璃吊掛系列 搭配易利鉤掛桿使用 Glass Hanging Series (Aluminum Rail)	90
不鏽鋼吊掛系列 搭配易利鉤掛桿使用 Stainless Steel Hanging Series (Aluminum Rail)	91
不鏽鋼吊掛系列 搭配圓桿 + 固定座使用 Stainless Steel Hanging Series (Round Tube)	91
不鏽鋼吊掛系列 搭配圓管使用 Stainless Steel Hanging Series (Round Tube)	92
不鏽鋼吊掛系列 Stainless Steel Hanging Series	93

3 底櫃系列 BASE CABINET

JAS 緩衝三邊籃 3-Sided Basket	96
JAS 三邊碗盤籃 3-Sided Basket w/Bowl and Plate Holder	100
JAS 四邊碗盤籃 4-Sided Basket w/Bowl and Plate Holder	101
四邊籃 4-Sided Basket	102
活動分隔架系列 Movable Organizing Rack Series	108
JAS 緩衝鋁抽系列 JAS Aluminum Drawer Series	109
JAS 緩衝鋁抽內抽面板 JAS Internal Drawer Front Section	111
JAS 緩衝止滑鋁抽組 JAS Aluminum Drawer Series	112
鋁抽配件 Accessories for Aluminum Drawers	117
鋁抽磁吸底板 Magnetic Drawer Bottom	118
磁吸隔板 / 磁吸棒 Magnetic Divider / Magnetic Bar Divider	118
止滑墊 / 止水墊 Anti-Slip Liner / Waterproof Liner	118
JAS 緩衝薄牆鋁抽系列 JAS Slim Double Wall Metal Drawer Series	119
JAS 緩衝薄牆鋁抽內抽面板 JAS Slim Internal Drawer Front Section	121
薄抽加高桿配件 Square Rails	122
JAS 緩衝薄牆止滑鋁抽組 JAS Slim Double Wall Metal Drawer Kit	123

EVENTS

3 底櫃系列 **BASE CABINET**

JAS 緩衝薄牆止滑鋁抽組 - 抽中抽 JAS 4-Sided Slim Double Wall Metal Drawer	126
刀叉盤 Utensil Tray	129
鋁合金收納盒 Utensil Holder	130
伸縮款實木收納盒 Extendable Wood Storage Kit	131
緩衝檯面延伸架 Extension Worktop w/ Soft Close	132
150 小側拉 - 塑盒 Side-Mounted Kit Pull Out w/ ABS Basket	133
150 小側拉 - 線籃 Side-Mounted Kit Pull Out w/ Wire Basket	134
150 小側拉 - 抗倍特板 Small Side-Mounted Kit Pull Out w/ Compact Laminate Bottom	135
小側拉 - 35 深線籃 Side-Mounted Kit Pull Out w/ Wire Basket (317D)	136
小側拉 - 線籃 Side-Mounted Kit Pull Out w/ Wire Basket	138
小側拉 - 塑盒 Side-Mounted Kit Pull Out w/ ABS Basket	142
小側拉 - 抗倍特板 Small Side-Mounted Kit Pull Out w/ Compact Laminate Bottom	144
小側拉 - 玻璃 Small Side-Mounted Kit Pull Out w/ Tempered Glass Bottom	145
JAS 砧板 / 刀架 - 線籃 JAS Small Side-Mounted Kit Pull Out (Wire Basket)	146
JAS 側拉寶 · 砧板 / 刀架 JAS Small Side-Mounted Kit Pull Out	148

組合式功能架 - 線籃 2-Tier Pull Out Rack (Wire Basket)	150
組合式功能架 - 塑盒 2-Tier Pull Out Rack (ABS Basket)	152
雙層置物籃 2-Layer Multi-Purpose Basket Kit	154
緩衝雙層底抽架 Bottom-Mounted 2-layer Storage Kit	155
緩衝多功能底抽架 Bottom-Mounted Multi-purpose Kit	156

4 **WASTE BIN** 垃圾桶系列

緩衝加蓋分類桶架 Soft Closing Waste Bin w/ Lid	158
緩衝分類垃圾桶 Soft Closing Waste Bin	160
緩衝資源分類桶架 Soft Closing Trash Drawer	162

CONT

轉角櫃系列 **5 CORNER Cabinet**

緩衝旋弧小怪 Magic Corner Soft-Close	166
緩衝全都露 2-Way Soft Closing Magic Corner	169
180° 半圓掛式轉籃 180° Swivel Basket Kit	172

高櫃系列 **6 TALL CABINET**

緩衝低昇櫃 - 線籃 Tall Unit (Wire Basket)	174
緩衝中昇櫃 - 線籃 Tall Unit(Wire Basket)	175
緩衝高昇櫃 - 線籃 Tall Unit (Wire Basket)	176
緩衝低 / 中 / 高昇櫃 - 抗倍特板 Tall Unit w/ Compact Laminate Bottom	177
緩衝低 / 中 / 高昇櫃 - 玻璃 Tall Unit w/ Tempered Glass Bottom	178
高昇櫃系列選購配件 Accessories for Tall Unit	179
半邊怪物組 Heavy Larder Unit	180

吊櫃系列 **WALL CABINET 7**

昇降櫃 Pull-Down Storage Kit	184
掀門滑軌 Pocket Door Slide	186
德國 HAFELE 掀蓋短搖臂 HAFELE Lift-Up Fitting Stay Arm (Duo Series)	187
德國 HAFELE 掀蓋搖臂 (重型) HAFELE Lift-Up Fitting Stay Arm (Heavy Duty)	188

EVENTS

8 Hinge Series

鉸鍊系列

JAS 1"15 六分緩衝鉸鍊 JAS Soft Closing Full Overlay Hinge	190
3D 調節緩衝鉸鍊 3D Adjustment Hydraulic Buffering Hinge	192
緩衝鋁框門鉸鍊 Aluminum Profile Hydraulic Buffering Hinge	195
3D 調節緩衝 165 度鉸鍊 165° Opening Angle 3D Adjustment Hydraulic Buffering Hinge	196
按彈開門器 Push Open Door Device Series	198

WARDROBE SERIES 9

衣櫥系列

斜邊四邊籃 Slope Type 4-Sided Basket (125mm)	200	長褲架 Pull-Out Trouser Rack	211
高斜邊四邊籃 Slope Type 4-Sided Basket (195mm)	202	旋轉鏡架 Swivel Support	211
JAS 緩衝薄牆止滑鋁抽組 - 抽中抽 JAS 4-Sided Slim Double Wall Metal Drawer	204	衣櫥收納功能系列 Wardrobe Organizer Series	212
緩衝 180 度旋轉鞋架 (淺櫃) 180° Swivel Shoe Rack w/Soft-Close	207	橢圓吊衣桿 Oval Tube	212
緩衝高昇櫃 Tall Unit	208		
高昇櫃系列選購配件 Accessories for Tall Unit	209		
緩衝旋轉燙衣板 Ironing Board	210		
皮、領帶架 Pull-Out Tie Rack	211		

CONTENTS

10

LED BULB 照明系列



裝修配件 Spare Parts	215	LED 無光點圓蓋內嵌鋁條燈 Dot-free Round Cover Recessed Aluminum Strip LED	244
隱藏式觸碰開關 Hidden Touch Sensor Switch	216	LED 柔光內嵌鋁條燈 Soft Glow Inlay Aluminum Strip LED	246
連接線組 / 分線盒 Connection Cable / Junction Box	217	LED 霧面柔光內嵌鋁條燈 Frosted Soft Glow Inlay Aluminum Strip LED	249
導孔定位器套組 Drilling Jig	217	LED 上下發光感應式把手燈 Top & Bottom Emitting Motion Sensor Handle LED	251
感應開關 Sensor Switch	218	LED 直向側開 / 對開柔光把手燈 Vertical Side/ Dual-Opening Soft Glow Handle LED	253
變壓器 / 變壓器收納盒 Transformer / Transformer Storage Box	220	LED 上 / 下抽屜柔光把手燈 Upper / Lower Drawer Soft Glow Handle LED	255
LED 矽膠軟條燈 Silicone Soft Strip Lighting Series	223	LED 觸控感應可調光把手燈 Touch Sensor Cabinet Handle LED with Dimmable Feature	256
LED 斜照頂層木層板燈 Angled Top Shelf LED	226	LED 感應式無光點把手燈 Motion Sensor Dot-free Handle LED	257
LED 直照木層板燈 Downward Shelf LED	227	LED 無光點鋁條燈 Dot-free Aluminum Strip LED	259
LED 三面發光玻璃層板燈 Tri-directional Emitting Glass Shelf LED	228	LED 感應式櫃內燈 Door Sensor Cabinet Interior LED	260
LED 掛式斜照木層板燈 Hanging Angled Shelf LED	229	LED 三面發光扁形抽屜燈 Tri-directional Emitting Drawer LED	261
LED 圓燈系列 Round Lighting Series	232	LED 感應式櫃下燈 Motion Sensor Under Cabinet LED	264
LED 磁吸小圓嵌燈 Magnetic Mini Round Recessed LED	235	LED 斜照感應式櫃下燈 Angled Motion Sensor Under Cabinet LED	265
LED 嵌入式斜照寬版鋁條燈 Wide Angled Inlay Aluminum Strip LED	237	LED 斜照式易利鉤燈 Angled Under Cabinet LED	266
LED 無邊蓋內嵌鋁條燈 Edgeless Inlay Aluminum Strip LED	239	LED 斜照式櫃下燈 Angled Under Cabinet LED	267
LED 無眩光內嵌斜照鋁條燈 Anti-glare Angled Inlay Aluminum Strip LED	241	LED 鋰電池感應吊衣桿燈 Lithium battery powered Hanger Rod LED	270
LED 矽膠燈罩內嵌鋁條燈 Silicone Cover Inlay Aluminum Strip LED	242	LED 感應吊衣桿燈 IR Sensor Hanger Rod LED	271
LED 無邊蓋內嵌鋁條燈 Edgeless Inlay Aluminum Strip LED	243		

智能廚衛系列

S M A R T L I V I N G

新品

NEW

不鏽鋼

電熱毛巾架

ELECTRIC TOWEL RACK



LED觸控數顯控制器
智慧控溫控時

55



8段
溫控設定



1~24hr
時間設定

除濕防霉 / 烘乾抑菌 / 高效節能

防止過度升溫功能,安全性提升! 多種溫度選擇,滿足您不同需求!
35°C~55°C 烘乾衣物,安全不燙手 / 60°C~70°C 輔助室內取暖






不鏽鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高x寬x深 HxWxD (mm)	牌價 Price	備註 Remarks
ET106002 0112ET106000STK	550x600x239	9000	左出線
ET206002 0112ET206000STK	550x600x239	9000	右出線

- 碳纖維加熱, 可調溫35°C ~70°C (每5度為一單位)
- 載重: 10 kg
- 智能定時: 1~24 Hours 定時
- 適用電壓: 110V
- 功率: 260W
- 電源插座: 三孔插座 (請確實做好接地)
- 電源線長度: 約1.3m
- 本產品保固一年 (若自行剪掉插頭則不予保固)
- 面板配有智能安全鎖, 防止孩童誤觸
- 此產品僅適用於乾溼分離的衛浴設計
- It is heated by Carbon fiber wire heating, automatic control stabilized temperature is at 35~70°C (±5°C)
- Load Capacity: 10 kg
- Set time length: 1~24 Hours (Add 1 hour for each time)
- Voltage: 110V / Power: 260W
- Power plug: Line length 1.3m standard plug
- One year warranty. (Warranty will be voided if modified in anyway)
- The panel is equipped with a smart safety lock to prevent accidental activation by children.
- This product is only suitable for bathroom design with wet and dry separation.

示意圖 Schematic



產品安裝方式 Product Installation Instructions

三種安裝方式可選擇


方式① 鑽孔安裝: 請參考說明書鑽孔尺寸安裝

方式② 免鑽孔貼安裝: 請參考說明書安裝

僅適用於如光滑的磁磚、玻璃、大理石、實木、金屬

方式③ 隱藏線安裝: 隱藏線鑽孔尺寸請參考下圖鑽孔

紅色區域(陰影部分)為牆壁預隱藏電源出線孔的範圍, 在此範圍內的線孔可被裝飾蓋蓋住



左/右出線鑽孔說明相同

此為隱藏電源線之孔位建議位置

新品

NEW

不鏽鋼

電熱毛巾架

ELECTRIC TOWEL RACK

LED觸控數顯控制器
智慧控溫控時

除濕防霉
烘乾抑菌
高效節能



8段
溫控設定


1~24hr
時間設定

防止過度升溫功能,安全性提升! 多種溫度選擇,滿足您不同需求!
35°C~55°C 烘乾衣物,安全不燙手 / 60°C~70°C 輔助室內取暖





示意圖 Schematic



- 碳纖維加熱, 可調溫35°C ~70°C (每5度為一單位)
 - 載重: 10 kg
 - 智能定時: 1~24 Hours 定時
 - 適用電壓: 110V
 - 功率: 230W
 - 電源插座: 三孔插座 (請確實做好接地)
 - 電源線長度: 約1.3m
 - 本產品保固一年 (若自行剪掉插頭則不予保固)
 - 面板配有智能安全鎖, 防止孩童誤觸
 - 此產品僅適用於乾溼分離的衛浴設計
- It is heated by Carbon fiber wire heating, automatic control stabilized temperature is at 35~70°C (±5°C)
 - Load Capacity: 10 kg
 - Set time length: 1~24 Hours (Add 1 hour for each time)
 - Voltage: 110V / Power: 230W
 - Power plug: Line length 1.3m standard plug
 - One year warranty. (Warranty will be voided if modified in anyway)
 - The panel is equipped with a smart safety lock to prevent accidental activation by children.
 - This product is only suitable for bathroom design with wet and dry separation.
 - Refer to the instruction sheet inside of the box for the drilling.



不鏽鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高x寬x深 HxWxD (mm)	組件 Component	牌價 Price	備註 Remarks
ET305002 0112ET305000STK	888x517x120	ET3601A000x1 ET3602A000x1	12000	左出線
ET405002 0112ET405000STK	888x517x120	ET4601A000x1 ET3602A000x1	12000	右出線

產品安裝方式 Product Installation Instructions

二種安裝方式可選擇

方式① 鑽孔安裝: 請參考說明書鑽孔尺寸安裝

方式② 免鑽孔貼安裝: 請參考說明書安裝

僅適用於如光滑的磁磚、玻璃、大理石、實木、金屬



層板 Shelf

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
ET3602A000	12x517x120



骨架 Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	備註 Remarks
ET3601A000	888x500x100	左出線
ET4601A000	888x500x100	右出線

**LEATHER
WAR
DROBE
SERIES**



JASMINE[®]

2023 佳飾美再次跨界為衣櫥收納空間帶來全新演繹～
為滿足不同消費者個性化需求，我們將色彩、結構、紋理質感完美的與皮革融合，滿足視覺與觸覺的雙重體驗。

本產品運用秋葉橘編織紋及杏色荔枝紋皮革，憑藉色彩與紋理的相輔相成，在高調時尚與低調中性的相互對比中打造出輕奢風格的 LW 系列，為衣櫥空間賦予潮流時尚氣息。

佳飾美 LW 系列，專注於創意與細節的處理，皆由匠心手工打造，傳承精湛工藝，簡約而不簡單，讓傢俱設計搭配更獨特，更具層次，更富有美感！

我們追求的不僅僅是傢俱，更是一種藝術品，一種生活方式 ...

In 2023, JASMINE introduces a cross boundary new interpretation to wardrobe storage space. In order to meet the individual needs of different consumers, we have combined color, structure and texture to perfectly integrate with Leatherette. Providing a dual satisfying experience of vision and touch.

This product uses autumn leaf orange woven patterned and apricot pebbled Leatherette, complementing each other with color and texture. From within the contrast between high-profile fashion and low-key neutrality, the lightly luxurious LW series was born. Providing wardrobe space, a trendy and fashionable atmosphere.

The JASMINE LW series focus on creativity and attention to details, all of which are handcrafted with exquisite craftsmanship. Clean, yet not simple, blending furniture design with uniqueness and beauty!

What we pursue is not just furniture, but also a work of art and a way of life...



JASMINE[®]



追求的不僅僅是傢俱，更是一種藝術品，一種生活方式……

JASMINE®



收納拉籃 Pull-out Storage

運用秋葉橘及杏色皮革與石墨灰鐵件的碰撞，憑藉色彩與紋理的相輔相成，為衣櫥空間賦予潮流時尚氣息。有別於傳統的皮革質感置物空間，不論是織物、衣物等都能輕鬆收納入櫃。後方底板可兩色互換的小置物空間亦可擺放相應的飾品或配件。

By colliding of the autumn leaf orange and apricot leather with graphite gray iron parts, plus the complementing color and texture, it gives the wardrobe space a trendy and fashionable feel. Different from the traditional cabinet storage, leather texture storage can easily store fabric objects and clothing, etc. with protection. Choice of two color interchangeable small storage space on the rear bottom panel can also be used to place corresponding jewelry or accessories.



180 度旋轉鞋架

180° Swivel Shoe Rack

透過交錯的夾層設計，使有限的空間發揮最大的利用，大膽採用秋葉橘的皮革搭配編織紋理，為空間增添一股時尚的韻味。適用於玄關等較狹矮的空間，該產品可坐落在淺櫃之中。

Through the staggered mezzanine design, the limited space is maximized. Bold use of autumn leaf orange leather with woven texture adds a fashionable charm to the space. Suitable for narrower spaces such as foyer, this product can be placed in a shallow cabinet.

層板裝飾條

Partition Decorative End Rack

可裝飾層板邊緣達到整體一致的美感，還可使層板不易變形，適用於18-25mm。

Provides structural integrity from warpage, suitable for laminate wooden boards (18-25mm).



配件收納架

Accessories Storage Tray

專為更衣間內單品打造的收納陳列空間，憑藉色彩與紋理的相輔相成，為您的配件、飾品收藏空間注入了潮流與時尚。雙色底板設計，可依照需求翻轉替換，亦可與多功能收納盒搭配使用。

A storage and display space specially created for items in the dressing room.

With the complementary colors and textures, it showcase your accessories and jewelries with style and chic vibe. The two-color bottom plate design can be flipped and replaced according to personal needs and can also be used with a multi-functional storage box.



褲架


Pants Rack

揮別成堆的褲子山，讓所有單品整齊排列一目了然。搭配後方雙色底板設計的小置物空間，可收納配件小物品並可依照需求翻轉替換。

Say goodbye to piles of pants and have everything neatly arranged at a glance.

Small storage space designed with a two-colored flippable bottom panel at the rear can store other accessories.

LW Series



配件收納架 Accessories Storage Tray

碳鋼烤漆, 合成皮, 鋁
Steel, Dark Gray Epoxy Powder Coating, Leatherette, Aluminum


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
LW4060J1 0110LW4060JDOTK	80x564x479	600	LW4690A0MCx1 LW4004A000x1 FA1902A000x1 FV4700A0QAx1	7500
LW4080J1 0110LW4080JDOTK	80x764x479	800	LW4890A0MCx1 LW4204A000x1 FA1902A000x1 FV4700A0QAx1	8500
LW4090J1 0110LW4090JDOTK	80x864x479	900	LW4990A0MCx1 LW4304A000x1 FA1902A000x1 FV4700A0QAx1	9000

建議放置於乾燥處 Place in a dry area recommended.



建議載重 : 15 kg
Load Capacity

滑軌孔位示意圖 Holes Schematic



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide



FV4700A0QA 滑軌修飾蓋
Slide Shroud



框架
Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW4690A0MC	73x532x477	600
LW4890A0MC	73x732x477	800
LW4990A0MC	73x832x477	900

不含滑軌 / 此為框架本體實際尺寸
Product Dimension (Frame Only)



合成皮鋁板
Leatherette aluminum board


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW4004A000	3x491x468	600
LW4204A000	3x691x468	800
LW4304A000	3x791x468	900

正反兩色可自行翻轉替換
Double sided 2 tone for reversible use

本產品型錄皆為未稅價

多功能收納盒

Multi Functional Organizer



通用托盤



領帶托盤



戒指托盤



手錶托盤

合成皮革 / 鋁 / 密度板
Leatherette, Aluminum, MDF

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
 LWA00103 0110LWA00100AG0	428x155x50	2000
 LWA00203 0110LWA00200AG0	428x155x50	2200
 LWA00303 0110LWA00300AG0	428x155x50	2400
 LWA00403 0110LWA00400AG0	428x155x50	2600


LW Series




收納拉籃 Pull-out Storage



建議載重 : 20 kg
Load Capacity



滑軌孔位示意圖 Holes Schematic



秋葉橘收納籃

碳鋼烤漆, 合成皮, 鋁

Steel, Dark Gray Epoxy Powder Coating, Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
LW3060J1 0110LW3060JDOTK	210x564x479	600	LW3690A0MCx1 LW3502A000x1 LW2005A000x1 FA1902A000x1 FV4700A0QAx1	8000
LW3080J1 0110LW3080JDOTK	210x764x479	800	LW3890A0MCx1 LW3522A000x1 LW2205A000x1 FA1902A000x1 FV4700A0QAx1	9000
LW3090J1 0110LW3090JDOTK	210x864x479	900	LW3990A0MCx1 LW3532A000x1 LW2305A000x1 FA1902A000x1 FV4700A0QAx1	10000

建議放置於乾燥處 Place in a dry area recommended.



秋葉橘收納籃

Basket w/ Autumn leaf orange color

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW3502A000	200x492x369	600
LW3522A000	200x692x369	800
LW3532A000	200x792x369	900

此含圓桿尺寸, 僅皮革收納籃尺寸為: 寬度 -27mm
Includes the rod dimensions, Leatherette basket width is 27mm less than total indicated width.

杏色收納籃

碳鋼烤漆, 合成皮, 鋁

Steel, Dark Gray Epoxy Powder Coating, Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
LW306AJ1 0110LW306AJDOTK	210x564x479	600	LW3690A0MCx1 LW3503A000x1 LW2005A000x1 FA1902A000x1 FV4700A0QAx1	8000
LW308AJ1 0110LW308AJDOTK	210x764x479	800	LW3890A0MCx1 LW3523A000x1 LW2205A000x1 FA1902A000x1 FV4700A0QAx1	9000
LW309AJ1 0110LW309AJDOTK	210x864x479	900	LW3990A0MCx1 LW3533A000x1 LW2305A000x1 FA1902A000x1 FV4700A0QAx1	10000

建議放置於乾燥處 Place in a dry area recommended.



杏色收納籃

Basket w/ Apricot color

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW3503A000	200x492x369	600
LW3523A000	200x692x369	800
LW3533A000	200x792x369	900

此含圓桿尺寸, 僅皮革收納籃尺寸為: 寬度 -27mm
Includes the rod dimensions, Leatherette basket width is 27mm less than total indicated width.



框架

Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW3690A0MC	73x532x477	600
LW3890A0MC	73x732x477	800
LW3990A0MC	73x832x477	900

不含滑軌 / 此為框架本體實際尺寸
Product Dimension (Frame Only)



合成皮鋁板

Leatherette aluminum board

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW2005A000	3x491x82	600
LW2205A000	3x691x82	800
LW2305A000	3x791x82	900

正反兩色可自行翻轉替換

Double sided 2 tone for reversible use.



FA1902A000 座式緩衝滑軌

Concealed Soft Closing Slide



FV4700A0QA 滑軌修飾蓋

Slide Shroud



褲架 Pants Rack


建議載重 : 15 kg
Load Capacity : 15 kg

碳鋼烤漆, 合成皮, 鋁


Steel, Dark Gray Epoxy Powder Coating, Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	掛桿數量 Hanger Rod	組件 Component	牌價 Price
LW2060J1 0110LW2060JDOTK	80x564x479	600	6 pcs	LW2690A0MCx1 LW2005A000x1 FA1902A000x1 FV4700A0QAx1	9000
LW2080J1 0110LW2080JDOTK	80x764x479	800	8 pcs	LW2890A0MCx1 LW2205A000x1 FA1902A000x1 FV4700A0QAx1	10000
LW2090J1 0110LW2090JDOTK	80x864x479	900	10 pcs	LW2990A0MCx1 LW2305A000x1 FA1902A000x1 FV4700A0QAx1	11000

建議放置於乾燥處 Place in a dry area recommended.

FA1902A000 座式緩衝滑軌
Concealed Soft Closing SlideFV4700A0QA 滑軌修飾蓋
Slide Shroud框架
Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW2690A0MC	73x532x477	600
LW2890A0MC	73x732x477	800
LW2990A0MC	73x832x477	900

不含滑軌 / 此為框架本體實際尺寸
Product Dimension (Frame Only)滑軌孔位示意圖
Holes Schematic合成皮鋁板
Leatherette aluminum board

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
LW2005A000	3x491x82	600
LW2205A000	3x691x82	800
LW2305A000	3x791x82	900

正反兩色可自行翻轉替換
Double sided 2 tone for reversible use



建議載重 : 40 kg
Load Capacity



180 度旋轉鞋架 180° Swivel Shoe Rack


碳鋼烤漆, 合成皮, 鋁, 密度板
Steel, Dark Gray Epoxy Powder Coating, Leatherette, Aluminum, MDF

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌 價 Price
LW108AX0 0110LW108AX7000	1116~1404x709x315	800	LW1510A0MCx1 LW1501A0MCx6 LW1502A0MCx1	28000
LW108BX0 0110LW108BX7000	2044~2172x709x315	800	LW1560A0MCCx1 LW1501A0MCx13 LW1502A0MCx1	48000

建議放置於乾燥處 Place in a dry area recommended.

· 安裝實內櫃體寬度至少 744 mm · 勿懸空安裝 · 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式
· Inner width of cabinet \geq 744 mm · Please thicken the bottom or place extra foundation to reinforce the bottom.

照片僅供參考，請以實物為準



石墨灰骨架 Frame

碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 高 x 寬 x 深

Item No. H x W x D (mm)

LW1510A0MC 1116~1404x709x315

LW1560A0MC 2044~2172x709x315



置鞋架

Shoe Rack

合成皮, 密度板, 鋁板 Leatherette, MDF, Aluminum

型號

高 x 寬 x 深

Item No.

H x W x D (mm)

LW1501A0MC

84x696x298



置鞋架

Shoe Rack

合成皮, 密度板, 鋁板 Leatherette, MDF, Aluminum

型號

高 x 寬 x 深

Item No.

H x W x D (mm)

LW1502A0MC


80x696x298





層板裝飾邊條



Partition decorative end rack



吊衣桿
Hanger Rod



衣架
Hanger



吊衣桿 Hanger Rod

杏色吊衣桿

碳鋼, 合成皮, 鋁 Steel, Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
LWC06A03 0110LWC06A00AG0	505x29x73.2	600	2600
LWC08A03 0110LWC08A00AG0	705x29x73.2	800	2800
LWC09A03 0110LWC09A00AG0	805x29x73.2	900	3000
LWC10A03 0110LWC10A00AG0	905x29x73.2	1000	3200



建議安裝層板前先裝好吊衣桿, 層板上鑽孔為 Ø8mm 沉孔
Recommend installation of hanger rod before installing the panel. Pre-drill ø8mm counterbore hole for installation.

秋葉橘吊衣桿

碳鋼, 合成皮, 鋁 Steel, Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
LWC06003 0110LWC06000AG0	505x29x73.2	600	2600
LWC08003 0110LWC08000AG0	705x29x73.2	800	2800
LWC09003 0110LWC09000AG0	805x29x73.2	900	3000
LWC10003 0110LWC10000AG0	905x29x73.2	1000	3200

建議安裝層板前先裝好吊衣桿, 層板上鑽孔為 Ø8mm 沉孔
Recommend installation of hanger rod before installing the panel. Pre-drill ø8mm counterbore hole for installation.



層板裝飾邊條 Partition decorative end rack

杏色款

合成皮, 鋁 Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
LWB06A03 0110LWB06A00AG0	563x74x37	600	2000
LWB08A03 0110LWB08A00AG0	763x74x37	800	2200
LWB09A03 0110LWB09A00AG0	863x74x37	900	2400
LWB10A03 0110LWB10A00AG0	963x74x37	1000	2600

適用於 18mm~25mm 層板 / 可訂客製長度
Suitable for 18~25mm thick panels / customizable length.

鐵灰款

合成皮, 鋁 Leatherette, Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
LWB06003 0110LWB06000AG0	563x74x37	600	2000
LWB08003 0110LWB08000AG0	763x74x37	800	2200
LWB09003 0110LWB09000AG0	863x74x37	900	2400
LWB10003 0110LWB10000AG0	963x74x37	1000	2600

適用於 18mm~25mm 層板 / 可訂客製長度
Suitable for 18~25mm thick panels / customizable length.




衣架 Hanger

合成皮, 木頭, 碳鋼 Leatherette, Wood, Steel

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	顏色 Color	牌 價 Price
LWD00000 0110LWD00000W00	238x430x30	秋葉橘 Orange	3600
LWD00A00 0110LWD00A00W00	238x430x30	杏色 Apricot	3600

建議勿吊掛未乾之衣物, 以免造成產品受潮損壞。5 入 / 組
Intended for dry clothing, as wet clothing humidity may damage product.
5 pcs/Set

WINE STOR AGE SERIES

A photograph of a wine storage cabinet, likely a built-in unit, with several shelves. The shelves are filled with wine bottles, some of which have red and white labels. The cabinet is dark-colored, possibly black or dark wood, and is set against a light background.

JASMINE[®]



紅酒拉籃

Wine Pullout Basket

專為紅酒收納而生的產品，
尺寸規格量身打造！
金屬質感簡約造型使紅酒收納
展現出不凡的時尚魅力。

The product is specially designed for wine storage.
The size and specifications are tailor-made.
A simple shape of the metal texture makes the wine
storage show an extraordinary fashion charm.



螺旋紅酒架

Spiral Wine Rack

訂購請洽業務

採用螺旋方式擺放，
集美觀，收納，展示，為一體的產品，
展示收藏同時品味高質感生活，
為空間增添視覺焦點，簡易安裝，獨一無二。

Placed in a spiral orientation, it integrates beauty,
storage and presentation into one product.
Displaying the collection with a sense of taste while
adding visual presence to the space.
Easy installation and of one of a kind.

紅酒收納系列

使整體空間展現出不凡的時尚品味
Amazing Bar Design Ideas for You!

桌上型紅酒架

Desktop Wine Rack

金屬材質堅固耐用
可堆疊的結構設計，可依需求創造多種堆疊的可能性
可置於櫃內也可展示於任何角落以及檯面
簡潔外觀的設計放置於任何風格空間皆合適


The metal material is sturdy and durable, it's stackable structure design
can create a variety of stacking possibilities according to requirements.
It can be placed in a cabinet or displayed in any corner and countertop.
The simple appearance design is suitable for any style.



高腳杯架 Goblet Holder

專利毛刷條防滑防刮設計，跳脫傳統鐵線高腳杯架，鋁擠型質感提升，造型突破，適用於任何室內設計裡。

The patented brush strip is anti-slip and scratch-resistant by design, which breaks away from the traditional iron wire goblet holder. The aluminum extrusion has an improved texture and a breakthrough in shape. Suitable for any interior design.



壁掛式紅酒架 Wall-Mounted Wine Rack

一體成形設計，結合抗倍特板木頭元素，使冰冷的鐵件增添溫潤感，堅固耐用不占空間，安裝於牆面一隅，散發出獨特藝術質感。

The one-piece design, combined with compact laminate board wood element, adds warmth to the cold iron pieces, durable and space saving, installed in a corner of the wall, exhibiting an unique artistic texture.



訂購請洽業務

紅酒中側拉、小側拉 Wine Rack Small Side-Mounted Kit Medium Side-Mounted Kit

採左右共用上下可伸縮的設計，不再侷限櫃體高度，避免各種空間浪費。且此款擁有側固式及上下鎖固兩種安裝方式，可視櫃體及呈現需求安裝。不論是低調的隱藏式收藏或開放式展示，可多種運用的設計滿足所有空間需求！

The frame is universal design and the height is adjustable which no longer limits the height of the cabinet and avoids all kinds of wasted space. This model has two installation methods, side-mounted and bottom-mounted, which can be installed depending on what you need. No matter if it is a low-key hidden collection or an open display, the design can be use in a variety of ways to meet all space needs!



紅酒四邊拉籃
4-Sided Wine Pullout Basket





台灣專利 M516365

專利



建議載重: 16 kg
Load Capacity

滑軌孔位示意圖
Holes Schematic



Wine Storage Series



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide

碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	儲藏數量 Max No. of bottles	組件 Component	牌價 Price
FV4060J1 0111FV4060JDOTK	80x564x479	600	8	FV3690A0MCx1 FA1902A000x1 FV4700A0QAx1	3900
FV4080J1 0111FV4080JDOTK	80x764x479	800	11	FV3890A0MCx1 FA1902A000x1 FV4700A0QAx1	4300
FV4090J1 0111FV4090JDOTK	80x864x479	900	13	FV3990A0MCx1 FA1902A000x1 FV4700A0QAx1	4400



FV4700A0QA 滑軌修飾蓋
僅四邊籃適用 Slide Shroud
For 4-sided basket only.



拉籃
Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FV3690A0MC	73x532x477	600
FV3890A0MC	73x732x477	800
FV3990A0MC	73x832x477	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)


選購
Optional



門板座組
Door Brackets 三邊籃需加購
碳鋼烤漆

型號 Item No.	牌價 Price
FV3700A0SD	880

門板孔位示意圖
Door Panel Schematic




紅酒小側拉 Wine Rack Small Side-Mounted Kit



建議載重 : 10 kg
Load Capacity : 10 kg


Wine Storage Series




碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	儲藏數量 Max No. of bottles	牌價 Price
FV1015G1 0111FV1015GBOTK	610~700x103x478	150	8	5800


門板尺寸圖
Door Dimension



底板尺寸圖
Bottom Dimension



側板尺寸圖
Side Panel Dimension





建議載重 : 40 kg (上下各 20kg)
Load Capacity


紅酒架
Desktop Wine Rack



Wine Storage Series

碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	儲藏數量 Max No. of bottles	組件 Component	牌價 Price
FVV05101 0111FVV051000TK	206x555x263	12 (6/6)	FVV600A0MCx2 MB1050A0MCx2 FVV006A0MCx1	4000



紅酒架
Desktop Wine Rack

碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
FVV600A0MC	102x555x263	

選購
Optional



x 4 pcs

管塞
Stopper

塑膠 PE

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
MB1050A0MC	15x14x20	90

選購
Optional



x 4 pcs

連接管塞
PE Connector


塑膠 PE

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
FVV006A0MC	28.5x14x20	110

壁掛式紅酒架
Wall-Mounted Wine Rack



建議載重 : 20 kg
Load Capacity




碳鋼烤漆 / 木紋抗倍特板

Steel, Dark Gray Epoxy Powder Coating / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	儲藏數量 Max No. of bottles	牌價 Price
FV705501	557x40x80	9	1600
0111FV705500OTK			

Wine Storage Series



鋁合金烤漆
Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
FV203203	25x100x320	1400
0111FV203200AGK		
FV204403	25x100x445	1700
0111FV204400AGK		

適用杯底直徑大於 68mm 小於 90mm 的高腳杯
Available for Bottom Diameter of Goblet Between Ø68~Ø90mm

台灣專利 M609086

專利



高腳杯架
Goblet Holder



JASMINE[®]

M e m o



JASMINE[®]

JASMINE®



A 高納櫃 SE Tall Master

開門時，收納籃自動滑出，
讓您輕鬆獲取所需物品！
專利設計讓最底部上兩層收納籃，
可以輕鬆向門板另一邊橫移，
解決需蹲下查看取下層收納物的困擾。

B 單層昇降櫃
Single Pull-Down Storage Kit

此為W02 昇降櫃的變形，
提供給不需雙層功能，
只有上層不易取得困擾的您。
下拉即可輕鬆拿取及收納物品，
解決高處不易拿取深處空間有效利用。



C 門板置物架
Link Storage Rack

是您解決深櫃後方空間使用困擾的理想選擇！
經常因為櫃子太深
伸手搜索櫃內所需物品感到不便嗎？
門板置物架幫您充分利用櫃內空間，
輕鬆收取所需物品。

D 多功能內移收納架
Kitchen-Keeper

附有刀具、砧板收納及隔瓶收納的功能，
多分層的空間可因應使用需求做收納，
專利設計的上層分隔可向櫃內推拉移動，
輕鬆拿取該層下面放置的物品。
各層附有環保止滑墊，防止碰撞刮傷。



SE SERIES
SE SERIES



拉籃
Basket



消光灰水抽扁鐵

Dark Gray matt flat wire



底板正反面可互換運用

大理石紋理圖案防潮塑合板

Switchable damp-proof chipboard available

White marble pattern damp-proof chipboard

磁吸隔板

與磁吸底板搭配使用

有效固定物品不傾倒

消除雜音且避免碰撞


可自行標記專屬記號

Magnetic Divider

Used with EVA anti-slip liner

bottom and magnetic dividers,

hold items in place with sound damping.



底板正反面可互換運用

食品級EVA環保止滑墊 + 專利磁吸防潮塑合板底

Switchable damp-proof chipboard available

EVA anti-slip liner with steel sheet bottom
damp-proof chipboard

佳飾美 SE 系列

創新概念讓底板的設計可依個人喜好及需求選擇正反面，
並為了增加功能實用性，採用了「專利磁吸底」加上食品級EVA環保止滑墊，
使物品穩固收納，複合式的材質搭配增添了產品的可能性。

石墨灰色系帶出沉穩內斂，
顛覆傳統與跳脫以往五金配件給人的刻板印象，
讓收納五金內裝不再只是配角，
使櫃體美感內外兼具。

三邊拉籃
3-Sided Basket



台灣專利 M516365

專利




建議載重 : 40 kg
Load Capacity : 40 kg

SE series


滑軌孔位示意圖

Holes Schematic



門板孔位示意圖


Door Panel Schematic



碳鋼烤漆, 磁吸防潮塑合板

Steel, Dark Gray Epoxy Powder Coating, Damp-proof Chipboard w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KF5060J1 0103KF5060JDOTK	181x564x481	600	KF3530A4MCx1 FA1902A000x1 FV3700A0SDx1	6200
KF5080J1 0103KF5080JDOTK	181x764x481	800	KF3531A4MCx1 FA1902A000x1 FV3700A0SDx1	6900
KF5090J1 0103KF5090JDOTK	181x864x481	900	KF3532A4MCx1 FA1902A000x1 FV3700A0SDx1	7300



拉籃

Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF3530A4MC	125x531x473	600
KF3531A4MC	125x731x473	800
KF3532A4MC	125x831x473	900

不含滑軌 / 此為空籃本體實際尺寸

Product Dimension (Basket Only)



FA1902A000 座式緩衝滑軌

Concealed Soft Closing Slide



FV3700A0SD 門板座組

Door Brackets


三邊拉籃 (加高款) 3-Sided Basket (208H)



SE series


滑軌孔位示意圖

Holes Schematic



門板孔位示意圖


Door Panel Schematic



碳鋼烤漆, 磁吸防潮塑合板

Steel, Dark Gray Epoxy Powder Coating, Damp-proof Chipboard w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KF6060J1 0103KF6060JDOTK	208x564x481	600	KF4530A2MCx1 FA1902A000x1 FV3700A0SDx1	6500
KF6080J1 0103KF6080JDOTK	208x764x481	800	KF4531A2MCx1 FA1902A000x1 FV3700A0SDx1	7200
KF6090J1 0103KF6090JDOTK	208x864x481	900	KF4532A2MCx1 FA1902A000x1 FV3700A0SDx1	7600



拉籃 (加高款)

Basket (185H)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF4530A2MC	185x531x478	600
KF4531A2MC	185x731x478	800
KF4532A2MC	185x831x478	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide



FV3700A0SD 門板座組
Door Brackets

四邊拉籃

4-Sided Basket



台灣專利 M516365

專利




建議載重 : 40 kg
Load Capacity


SE series

滑軌孔位示意圖

Holes Schematic



- 鉸鍊中心點高度距離底板需大於 105mm
- The distance from the hinge center to the bottom panel is at least 105mm.



碳鋼烤漆, 磁吸防潮塑合板

Steel, Dark Gray Epoxy Powder Coating, Damp-proof Chipboard w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KF3060J1 0103KF3060JDOTK	148x564x479	600	KF3530A4MCx1 FA1902A000x1 FV4700A0QAx1	5800
KF3080J1 0103KF3080JDOTK	148x764x479	800	KF3531A4MCx1 FA1902A000x1 FV4700A0QAx1	6500
KF3090J1 0103KF3090JDOTK	148x864x479	900	KF3532A4MCx1 FA1902A000x1 FV4700A0QAx1	6800



拉籃

Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF3530A4MC	125x531x473	600
KF3531A4MC	125x731x473	800
KF3532A4MC	125x831x473	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)



FV4700A0QA 滑軌修飾蓋
Slide Shroud

僅四邊籃適用 For 4-sided basket only.



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide

四邊拉籃 (加高款) 4-Sided Basket (208H)




台灣專利 M516365

專利


建議載重 : 40 kg
Load Capacity

SE series

滑軌孔位示意圖
Holes Schematic



- 鉸鍊中心點高度距離底板需大於 105mm
- The distance from the hinge center to the bottom panel is at least 105mm.



碳鋼烤漆, 磁吸防潮塑合板
Steel, Dark Gray Epoxy Powder Coating, Damp-proof Chipboard w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KF4060J1 0103KF4060JDOTK	208x564x479	600	KF4530A2MCx1 FA1902A000x1 FV4700A0QAx1	6100
KF4080J1 0103KF4080JDOTK	208x764x479	800	KF4531A2MCx1 FA1902A000x1 FV4700A0QAx1	6800
KF4090J1 0103KF4090JDOTK	208x864x479	900	KF4532A2MCx1 FA1902A000x1 FV4700A0QAx1	7100



拉籃 (加高款)
Basket (185H)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF4530A2MC	185x531x478	600
KF4531A2MC	185x731x478	800
KF4532A2MC	185x831x478	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)



FV4700A0QA 滑軌修飾蓋
Slide Shroud

僅四邊籃適用 For 4-sided basket only.



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide



鋁合金收納盒 Utensil Holder

SE series




鋁合金材質耐用且時尚
Aluminum Alloy Storage Box.



空間分隔自由
擋片可根據物品大小，任意調節
Durable and stylish aluminum alloy material.



兩種尺寸 隨意搭配
提供更人性化的收納方式
Choice of two sizes for a more user friendly storage solution.



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適配導軌深度 Slide Length	牌價 Price
M7000903 0103M7000900AG0	55x96x460	500	1300
M7001403 0103M7001400AG0	55x146x460	500	1600

三個組合示意圖

抽屜淨寬 W



W ≥ 350mm




W ≥ 400mm




W ≥ 450mm

四個組合示意圖

抽屜淨寬 W



W ≥ 500mm



W ≥ 550mm



W ≥ 600mm

五個組合示意圖

抽屜淨寬 W



W ≥ 700mm

六個組合示意圖

抽屜淨寬 W



W ≥ 800mm



W ≥ 900mm

新款 JAS 緩衝薄牆磁吸鋁抽組 (含後背板、磁吸底板 + 止滑墊)

JAS Aluminum Drawer Series Soft Close (included a back panel, magnetic bottom with anti-slip surface)



JAS 緩衝薄牆鋁抽組 - 低

JAS Slim Double Wall Metal Drawer w/Soft-Close
(110mm High Panel)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RX1060J1 0103RX1060JD000	110x564x505	600	3600
RX1080J1 0103RX1080JD000	110x764x505	800	4000
RX1090J1 0103RX1090JD000	110x864x505	900	4200

800 以上櫃體另附底板補強片 1pcs

Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 中

JAS Slim Double Wall Metal Drawer w/Soft-Close
(143mm High Panel)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RX2060J1 0103RX2060JD000	143x564x505	600	3900
RX2080J1 0103RX2080JD000	143x764x505	800	4300
RX2090J1 0103RX2090JD000	143x864x505	900	4600

800 以上櫃體另附底板補強片 1pcs

Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 高

JAS Slim Double Wall Metal Drawer w/Soft-Close
(190mm High Panel)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RX3060J1 0103RX3060JD000	190x564x505	600	4100
RX3080J1 0103RX3080JD000	190x764x505	800	4600
RX3090J1 0103RX3090JD000	190x864x505	900	4800

800 以上櫃體另附底板補強片 1pcs

Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

- 以上每組皆含緩衝鋁抽 + 後背板、磁吸底板 + 止滑墊
- 1 set includes JAS Aluminum Drawer w/soft-close, Magnetic bottom with anti-slip surface, Back panel.

建議載重 : 40 kg
Load Capacity

磁吸隔板 Magnetic Divider



磁吸棒 Magnetic Bar Divider



碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
KF15 0103M4305500TK	99x55x25	450

山毛櫸
Solid Beech Color

型號 Item No.	直徑 x 長 Dia x L (mm)	牌價 Price
DE011B 0103M1200000000	Ø36x175	500

小側拉 Side-mounted Pull Out Kit



建議載重 : 30 kg
Load Capacity

SE series



FC3525A0MC 石墨灰骨架 / 左右共用
附座式緩衝滑軌
Frame (Universal)
Concealed Soft Closing Slide Included



拉籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FC3501A1MC	103x110x482	200
不含滑軌 / 此為空籃本體實際尺寸 Product Dimension (Basket Only)		




拉籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FC3601A1MC	120x110x482	200
不含滑軌 / 此為空籃本體實際尺寸 Product Dimension (Basket Only)		



碳鋼烤漆, 磁吸抗倍特板底
Steel, Dark Gray Epoxy Powder Coating,
Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
FC3020J1 0103FC3020JDOTK	586x149x490	200	5400
組件 Component: FC3501A1MC x1 + FC3601A1MC x1 + FC3525A0MC x1			

門板孔位示意圖
Door Panel Schematic



側板尺寸圖
Side Panel Dimension



小側拉 Side-mounted Pull Out Kit



建議載重 : 30 kg
Load Capacity : 30 kg

SE series



FC3525A0MC 石墨灰骨架 / 左右共用
附座式緩衝滑軌
Frame (Universal)
Concealed Soft Closing Slide Included



拉籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FC3511A1MC	103x210x482	300

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)



拉籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FC3611A1MC	120x210x482	300


不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)

碳鋼烤漆, 磁吸抗倍特板底
Steel, Dark Gray Epoxy Powder Coating,
Compact Laminate Board w/Steel Sheet



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
FC3030J1 0103FC3030JDOTK	586x249x490	300	6500

組 件 Component : FC3511A1MC x1 + FC3611A1MC x1 + FC3525A0MC x1

門板孔位示意圖
Door Panel Schematic



側板尺寸圖
Side Panel Dimension



多功能內移收納架
Kitchen-Keeper

NEW
新品


台灣專利 M641316

專利




建議載重 : 25 kg
Load Capacity

SE series



門板孔位示意圖
Door Panel Schematic



碳鋼烤漆

Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FN3040X1 0103FN3040X80TK	574x364x481	400~450	FN3540A0MCx1 FN3541A0MCx1 FN3542A0MCx1 FN3543A0MCx1 FI2900A000x1	12000



FI2900A000 座式緩衝滑軌
Concealed Soft Closing Slide



大掛籃 Clip-on Basket
碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN3541A0MC	122x330x473




FN3540A0MC 框架組 Frame Set
碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating
附鋼珠滑軌, FN3900A000 Ball-Bearing Slide Included



小掛籃 Clip-on Basket
碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN3542A0MC	61x99x473



建議櫃體實內高度 620mm 以上
以避免刀柄太長與櫃體產生碰撞
Suggested cabinet interior height of 620mm or
above. To avoid longer knife handles colliding
with the cabinet.

砧板、刀架 (含集水盤)
Cutting Board/Knife Holder w/Drops Tray
不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN3543A0MC	231x103x447

緩衝分類垃圾桶
Soft Closing Waste Bin




台灣專利 M516365

專利




建議載重 : 40 kg
Load Capacity

SE series



門板孔位示意圖
Door Panel Schematic



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FW106AJ1 0104FW106AJDOTK	515x528x479	600	FW1132A1MCx1 FZ5600A0SDx1 FW1233A0MCx1 FW1333A0MCx1 FW1029A000x1 FN1038A100x1	7800



門座框架組 Frame Set
碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1132A1MC	509x528x479
附座式緩衝滑軌 FI2900A000 Concealed Soft Closing Slide Included	



門板調整器 Door Bracket
碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5600A0SD	300x28x132
附門板座 Door Mount Bracket Included	



分類桶 Waste Bin 塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
桶蓋顏色 : 灰 Lid Color: Light Gray	
FW1233A0MC	462x261x350
桶蓋顏色 : 深灰 Lid Color: Dark Gray	
FW1333A0MC	462x261x350
容量 : 38L	Capacity: 38 L



分隔盤 Flatware 塑膠 PS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1029A000	76x522x332
顏色 : 白 / Color : White	



ABS 收納盒
ABS Organizing Basket
塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN1038A100	76x444x97

底怪
Bottom Pull Out Kit



SE series

建議載重

400 單籃荷重：5KG

600 單籃荷重：7KG

400 single basket load capacity: 5KG

600 single basket load capacity: 7KG

碳鋼烤漆, 磁吸抗倍特板底


Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FG1040J1 0103FG1040JDOTK	583x293x500	400~450	FG1530A0MCx1 FI2900A000x1 HM1511A0MCx2 DKP165Jx2	9500
FG1060J1 0103FG1060JDOTK	583x493x500	600	FG1540A0MCx1 FI2900A000x1 MH4511A2MCx2 DKP165Jx2	11500



石墨灰骨架 (左右共用)
Frame (Universal)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FG1530A0MC	583x293x500
FG1540A0MC	583x493x500





DKP165J 3D 165° Hinge
3D 調節緩衝 165 度鉸鍊
碳鋼鍍槍灰色
Steel, Nickel Plated - Gun-Gray Color



FI2900A000 座式緩衝滑軌
Concealed Soft Closing Slide

門板孔位示意圖
Door Panel Schematic

鉸鍊孔位示意圖
Door Panel Schematic



大掛籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HM1511A0MC	103x278x350
MH4511A2MC	103x478x370

冰怪 Above the Fridge Pull Out Organize



建議載重 : 10 kg
Load Capacity : 10 kg


SE series

碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MIA045S1 0105MIA045SNOTK	381x362x481	400~450	MIA550A0MCx1 MIA545A0MCx1	6400

若安裝於冰箱上方建議可搭載 2 組使用如圖示 (適用櫃體 : 800~900)
Refer to the above figure recommend install 2 units above the fridge. Cabinet Width: 800~900

門板孔位示意圖 Door Panel Schematic



掛籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MIA545A0MC	103x254x460



石墨灰骨架
Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MIA550A0MC	381x362x481

雙緩單層昇降櫃 Single Pull-Down Storage Kit



使用說明：
 拉出後下拉到底即可鐘擺鎖住定位。
 置物載重後再次下壓上推解除鐘擺定位後，緩緩向上推移主體使其歸位。
 備註：本產品裝載置物後無自動回歸功能需手動輔助推移歸位。




SE series

碳鋼烤漆，抗倍特板磁吸底，壓克力
 Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Side Board, Acrylic

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	載重 Load capacity	牌價 Price
W0304001 0107W0304000OTK	430x364x280	400	MAX.5kg	9000
W0306001 0107W0306000OTK	430x564x280	600	MAX.5kg	11000

- 防回彈裝置：主體於 " 零承載 " 狀態下可定位
- 安裝實內櫃體深度至少 300 mm
- 避免鉸鍊與產品產生碰撞，鉸鍊安裝高度需從底板往上 12cm 以上
- Patented look-device design.
- Inner depth of cabinet \geq 300 mm
- The hinge should be installed above 12 cm from bottom panel to prevent crash between hinge and product.

示意圖 Schematic



請留意安裝後把手高度
 是否符合使用需求
 Please pay attention to whether the
 height of the handle meets the usage
 requirements after installation.

雙緩昇降櫃 Pull-Down Storage Kit



使用說明：
 拉出後下拉到底即可鐘擺鎖住定位。
 置物載重後再次下壓上推解除鐘擺定位後，緩緩向上推移主體使其歸位。
 備註：本產品裝載置物後無自動回歸功能需手動輔助推移歸位。




SE series

碳鋼烤漆，抗倍特板磁吸底，壓克力
 Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Side Board, Acrylic

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	載重 Load capacity	牌 價 Price
W0206001 0107W0206000OTK	487x564x280	600	MAX.8kg	14000
W0208001 0107W0208000OTK	487x764x280	800	MAX.10kg	15500
W0209001 0107W0209000OTK	487x864x280	900	MAX.10kg	17000

- 防回彈裝置：主體於 " 零承載 " 狀態下可定位
- 安裝實內櫃體深度至少 280 mm
- 避免鉸鍊與產品產生碰撞，鉸鍊安裝高度需從底板往上 12cm 以上
- Patented look-device design.
- Inner depth of cabinet \geq 280 mm
- The hinge should be installed above 12 cm from bottom panel to prevent crash between hinge and product.

示意圖
Schematic



緩衝旋弧小怪物 (鋼珠滑軌) (左右共用)
Magic Corner Soft-Close (Universal Opening)



建議載重 (不含門板重): 外框架: 8kg / 內框架: 15kg
Load Capacity: Side Frame 17.6 lb / Inner Frame 33 lb



SE series

碳鋼烤漆, 磁吸抗倍特板底

Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MH4090S1 0105MH4090SNOTK	534x860~968x520	900~1000	MH4100A0MCx1 MH4501A1MCx2 MH4511A2MCx2	16700



小掛籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4501A1MC	103x255x455



大掛籃
Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4511A2MC	103x478x370




石墨灰骨架
Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4100A0MC	534x860~968x520



本產品型錄皆為未稅價

功能示意圖

Functional Schematic



開啟角度與相鄰櫃體門把關係尺寸圖
Door opening angle & neighboring Cabinetry Illustration



- 附鋼珠滑軌, 緩衝棒, 左右安裝方式步驟相同方向相反, 適用門板寬度為 400~500mm
- 使用重點: 重物置於下, 輕物置於上, 常用置外側
- Ball-bearing slide included. • Same installation process but with different direction for right & left hand side.
- Available for door front panel 400~500mm.
- Remark: Please always put light stuff on upper basket & heavy stuff on bottom basket. Put regular using stuff on outside wire baskets, and non-regular using stuff on internal wire baskets.

緩衝全都露
2-Way Magic Corner Soft-Close (Universal Opening)



SE series

碳鋼烤漆, 磁吸抗倍特板底
Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MRA090X1 0105MRA090X2OTK	534x650x515	900~1000	MRA650A0MCx1 MRA510A0MCx4	20000



掛籃
Clip-on Basket


型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRA510A0MC	90x420x280



石墨灰骨架
Frame

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRA650A0MC	534x608x515

功能示意圖
Functional Schematic



- 附鋼珠緩衝滑軌 · 櫃體實內高度 540mm 以上
- 適用門板寬度 ≥ 450 mm
- 左右邊安裝方式步驟相同方向相反
- 使用重點: 重物置於下, 輕物置於上
- Soft closing ball-bearing slide included. • Suitable for 450mm cabinet width.
- Inner cabinet height: 540mm +.
- The installation steps are the same but opposite direction for Left & Right side.
- NOTE: Please always put the heavy stuff on the bottom level and lighter stuff on the top.

高昇櫃 Tall Unit



SE series

碳鋼烤漆, 磁吸抗倍特板底
Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌 價 Price
HF1030X1 0106HF1030X30TK	1870~2170x244x495	300	HF1830A0MCx1 HF1900A0QCx1 HF1501A1MCx6	20100
HF1040X1 0106HF1040X30TK	1870~2170x340x495	400 450	HF1840A0MCx1 HF1900A0QCx1 HF1511A1MCx6	22300
HF1050X1 0106HF1050X30TK	1870~2170x414x495	500	HF1850A0MCx1 HF1900A0QCx1 HF1531A1MCx6	24500
HF1060X1 0106HF1060X30TK	1870~2170x525x495	600	HF1860A0MCx1 HF1900A0QCx1 HF1541A1MCx6	26800

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式
- 勿懸空安裝 · 重物請由下層開始放置，依重量由下往上放置
- 門板座特殊設計可解決高櫃門板變形問題
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.
- The special design of door bracket helps solving the potential bending problem on the tall door panel.



石墨灰骨架 Frame

碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
HF1830A0MC	1870~2170x457	附 HF1059A0SDx2
HF1840A0MC	1870~2170x457	附 HF1060A0SDx2
HF1850A0MC	1870~2170x457	附 HF1061A0SDx2
HF1860A0MC	1870~2170x457	附 HF1063A0SDx2


專利重型滾輪滑軌 (緩衝式) Soft Close Heavy Runner

碳鋼烤鐵灰
Steel, Gray Epoxy Powder Coating




型號 Item No.	長度 Length(mm)
HF1900A0QC	490

拉籃 Clip-on Basket



型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HF1501A1MC	91x225x437
HF1511A1MC	91x340x437
HF1531A1MC	91x414x437
HF1541A1MC	91x525x437

鉸鍊孔位示意圖 Holes Schematic



開門式鉸鍊建議位置如圖，籃子擺放位置以不干涉鉸鍊為主，
高昇櫃建議 5 顆

Suggested hinge placement locations for swing door cabinet panel.
Avoid placement of baskets where it interferes with the hinges.
5 hinges recommended for taller units.

選購 Optional

門板防變形座 Door Mount Bracket



型號 Item No.	適用門板 Cabinet Width	牌價 Price
HF1059A0SD	300	350
HF1060A0SD	400~450	450
HF1061A0SD	500	550
HF1063A0SD	600	650

門板座特殊設計可解決高櫃門板變形問題
The special design of door bracket helps solve the potential bending problem on the tall door panel.

選購 Optional

把手 Handle



304 不鏽鋼 304 Stainless Steel

型號 Item No.	直徑 x 高 Dia x H (mm)	牌價 Price
HB21 0106HB106000ST0	Ø25x600	1400
HB22 0106HB109000ST0	Ø25x900	1700


選購 Optional

石墨灰把手 Handle

碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
HB106001 0106HB1060000TK	20x20x600	700
HB109001 0106HB1090000TK	20x20x880	900

把手孔距圖 Schematic



中、高納櫃 Tall Master


台灣專利 M657509

專利

NEW
新品




SE series




鉸鍊孔位示意圖
Holes Schematic


門板 Door Panel



鉸杯孔 Hinge Holes



門板孔位示意圖
Door Panel Schematic



中納櫃

碳鋼烤漆, 磁吸抗倍特板底

Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HM1040W1 0106HM1040WJOTK	1160x355x525	400 450	HM1640A0MCx1 HM1511A0MCx2 HM1541A0MCx2 HM1905A0QCx1 HM2901A0JCx1 DKP165Jx3	20000
HM1060W1 0106HM1060WJOTK	1160x555x525	600	HM1660A0MCx1 MH4511A2MCx2 HM1561A0MCx2 HM1905A0QCx1 HM1901A0JCx1 DKP165Jx3	22000

高納櫃

碳鋼烤漆, 磁吸抗倍特板底

Steel, Dark Gray Epoxy Powder Coating, Compact Laminate Board w/Steel Sheet

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HM2040W1 0106HM2040WJOTK	1760x355x525	400 450	HM2640A0MCx1 HM1511A0MCx4 HM1541A0MCx2 HM1905A0QCx1 HM2901A0JCx1 DKP165Jx5	26000
HM2060W1 0106HM2060WJOTK	1760x555x525	600	HM2660A0MCx1 MH4511A2MCx4 HM1561A0MCx2 HM1905A0QCx1 HM1901A0JCx1 DKP165Jx5	28000



石墨灰骨架 / 左右共用 Frame

碳鋼烤漆 Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HM1640A0MC	1160x355x525
HM2640A0MC	1760x355x525
HM1660A0MC	1160x555x525
HM2660A0MC	1760x555x525

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式
- 勿懸空安裝 · 重物請由下層開始放置，依重量由下往上放置
- 左右邊安裝方式步驟相同方向相反，請留意橫移掛籃滑軌安裝方向
- 關門前請確認已將橫移掛籃復位後再關門
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.
- The installation steps for the left or right opening are the same but in opposite directions. Please pay attention to the installation direction of the horizontal basket slide.
- Please make sure that the horizontal basket has been returned to its original position before closing.

建議載重 Load Capacity

400 單籃荷重：5KG
600 單籃荷重：7KG

400 single basket load capacity: 5KG
600 single basket load capacity: 7KG



專利重型滾輪滑軌

Heavy Duty Slide

碳鋼烤鐵灰

Steel, Gray Epoxy Powder Coating

型號 Item No.	長度 Length(mm)
HM1905A0QC	490



鋼珠滑軌

Ball-Bearing Slide

型號 Item No.	長度 Length(mm)
HM2901A0JC	250
HM1901A0JC	400

一組兩支，2pcs/set



DKP165J 3D 165° Hinge

3D 調節緩衝 165 度鉸鍊

碳鋼鍍槍灰色


Steel, Nickel Plated -Gun-Gray Color



橫移掛籃

Horizontal Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HM1541A0MC	103x278x345
HM1561A0MC	103x478x360



大掛籃

Clip-on Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HM1511A0MC	103x278x350
MH4511A2MC	103x478x370


門板置物架 Link Storage Rack



建議載重 : 20 kg
Load Capacity




NEW
新品



鉸鍊孔位示意圖
Holes Schematic

門板 Door Panel



碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
OF104001 0106OF1040000TK	1713x339x122	400 450	OF1600A0MCx1 OF1605A0MCx6 DKP165Jx5	10000
OF106001 0106OF1060000TK	1713x539x122	600	OF1601A0MCx1 OF1606A0MCx6 DKP165Jx5	12000

櫃內隔板深度 = 櫃內深度 - 150mm



石墨灰骨架 Frame

碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
OF1600A0MC	1713x339x50
OF1601A0MC	1713x539x50



小掛籃 Clip-on Basket

碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
OF1605A0MC	60x248x110



DKP165J 3D 165° Hinge
3D 調節緩衝 165 度鉸鍊
碳鋼鍍槍灰色
Steel, Nickel Plated - Gun-Gray Color




大掛籃 Clip-on Basket

碳鋼烤漆
Steel, Dark Gray Epoxy Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
OF1606A0MC	60x448x110

鉸杯孔 Hinge Holes



SE series



佳飾美 國際事業有限公司
A&D JASMINE International CO., LTD.



有限空間 無限可能





JASMINE[®]

佳飾美廚房五金收納產品系列 完整您的生活空間.....

佳飾美以廚具功能五金為發展主力，始終堅持MIT的創新研發及卓越製造、生產技術，打造了數個解決廚房收納問題的新產品




JASMINE®



- A** \ 昇降櫃 p.184
Pull-Down Storage Kit
- B** \ 木紋抗倍特板吊掛系列 p.89
Compact Laminate Hanging Series
- C** \ 水龍頭系列 p.80
Faucet Series
- D** \ JAS緩衝薄牆止滑鋁抽組 p.123
JAS Slim Double Wall Metal Drawer Kit
- E** \ 緩衝低昇櫃 p.174
Tall Unit w/Soft-Close

佳飾美掛籃依照不同需求，提供您多種材質選擇



不鏽鋼籃

堅固耐用 - 不易生鏽且瀝水性好
物美價廉 - 價格實在
線距改良 - 易清理不易堆積髒汙

ABS收納盒

耐酸鹼(鹽、醋、醬油)、硬度強、抗菌
分隔片 - 空間靈活運用
方便清理 - 用水擦拭即可



強化玻璃底籃


美觀耐用 - 耐濕、耐熱、耐磨
安全把關 - 破碎顆粒成鈍角較不會傷害人體
易保養 - 濕布輕輕擦拭即可

抗倍特板籃

美觀耐用 - 耐濕、耐熱、耐磨
著重細節 - 隱藏孔洞與木板側邊
易保養 - 濕布輕輕擦拭即可



佳飾美鐵線掛籃產品皆搭配 食品級EVA環保材質止滑墊



EVA材質

具有良好的緩衝、抗震、隔熱、防潮、
抗化學腐蝕等優點

SGS認證 · 安心止滑 · 品質升級



SGS

測試報告 No. 2 日期 14-Oct-2022 頁數 1/17

SGS 臺灣股份有限公司
SGS 臺灣分公司 品質保證部

測試項目: 止滑墊
客戶: 佳飾美

測試項目	測試方法	單位	規格	結果
鉛筆測試 (ASTM D1681-02)	筆尖在 45 度角下劃過 10 次, 觀察表面是否有刮痕	mm	0.5	0.5
刮擦測試 (ASTM D1681-02)	筆尖在 45 度角下劃過 10 次, 觀察表面是否有刮痕	mm	0.5	0.5
摩擦測試 (ASTM D1681-02)	筆尖在 45 度角下劃過 10 次, 觀察表面是否有刮痕	mm	0.5	0.5
硬度測試 (ASTM D2240-05)	肖氏硬度計測量	Shore A	80	80
厚度測試 (ASTM D1681-02)	游標卡尺測量	mm	1.5	1.5
表面粗糙度測試 (ASTM D1681-02)	表面粗糙度計測量	mm	0.05	0.05
尺寸測試 (ASTM D1681-02)	游標卡尺測量	mm	1.5	1.5
重量測試 (ASTM D1681-02)	電子秤測量	g	1.5	1.5
密度測試 (ASTM D1681-02)	密度計測量	g/cm ³	1.2	1.2
吸水率測試 (ASTM D1681-02)	吸水率測試	%	0.1	0.1
耐熱測試 (ASTM D1681-02)	烘箱測試	h	100	100
耐寒測試 (ASTM D1681-02)	低溫箱測試	h	100	100
耐老化測試 (ASTM D1681-02)	紫外線測試	h	100	100
耐化學測試 (ASTM D1681-02)	化學測試	h	100	100
耐衝擊測試 (ASTM D1681-02)	衝擊測試	J	10	10
耐壓測試 (ASTM D1681-02)	壓力測試	MPa	10	10
耐拉測試 (ASTM D1681-02)	拉力測試	N	10	10
耐彎測試 (ASTM D1681-02)	彎曲測試	mm	10	10
耐折測試 (ASTM D1681-02)	折彎測試	mm	10	10
耐剪測試 (ASTM D1681-02)	剪切測試	N	10	10
耐撕測試 (ASTM D1681-02)	撕裂測試	N	10	10
耐刺測試 (ASTM D1681-02)	刺穿測試	N	10	10
耐穿測試 (ASTM D1681-02)	穿破測試	N	10	10
耐壓測試 (ASTM D1681-02)	壓力測試	MPa	10	10
耐拉測試 (ASTM D1681-02)	拉力測試	N	10	10
耐彎測試 (ASTM D1681-02)	彎曲測試	mm	10	10
耐折測試 (ASTM D1681-02)	折彎測試	mm	10	10
耐剪測試 (ASTM D1681-02)	剪切測試	N	10	10
耐撕測試 (ASTM D1681-02)	撕裂測試	N	10	10
耐刺測試 (ASTM D1681-02)	刺穿測試	N	10	10
耐穿測試 (ASTM D1681-02)	穿破測試	N	10	10

SGS

測試報告 No. 2 日期 14-Oct-2022 頁數 1/17

SGS 臺灣股份有限公司
SGS 臺灣分公司 品質保證部

測試項目: 止滑墊
客戶: 佳飾美

測試項目	測試方法	單位	規格	結果
鉛筆測試 (ASTM D1681-02)	筆尖在 45 度角下劃過 10 次, 觀察表面是否有刮痕	mm	0.5	0.5
刮擦測試 (ASTM D1681-02)	筆尖在 45 度角下劃過 10 次, 觀察表面是否有刮痕	mm	0.5	0.5
摩擦測試 (ASTM D1681-02)	筆尖在 45 度角下劃過 10 次, 觀察表面是否有刮痕	mm	0.5	0.5
硬度測試 (ASTM D2240-05)	肖氏硬度計測量	Shore A	80	80
厚度測試 (ASTM D1681-02)	游標卡尺測量	mm	1.5	1.5
表面粗糙度測試 (ASTM D1681-02)	表面粗糙度計測量	mm	0.05	0.05
尺寸測試 (ASTM D1681-02)	游標卡尺測量	mm	1.5	1.5
重量測試 (ASTM D1681-02)	電子秤測量	g	1.5	1.5
密度測試 (ASTM D1681-02)	密度計測量	g/cm ³	1.2	1.2
吸水率測試 (ASTM D1681-02)	吸水率測試	%	0.1	0.1
耐熱測試 (ASTM D1681-02)	烘箱測試	h	100	100
耐寒測試 (ASTM D1681-02)	低溫箱測試	h	100	100
耐老化測試 (ASTM D1681-02)	紫外線測試	h	100	100
耐化學測試 (ASTM D1681-02)	化學測試	h	100	100
耐衝擊測試 (ASTM D1681-02)	衝擊測試	J	10	10
耐壓測試 (ASTM D1681-02)	壓力測試	MPa	10	10
耐拉測試 (ASTM D1681-02)	拉力測試	N	10	10
耐彎測試 (ASTM D1681-02)	彎曲測試	mm	10	10
耐折測試 (ASTM D1681-02)	折彎測試	mm	10	10
耐剪測試 (ASTM D1681-02)	剪切測試	N	10	10
耐撕測試 (ASTM D1681-02)	撕裂測試	N	10	10
耐刺測試 (ASTM D1681-02)	刺穿測試	N	10	10
耐穿測試 (ASTM D1681-02)	穿破測試	N	10	10

JASMINE®

Memo

1

Faucet

水龍頭系列



佳飾美水龍頭為您的飲水安全及健康把關

Do you use safe kitchen faucets for your every-day drinking water which is related to your long-term health?

Let Jasmine be the gatekeeper for you!



想了解更多GO!

符合經濟部標準檢驗局飲水用水龍頭商品安全標章認證

Conform to the Bureau of Standards, Metrology, and Inspection,
M.O.E.A of drinking water faucet product safety mark certification.



JASMINE®


304不鏽鋼 無鉛精緻水龍頭

We proudly introduce everyone our Lead-Free fine faucet with 304 stainless steel.



採用瑞士進口NEOPERL起泡頭，出水圓潤，泡沫豐富，不飛濺。徒手可輕易拆除，方便清潔。

Switzerland imported NEOPERL aerator, rich foam, no splash. Can be easily removed with bare hand for easy cleaning.




進口西班牙SEDAL陶瓷閥芯，50萬次滴漏測試，安全可靠。

Spain imported SEDAL cartridge, with 500,000 non-dripping test. Safe and reliable.



光滑的管道內壁，不易藏污納垢，有效減少細菌滋生，確保用水安全。

Smooth inner pipe wall, less deposit buildup, no rust, effectively reduce bacteria growth. Water safety is ensured.



雙重鎖固裝置，安裝簡易，永不鬆脫，牢固耐用。

Double-locking device, easy installation, never loose, durable.




熱銷
商品

Best-selling
product

304不鏽鋼水龍頭

Faucet

304 Stainless Steel



- 出水管能360度旋轉
- 可切換花灑及起泡兩種出水模式
- 抽拉式出水管最大距離: 40 cm
- 基座直徑: 53 mm
- 安裝孔直徑: 37~40 mm
- 底部固定調整量: 50 mm
- 不鏽鋼接水管: 60 cm
- 附0101K0200000STX角閥x2

- Spout rotation: 360°
- Base: Ø53 mm
- Sprinkler Mode / Soft Spray Mode
- Extractable spout: 40 cm (max. length)
- Installation hole: Ø37~40 mm
- Height adjustment of fixing bolt: 50mm
- S.S. hose length: 60 cm
- 0101K0200000STX Angle Valve included (2pcs)

Item No.	Price
KMH05302 0101KMH05300STX	\$7000

304不鏽鋼水龍頭
304 Stainless Steel

Faucet



- 出水管能360度旋轉
 - 可切換花灑及起泡兩種出水模式
 - 抽拉式出水管最大距離: 40 cm
 - 基座直徑: 50 mm
 - 安裝孔直徑: 37~40 mm
 - 底部固定調整量: 50 mm
 - 不鏽鋼接水管: 60 cm
 - 附0101K0200000STX角閥x2
- Spout rotation: 360°
 - Base: Ø50 mm
 - Sprinkler Mode / Soft Spray Mode
 - Extractable spout: 40 cm (max. length)
 - Installation hole: Ø37~40 mm
 - Height adjustment of fixing bolt: 50mm
 - S.S. hose length: 60 cm
 - 0101K0200000STX Angle Valve included (2pcs)




Item No.	Price
KM283A 0101KM705000STX	\$12200



鍍黑 Black Coating

Item No.	Price
KM284A 0101KM705000STK	\$12200





熱銷
商品

Best-selling
product

304三用不鏽鋼水龍頭

Faucet

304 Stainless Steel



抽拉式出水管


三種出水模式



飲用水



花灑



Item No.	Price
KMJA5302	
0101KMJA5300STX	\$8000





鍍黑 Black Coating

Item No.	Price
KMJ05302	
0101KMJ05300STK	\$8500

- Spout rotation: 360° • 3-flow spout
- Base: Ø53 mm • S.S. hose length: 70 cm
- Sprinkler Mode / Soft Spray Mode
- Extractable spout: 50 cm (max. length)
- Installation hole: Ø37~40 mm
- Height adjustment of fixing bolt: 50mm
- 0101K0200000STX Angle Valve included (2pcs)

- 出水管能360度旋轉 • 三通式出水頭
- 可切換花灑及起泡兩種出水模式
- 抽拉式出水管最大距離: 50 cm
- 基座直徑: 53 mm • 安裝孔直徑: 37~40 mm
- 底部固定調整量: 50 mm • 不鏽鋼接水管: 70 cm
- 附0101K0200000STX角閥x2




Item No.	Price
KMG05202	
0101KMG05200STX	\$8000

- Spout rotation: 360° • 3-flow spout
- Base: Ø52 mm
- Installation hole: Ø37~40 mm
- Height adjustment of fixing bolt: 50mm
- S.S. hose length: 60 cm
- 0101K0200000STX Angle Valve included (2pcs)

- 出水管能360度旋轉
- 三通式出水頭
- 基座直徑: 52 mm
- 不鏽鋼接水管: 60 cm
- 安裝孔直徑: 37~40 mm
- 底部固定調整量: 50 mm
- 附0101K0200000STX角閥x2

選購
Optional



角閥
Angle Valve

304 不鏽鋼 Stainless Steel

Item No.	Price
KM16	
0101K0200000STX	\$700
2入/組 (2 pcs / pack)	

Faucet

旋轉水嘴切換2種出水

304不鏽鋼水龍頭
304 Stainless Steel



360°任意旋轉

自由旋轉定位，可清洗水槽內各個角落




Item No.	Price
KM214D	
0101KMD04200STX	\$5000
附KMD001A000花灑頭 x1	



鍍黑 Black Coating


Item No.	Price
KM215D	
0101KMD04200STK	\$5500
附KMD002A000花灑頭 x1	



- 出水管能360度旋轉 · 底座直徑: 42 mm
- 安裝孔直徑: 37~40 mm · 底部固定調整量: 50 mm
- 不鏽鋼接水管: 60 cm · 附0101K0200000STX角閥x2
- Spout rotation: 360° · Base: Ø42 mm
- Installation hole: Ø37~40 mm
- Height adjustment of fixing bolt: 50mm
- S.S. hose length: 60 cm
- 0101K0200000STX Angle Valve included (2pcs)



Item No.	Price
KMF04702	
0101KMF04700STX	\$6800



- 出水管能360度旋轉
- 可切換花灑及起泡兩種出水模式
- 基座直徑: 47.5 mm
- 安裝孔直徑: 37~40 mm
- 底部固定調整量: 50 mm
- 不鏽鋼接水管: 60 cm
- 附0101K0200000STX角閥x2
- Spout rotation: 360°
- Base: Ø47.5 mm
- Sprinkler Mode / Soft Spray Mode
- Installation hole: Ø37~40 mm
- Height adjustment of fixing bolt: 50mm
- S.S. hose length: 60 cm
- 0101K0200000STX Angle Valve included (2pcs)



可任意彎折，依照使用需求自由定位，
簡潔獨特造型為空間展現專屬風格

Any Direction Rotating Silicone Nose Kitchen Faucet


JASMINE[®]

M e m o

2

Hanging Series

收納吊掛系列



易利鉤 + 配件

2

收納吊掛系列
Hanging Series



Hanging Series (Aluminum Rail)



掛桿 (易利鉤) 附左右邊蓋
Aluminum Rail

鋁合金 Aluminum Alloy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD660A 0102L2606000AGS	38x600x58	700
LD680A 0102L2608000AGS	38x800x58	900
LD690A 0102L2609000AGS	38x900x58	1000
LD610A 0102L2610000AGS	38x1000x58	1100
LD630A 0102L2630000AGS	38x3000x58	3100

LD630A 此規格供顧客自行裁切，無附邊蓋。
LD630A is for customers to cut by themselves.
(without side cover)



邊蓋

Cover

鋁合金 Aluminum Alloy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD660AA 0102L3300000AGS	38x58x1.5	120

二入 / 包 (2pcs/pack)



大 S 鉤

S-Hook

鋁合金 Aluminum Alloy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD660AB 0102L1903000AGS	45x30x24	60

一入 / 包 (1pc/pack)



小 S 鉤

Small S-Hook

鋁合金 Aluminum Alloy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD660AC 0102L1900500AGS	45x5x24	120

五入 / 包 (5pcs/pack)



易利鉤吊掛系列 搭配易利鉤掛桿使用
Hanging Series (Aluminum Rail)



木紋抗倍特板吊掛系列 搭配易利鉤掛桿使用

Compact Laminate Hanging Series (Aluminum Rail)

2

收納吊掛系列

Hanging Series



調味瓶架

Spice Rack

碳鋼烤漆 / 鋁 / 木紋抗倍特板
Steel, Gray Epoxy / Aluminum / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD725W 0102L3003600W00	335X360X158	2400



單層架

Single Shelf Hanger

碳鋼烤漆 / 鋁 / 木紋抗倍特板
Steel, Gray Epoxy / Aluminum / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD720W 0102L2903600W00	225X360X166	2200



置物紙巾架

Paper Towel Hanger

碳鋼烤漆 / 鋁 / 木紋抗倍特板
Steel, Gray Epoxy / Aluminum / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD721W 0102L2703600W00	314X360X166	2700




三用紙巾架

Multi-Purpose Paper Towel Rack

碳鋼烤漆 / 鋁 / 木紋抗倍特板
Steel, Gray Epoxy / Aluminum / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD723W 0102L2803600W00	290X360X119	2200



鍋蓋架

Wok Lid Holder

碳鋼烤漆 / 鋁 / 木紋抗倍特板
Steel, Gray Epoxy / Aluminum / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD729W 0102L3204300W00	433X210X163	1800



五連鉤

Hanger w/ 5 Hooks

碳鋼烤漆 / 鋁 / 木紋抗倍特板
Steel, Gray Epoxy / Aluminum / Compact Laminate

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD726W 0102L3103600W00	222x360x60	1700



琉璃吊掛系列 搭配易利鉤掛桿使用

Glass Hanging Series (Aluminum Rail)

2

收納吊掛系列
Hanging Series



琉璃調味瓶架

Glass Spice Rack

304 不鏽鋼砂鍊 / 鋁 / 強化玻璃
S.S. Satin Nickel Plated / Aluminum / Tempered Glass

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD725E 0102L3003600GL0	335X360X158	3300



琉璃鍋蓋架

Glass Wok Lid Holder

304 不鏽鋼砂鍊 / 鋁 / 強化玻璃
S.S. Satin Nickel Plated / Aluminum / Tempered Glass

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD729E 0102L3204300GL0	433X210X163	2800



琉璃置物紙巾架

Glass Paper Towel Hanger

304 不鏽鋼砂鍊 / 鋁 / 強化玻璃
S.S. Satin Nickel Plated / Aluminum / Tempered Glass

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD721E 0102L2703600GL0	314X360X169	4200



琉璃三用紙巾架

Glass Multi-Purpose Paper Towel Rack

304 不鏽鋼砂鍊 / 鋁 / 強化玻璃
S.S. Satin Nickel Plated / Aluminum / Tempered Glass

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD723E 0102L2803600GL0	290X360X119	3800



琉璃單層架

Glass Single Shelf Hanger

304 不鏽鋼砂鍊 / 鋁 / 強化玻璃
S.S. Satin Nickel Plated / Aluminum / Tempered Glass

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD720E 0102L2903600GL0	225X360X166	3500



琉璃雙層架

Glass Double-layer Hanger

304 不鏽鋼砂鍊 / 鋁 / 強化玻璃
S.S. Satin Nickel Plated / Aluminum / Tempered Glass

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LD727E 0102L3403600GL0	274x360x166	4500

不鏽鋼吊掛系列 搭配易利鉤掛桿使用

Stainless Steel Hanging Series (Aluminum Rail)



鍋蓋架

Wok Lid Holder

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA222E 0102L2004300STL	430x203x176	1000



不鏽鋼吊掛系列 搭配圓桿 + 固定座使用

Stainless Steel Hanging Series (Round Tube)



鍋蓋架

Wok Lid Holder

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA222A 0102L0204300STL	430x200x124	1000




鍋蓋砧板刀叉架

Lid, Cutting Board & Knives Holder

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LC215E 0102L2204600STL	462x200x235	1700



鍋蓋砧板刀叉架

Lid, Cutting Board & Knives Holder

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LC215 0102L2304600STL	462x200x208	1700



調味盒架

S.S. Salt & Pepper Rack

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA254E 0102L2103400STL	281x342x195	1400

內含

R-LE41 / 039049A000 x3(set) 調味盒 Seasoning Box



調味盒架

S.S. Salt & Pepper Rack

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA254B 0102L2503500STL	280x350x185	1400

內含

R-LE41 / 039049A000 x3(set) 調味盒 Seasoning Box

2

收納吊掛系列

Hanging Series



不鏽鋼吊掛系列 搭配圓管使用

Stainless Steel Hanging Series (Round Tube)

2

收納吊掛系列
Hanging Series



方型固定頭 (中通)
Square Tube Holder

鋅合金 Zinc Alloy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LE204 0102L1800000ZNL	20x20x50	190



方型固定頭組
Square Tube Holder Set

鋅合金 Zinc Alloy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LE211 0102L0900000ZNL	20x20x50	320



圓管
Round Tube

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LJ260 0102L0806000STL	Ø16x1.0x600	220
LJ290 0102L0809000STL	Ø16x1.0x900	330
LJ212 0102L0812000STL	Ø16x1.0x1200	440



S 掛勾 (五入 / 包)
Single S-Hook (5pcs / pack)

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LE205 0102L0600000STL	60x60x5	220



不鏽鋼吊掛系列

Stainless Steel Hanging Series



高腳杯架

Wine Glass Holder

- 適用於 Ø90mm 以下之杯底
- Available for Bottom Diameter of Goblet Below Ø90mm.

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA128 0102L0103200OTL	50x104x320	180
LA128A 0102L0103600OTL	50x104x360	190

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA228 0102L0103200STL	50x104x320	320
LA228A 0102L0103600STL	50x104x360	330



馬克杯架

Mug Holder

- 適用於 Ø90mm 以下之杯底
- Available for Bottom Diameter of Goblet Below Ø90mm.

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA129 0102L0403200OTL	95x104x320	340
LA129A 0102L0403600OTL	95x104x360	370

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA229 0102L0403200STL	95x104x320	555
LA229A 0102L0403600STL	95x104x360	620



櫃內刀具架

Knives Holder

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LA253A 0102L0502000STL	200x200x65	800



五連鉤 (側固式)

Hook Rack (Side-Fixed Type)

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
LE207 0102L0303500STL	53x350x30	220


JASMINE®

Memo

3

Base Cabinet

底櫃系列



3

底櫃系列
Base Cabinet



JAS 鋼珠緩衝三邊籃

3-Sided Basket w/ Soft Closing Ball-Bearing Slide

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KK160G3 0103KK3060GBOTL	141x564x482	600	KK3900A0QAx1 KK3502A0MCx1	2100
KK172G3 0103KK3072GBOTL	141x684x482	720	KK3900A0QAx1 KK3503A0MCx1	2200
KK180G3 0103KK3080GBOTL	141x764x482	800	KK3900A0QAx1 KK3501A0MCx1	2300
KK190G3 0103KK3090GBOTL	141x864x482	900	KK3900A0QAx1 KK3504A0MCx1	2400

建議載重 Load Capacity: 20kg



KK3900A0QA 鋼珠緩衝滑軌

Soft Closing Ball-Bearing Slide



三邊籃

3-Sided Basket

碳鋼亮鉻 Steel, Chrome Plated



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KK3502A0MC	135x515x442	600
KK3503A0MC	135x635x442	720
KK3501A0MC	135x715x442	800
KK3504A0MC	135x815x442	900

不含滑軌 / 此為空籃本體實際尺寸

Product Dimension (Basket Only)


滑軌孔位示意圖

Holes Schematic



門板孔位示意圖

Door Panel Schematic





JAS 鋼珠緩衝三邊籃
3-Sided Basket w/ Soft Closing Ball-Bearing Slide

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KK260G3 0103KK3060GBSTL	141x564x482	600	KK3900A0QAx1 KK3512A0MCx1	3400
KK272G3 0103KK3072GBSTL	141x684x482	720	KK3900A0QAx1 KK3513A0MCx1	3700
KK280G3 0103KK3080GBSTL	141x764x482	800	KK3900A0QAx1 KK3511A0MCx1	3900
KK290G3 0103KK3090GBSTL	141x864x482	900	KK3900A0QAx1 KK3514A0MCx1	4100

建議載重 Load Capacity: 20kg



KK3900A0QA 鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide





三邊籃
3-Sided Basket

不鏽鋼亮鉻 S.S. Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KK3512A0MC	135x515x442	600
KK3513A0MC	135x635x442	720
KK3511A0MC	135x715x442	800
KK3514A0MC	135x815x442	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)

滑軌孔位示意圖
Holes Schematic



門板孔位示意圖
Door Panel Schematic



3

底櫃系列
Base Cabinet



JAS 座式緩衝三邊籃 3-Sided Basket w/ Concealed Soft Closing Slide

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KK160J1 0103KK3060JDOTL	174x564x460	600	KK3901A000x1 KK3502A0MCx1	2300
KK172J1 0103KK3072JDOTL	174x684x460	720	KK3901A000x1 KK3503A0MCx1	2400
KK180J1 0103KK3080JDOTL	174x764x460	800	KK3901A000x1 KK3501A0MCx1	2600
KK190J1 0103KK3090JDOTL	174x864x460	900	KK3901A000x1 KK3504A0MCx1	2700
KK110J1 0103KK3100JDOTL	174x964x460	1000	KK3901A000x1 KK3505A0MCx1	2900

建議載重 Load Capacity: 40kg



KK3901A000 座式緩衝滑軌
Concealed Soft Closing Slide



三邊籃
3-Sided Basket



碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KK3502A0MC	135x515x442	600
KK3503A0MC	135x635x442	720
KK3501A0MC	135x715x442	800
KK3504A0MC	135x815x442	900
KK3505A0MC	135x915x442	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)


滑軌孔位示意圖

Holes Schematic



門板孔位示意圖

Door Panel Schematic





JAS 座式緩衝三邊籃

3-Sided Basket w/ Concealed Soft Closing Slide

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KK260J1 0103KK3060JDSTL	174x564x460	600	KK3901A000x1 KK3512A0MCx1	3700
KK272J1 0103KK3072JDSTL	174x684x460	720	KK3901A000x1 KK3513A0MCx1	3900
KK280J1 0103KK3080JDSTL	174x764x460	800	KK3901A000x1 KK3511A0MCx1	4100
KK290J1 0103KK3090JDSTL	174x864x460	900	KK3901A000x1 KK3514A0MCx1	4300
KK210J1 0103KK3100JDSTL	174x964x460	1000	KK3901A000x1 KK3515A0MCx1	4600

建議載重 Load Capacity: 40kg



KK3901A000 座式緩衝滑軌
Concealed Soft Closing Slide



三邊籃
3-Sided Basket



不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KK3512A0MC	135x515x442	600
KK3513A0MC	135x635x442	720
KK3511A0MC	135x715x442	800
KK3514A0MC	135x815x442	900
KK3515A0MC	135x915x442	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)


滑軌孔位示意圖

Holes Schematic



門板孔位示意圖

Door Panel Schematic





台灣專利 M516365

專利

JAS 三邊碗盤籃
3-Sided Basket w/Bowl and Plate Holder

304 不鏽鋼砂鍊 S.S. Satin Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KD760J 0103KD3060JDSTL	185x564x479	600	FA1902A000x1 KD1161A1MCx1 KG1001A000x1	6400
KD780J 0103KD3080JDSTL	185x764x479	800	FA1902A000x1 KD1162A1MCx1 KG1002A000x1	7100
KD790J 0103KD3090JDSTL	185x864x479	900	FA1902A000x1 KD1163A1MCx1 KG1003A000x1	7500

建議載重 Load Capacity: 40kg



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide



三邊碗盤籃
3-Sided Basket w/Bowl and Plate Holder

304 不鏽鋼砂鍊 S.S. Satin Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KD1161A1MC	185x520x472	600
KD1162A1MC	185x720x472	800
KD1163A1MC	185x820x472	900

不含滑軌 / 此為空籃本體實際尺寸

Product Dimension (Basket Only)




集水盤 Water Tray



塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KG1001A000	12x460x422	600
KG1002A000	12x660x422	800
KG1003A000	12x760x422	900

滑軌孔位示意圖
Holes Schematic



門板孔位示意圖
Door Panel Schematic



台灣專利 M516365

專利



JAS 四邊碗盤籃

4-Sided Basket w/Bowl and Plate Holder



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide



四邊碗盤籃

4-Sided Basket w/Bowl and Plate Holder

304 不鏽鋼砂鍊 S.S. Satin Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KG1161A1MC	188x520x472	600
KG1162A1MC	188x720x472	800
KG1163A1MC	188x820x472	900

不含滑軌 / 此為空籃本體實際尺寸



Product Dimension (Basket Only)

304 不鏽鋼砂鍊 S.S. Satin Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KG760J 0103KG3060JDSTL	188x564x479	600	FA1902A000x1 KG1161A1MCx1 KG1001A000x1	6700
KG780J 0103KG3080JDSTL	188x764x479	800	FA1902A000x1 KG1162A1MCx1 KG1002A000x1	7500
KG790J 0103KG3090JDSTL	188x864x479	900	FA1902A000x1 KG1163A1MCx1 KG1003A000x1	7900

建議載重 Load Capacity: 40kg

滑軌孔位示意圖
Holes Schematic



集水盤 Water Tray

塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KG1001A000	12x460x422	600
KG1002A000	12x660x422	800
KG1003A000	12x760x422	900

3

底櫃系列
Base Cabinet



四邊籃

4-Sided Basket w/ Ball-Bearing Slide

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
54002 0103KF1040SCOTL	139x364x462	400	KA1002A000x1 KF1502A0MCx1	1450
55002 0103KF1050SCOTL	139x464x462	500	KA1002A000x1 KF1504A0MCx1	1500
56002 0103KF1060SCOTL	139x564x462	600	KA1002A000x1 KF1505A0MCx1	1650
57202 0103KF1072SCOTL	139x684x462	720	KA1002A000x1 KF1507A0MCx1	1700
58002 0103KF1080SCOTL	139x764x462	800	KA1002A000x1 KF1501A0MCx1	1750
59002 0103KF1090SCOTL	139x864x462	900	KA1002A000x1 KF1508A0MCx1	1850

建議載重 Load Capacity: 20kg



KA1002A000 鋼珠滑軌
Ball-Bearing Slide



四邊籃
4-Sided Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF1502A0MC	132x300x462	400
KF1504A0MC	132x400x462	500
KF1505A0MC	132x500x462	600
KF1507A0MC	132x620x462	720
KF1501A0MC	132x700x462	800
KF1508A0MC	132x800x462	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)


選購
Optional





門板結合器
Door Mounting Brackets

型號 Item No.	牌價 Price
KF1800A0SD	330

滑軌孔位示意圖
Holes Schematic



門板孔位示意圖
Door Panel Schematic





四邊籃

4-Sided Basket w/ Ball-Bearing Slide


不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
5400S2 0103KF1040SCSTL	138x364x461	400	KA1002A000x1 KF1512A0MCx1	2400
5500S2 0103KF1050SCSTL	138x464x461	500	KA1002A000x1 KF1514A0MCx1	2600
5600S2 0103KF1060SCSTL	138x564x461	600	KA1002A000x1 KF1515A0MCx1	2800
5720S2 0103KF1072SCSTL	138x684x461	720	KA1002A000x1 KF1517A0MCx1	3000
5800S2 0103KF1080SCSTL	138x764x461	800	KA1002A000x1 KF1511A0MCx1	3200
5900S2 0103KF1090SCSTL	138x864x461	900	KA1002A000x1 KF1518A0MCx1	3400

建議載重 Load Capacity: 20kg



KA1002A000 鋼珠滑軌
Ball-Bearing Slide



四邊籃
4-Sided Basket

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF1512A0MC	131x300x461	400
KF1514A0MC	131x400x461	500
KF1515A0MC	131x500x461	600
KF1517A0MC	131x620x461	720
KF1511A0MC	131x700x461	800
KF1518A0MC	131x800x461	900

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)


選購
Optional





門板結合器
Door Mounting Brackets

型號 Item No.	牌價 Price
KF1800A0SD	330

滑軌孔位示意圖
Holes Schematic



門板孔位示意圖
Door Panel Schematic



3

底櫃系列
Base Cabinet



鋼珠緩衝四邊籃

4-Sided Basket w/ Soft Closing Ball-Bearing Slide

碳鋼亮鉻 Steel, Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
5400G2 0103KF1040GCOTL	139x364x462	400	KF1900A100x1 KF1502A0MCx1	1800
5500G2 0103KF1050GCOTL	139x464x462	500	KF1900A100x1 KF1504A0MCx1	1900
5600G2 0103KF1060GCOTL	139x564x462	600	KF1900A100x1 KF1505A0MCx1	2000
5720G2 0103KF1072GCOTL	139x684x462	720	KF1900A100x1 KF1507A0MCx1	2050
5800G2 0103KF1080GCOTL	139x764x462	800	KF1900A100x1 KF1501A0MCx1	2100
5900G2 0103KF1090GCOTL	139x864x462	900	KF1900A100x1 KF1508A0MCx1	2200

建議載重 Load Capacity: 20kg



KF1900A100 鋼珠緩衝滑軌

Soft Closing Ball-Bearing Slide



四邊籃

4-Sided Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF1502A0MC	132x300x462	400
KF1504A0MC	132x400x462	500
KF1505A0MC	132x500x462	600
KF1507A0MC	132x620x462	720
KF1501A0MC	132x700x462	800
KF1508A0MC	132x800x462	900

不含滑軌 / 此為空籃本體實際尺寸

Product Dimension (Basket Only)

選購
Optional




門板結合器



Door Mounting Brackets

型號 Item No.	牌價 Price
KF1800A0SD	330

滑軌孔位示意圖
Holes Schematic



門板孔位示意圖
Door Panel Schematic





鋼珠緩衝四邊籃

4-Sided Basket w/ Soft Closing Ball-Bearing Slide

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
5400SG2 0103KF1040GCSTL	138x364x461	400	KF1900A100x1 KF1512A0MCx1	2750
5500SG2 0103KF1050GCSTL	138x464x461	500	KF1900A100x1 KF1514A0MCx1	2950
5600SG2 0103KF1060GCSTL	138x564x461	600	KF1900A100x1 KF1515A0MCx1	3150
5720SG2 0103KF1072GCSTL	138x684x461	720	KF1900A100x1 KF1517A0MCx1	3350
5800SG2 0103KF1080GCSTL	138x764x461	800	KF1900A100x1 KF1511A0MCx1	3550
5900SG2 0103KF1090GCSTL	138x864x461	900	KF1900A100x1 KF1518A0MCx1	3850

建議載重 Load Capacity: 20kg



KF1900A100 鋼珠緩衝滑軌

Soft Closing Ball-Bearing Slide



四邊籃

4-Sided Basket

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF1512A0MC	131x300x461	400
KF1514A0MC	131x400x461	500
KF1515A0MC	131x500x461	600
KF1517A0MC	131x620x461	720
KF1511A0MC	131x700x461	800
KF1518A0MC	131x800x461	900

不含滑軌 / 此為空籃本體實際尺寸

Product Dimension (Basket Only)

選購
Optional




門板結合器



Door Mounting Brackets

型號 Item No.	牌價 Price
KF1800A0SD	330

滑軌孔位示意圖
Holes Schematic



門板孔位示意圖
Door Panel Schematic



3

底櫃系列
Base Cabinet



JAS 座式緩衝四邊籃

4-Sided Basket w/ Concealed Soft Closing Slide



碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
5400J1 0103KF1040JDOTL	172x364x462	400	KK3901A000x1 KF1502A0MCx1	1900
5500J1 0103KF1050JDOTL	172x464x462	500	KK3901A000x1 KF1504A0MCx1	2000
5600J1 0103KF1060JDOTL	172x564x462	600	KK3901A000x1 KF1505A0MCx1	2100
5720J1 0103KF1072JDOTL	172x684x462	720	KK3901A000x1 KF1507A0MCx1	2200
5800J1 0103KF1080JDOTL	172x764x462	800	KK3901A000x1 KF1501A0MCx1	2250
5900J1 0103KF1090JDOTL	172x864x462	900	KK3901A000x1 KF1508A0MCx1	2300
5100J1 0103KF1100JDOTL	172x964x462	1000	KK3901A000x1 KF1509A0MCx1	2400

建議載重 Load Capacity: 40kg



KK3901A000 座式緩衝滑軌

Concealed Soft Closing Slide



四邊籃



4-Sided Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF1502A0MC	132x300x462	400
KF1504A0MC	132x400x462	500
KF1505A0MC	132x500x462	600
KF1507A0MC	132x620x462	720
KF1501A0MC	132x700x462	800
KF1508A0MC	132x800x462	900
KF1509A0MC	132x900x462	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)

滑軌孔位示意圖
Holes Schematic





JAS 座式緩衝四邊籃

4-Sided Basket w/ Concealed Soft Closing Slide




不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
5400SJ1 0103KF1040JDSTL	171x364x461	400	KK3901A000x1 KF1512A0MCx1	2850
5500SJ1 0103KF1050JDSTL	171x464x461	500	KK3901A000x1 KF1514A0MCx1	3050
5600SJ1 0103KF1060JDSTL	171x564x461	600	KK3901A000x1 KF1515A0MCx1	3250
5720SJ1 0103KF1072JDSTL	171x684x461	720	KK3901A000x1 KF1517A0MCx1	3450
5800SJ1 0103KF1080JDSTL	171x764x461	800	KK3901A000x1 KF1511A0MCx1	3750
5900SJ1 0103KF1090JDSTL	171x864x461	900	KK3901A000x1 KF1518A0MCx1	3950
5100SJ1 0103KF1100JDSTL	171x964x461	1000	KK3901A000x1 KF1519A0MCx1	4250

建議載重 Load Capacity: 40kg



KK3901A000 座式緩衝滑軌
Concealed Soft Closing Slide





四邊籃
4-Sided Basket

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KF1512A0MC	131x300x461	400
KF1514A0MC	131x400x461	500
KF1515A0MC	131x500x461	600
KF1517A0MC	131x620x461	720
KF1511A0MC	131x700x461	800
KF1518A0MC	131x800x461	900
KF1519A0MC	131x900x461	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)

滑軌孔位示意圖
Holes Schematic





活動分隔架系列

Movable Organizing Rack Series

隔瓶架 全系列產品適用 Divider



不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
KE25 0103KE50000STL	110x160x120	300



3

底櫃系列
Base Cabinet



活動插盤架

Movable Plates / Bowls Holder

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
KE20A 0103KE10000STL	91x329x329	1400






底背板 16mm 用

JAS Aluminum Drawer Series (for 16mm Bottom Panel & Back Panel)


門板組裝示意圖

Cabinet Schematic




16mm 密集板的裁切尺寸 & 門板孔位


16mm board & holes Schematic



背板孔位
Holes of Back Panel Dimension





門板孔位
Holes of Drilling Dimension



滑軌孔位圖

Slide Hole Schematic





JAS 緩衝鋁抽

JAS Aluminum Drawer w/ Soft-Close

碳鋼烤銀灰 Steel, Silver Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌 價 Price
RK130G 0103RK1030JDOTK	96.5x305	1400
RK135G 0103RK1035JDOTK	96.5x355	1400
RK140G 0103RK1040JDOTK	96.5x405	1400
RK145G 0103RK1045JDOTK	96.5x455	1400
RK150G 0103RK1050JDOTK	96.5x505	1400

建議載重 Load Capacity: 30kg

不含底、背板 Bottom Panel / Back Panel not Included.



JAS 緩衝鋁抽 - 單桿


JAS Aluminum Drawer w/ Soft-Close
(160mm Height Back Panel Round Railing)

碳鋼烤銀灰 Steel, Silver Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌 價 Price
RK130G1 0103RK2030JDOTK	160x305	1700
RK135G1 0103RK2035JDOTK	160x355	1700
RK140G1 0103RK2040JDOTK	160x405	1700
RK145G1 0103RK2045JDOTK	160x455	1700
RK150G1 0103RK2050JDOTK	160x505	1700

建議載重 Load Capacity: 30kg

不含底、背板 Bottom Panel / Back Panel not Included.



JAS 緩衝鋁抽 - 雙桿


JAS Aluminum Drawer w/ Soft-Close
(224mm Height Back Panel Round Railing)

碳鋼烤銀灰 Steel, Silver Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌 價 Price
RK130G2 0103RK3030JDOTK	224x305	1900
RK135G2 0103RK3035JDOTK	224x355	1900
RK140G2 0103RK3040JDOTK	224x405	1900
RK145G2 0103RK3045JDOTK	224x455	1900
RK150G2 0103RK3050JDOTK	224x505	1900

建議載重 Load Capacity: 30kg

不含底、背板 Bottom Panel / Back Panel not Included.



JAS 緩衝鋁抽 - 玻璃加高

JAS Aluminum Drawer w/ Soft-Close
(224mm Height Back Panel w/Glass Side)

碳鋼烤銀灰 Steel, Silver Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌 價 Price
RK145GE 0103RK4045JDOTK	224x455	2600
RK150GE 0103RK4050JDOTK	224x505	2600

建議載重 Load Capacity: 30kg

不含底、背板 Bottom Panel / Back Panel not Included.



JAS 緩衝鋁抽 - 鋼板加高

JAS Steel Tall Drawer w/ Soft-Close (224mm Height)

碳鋼烤銀灰 Steel, Silver Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌價 Price
RK145GB 0103RK5045JDOTK	224x455	2600
RK150GB 0103RK5050JDOTK	224x505	2600

建議載重 Load Capacity: 30kg

不含底、背板 Bottom Panel / Back Panel not Included.

3

底櫃系列

Base Cabinet

JAS 緩衝鋁抽內抽面板

JAS Internal Drawer Front Section



低抽內抽面板

Internal Drawer Front Section

鋁合金烤銀灰 Silver Grey Aluminum Alloy

型號 Item No.	高 x 寬 H x W (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400HAA 0103M3004000AGK	100x360	400	700
RK450HAA 0103M3004500AGK	100x410	450	800
RK500HAA 0103M3005000AGK	100x460	500	900
RK600HAA 0103M3006000AGK	100x560	600	1000
RK800HAA 0103M3008000AGK	100x760	800	1200
RK900HAA 0103M3009000AGK	100x860	900	1300

不含底、背板

The Size Can be Customized.

Bottom Panel / Back Panel not Included.



高高抽內抽面板

Height Internal Drawer Front Section

鋁合金烤銀灰 Silver Grey Aluminum Alloy

型號 Item No.	高 x 寬 H x W (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400HCA 0103M3104000AGK	223x360	400	1000
RK450HCA 0103M3104500AGK	223x410	450	1100
RK500HCA 0103M3105000AGK	223x460	500	1200
RK600HCA 0103M3106000AGK	223x560	600	1300
RK800HCA 0103M3108000AGK	223x760	800	1600
RK900HCA 0103M3109000AGK	223x860	900	1800

不含底、背板

The Size Can be Customized.

Bottom Panel / Back Panel not Included.

JAS 緩衝止滑鋁抽組 40 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Aluminum Drawer Series_405D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)

3

底櫃系列
Base Cabinet



JAS 緩衝止滑鋁抽組 (40 深)
JAS Aluminum Drawer w/ Soft-Close (405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400JA40 0103RS1040JD040	96.5x364x405	400	2300
RK450JA40 0103RS1045JD040	96.5x414x405	450	2400
RK500JA40 0103RS1050JD040	96.5x464x405	500	2600
RK600JA40 0103RS1060JD040	96.5x564x405	600	2700
RK800JA40 0103RS1080JD040	96.5x764x405	800	2900
RK900JA40 0103RS1090JD040	96.5x864x405	900	3000

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 單桿 (40 深)
JAS Aluminum Drawer w/ Soft-Close
(160mm Height Back Panel Round Railing) (405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400G1B40 0103RS2040JD040	160x364x405	400	2600
RK450G1B40 0103RS2045JD040	160x414x405	450	2700
RK500G1B40 0103RS2050JD040	160x464x405	500	2900
RK600G1B40 0103RS2060JD040	160x564x405	600	3000
RK800G1B40 0103RS2080JD040	160x764x405	800	3200
RK900G1B40 0103RS2090JD040	160x864x405	900	3300

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 雙桿 (40 深)
JAS Aluminum Drawer w/ Soft-Close
(224mm Height Back Panel Round Railing)(405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400G2C40 0103RS3040JD040	224x364x405	400	2800
RK450G2C40 0103RS3045JD040	224x414x405	450	2900
RK500G2C40 0103RS3050JD040	224x464x405	500	3000
RK600G2C40 0103RS3060JD040	224x564x405	600	3100
RK800G2C40 0103RS3080JD040	224x764x405	800	3300
RK900G2C40 0103RS3090JD040	224x864x405	900	3400

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝止滑鋁抽組 45 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Aluminum Drawer Series_455D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝止滑鋁抽組 (45 深)
JAS Aluminum Drawer w/ Soft-Close (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400JA45 0103RS1040JD045	96.5x364x455	400	2300
RK450JA45 0103RS1045JD045	96.5x414x455	450	2400
RK500JA45 0103RS1050JD045	96.5x464x455	500	2600
RK600JA45 0103RS1060JD045	96.5x564x455	600	2700
RK800JA45 0103RS1080JD045	96.5x764x455	800	2900
RK900JA45 0103RS1090JD045	96.5x864x455	900	3000

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

3

底櫃系列
Base Cabinet



JAS 緩衝止滑鋁抽組 - 單桿 (45 深)
JAS Aluminum Drawer w/ Soft-Close
(160mm Height Back Panel Round Railing)(455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400G1B45 0103RS2040JD045	160x364x455	400	2600
RK450G1B45 0103RS2045JD045	160x414x455	450	2700
RK500G1B45 0103RS2050JD045	160x464x455	500	2900
RK600G1B45 0103RS2060JD045	160x564x455	600	3000
RK800G1B45 0103RS2080JD045	160x764x455	800	3200
RK900G1B45 0103RS2090JD045	160x864x455	900	3300

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 雙桿 (45 深)
JAS Aluminum Drawer w/ Soft-Close
(224mm Height Back Panel Round Railing)(455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400G2C45 0103RS3040JD045	224x364x455	400	2800
RK450G2C45 0103RS3045JD045	224x414x455	450	2900
RK500G2C45 0103RS3050JD045	224x464x455	500	3000
RK600G2C45 0103RS3060JD045	224x564x455	600	3100
RK800G2C45 0103RS3080JD045	224x764x455	800	3300
RK900G2C45 0103RS3090JD045	224x864x455	900	3400

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝止滑鋁抽組 50 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Aluminum Drawer Series (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)

3 底櫃系列
Base Cabinet



JAS 緩衝止滑鋁抽組 (50 深)
JAS Aluminum Drawer w/ Soft-Close (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400JA 0103RS1040JD000	96.5x364x505	400	2300
RK450JA 0103RS1045JD000	96.5x414x505	450	2400
RK500JA 0103RS1050JD000	96.5x464x505	500	2600
RK600JA 0103RS1060JD000	96.5x564x505	600	2700
RK800JA 0103RS1080JD000	96.5x764x505	800	2900
RK900JA 0103RS1090JD000	96.5x864x505	900	3000

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 單桿 (50 深)
JAS Aluminum Drawer w/ Soft-Close
(160mm Height Back Panel Round Railing) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400G1B 0103RS2040JD000	160x364x505	400	2600
RK450G1B 0103RS2045JD000	160x414x505	450	2700
RK500G1B 0103RS2050JD000	160x464x505	500	2900
RK600G1B 0103RS2060JD000	160x564x505	600	3000
RK800G1B 0103RS2080JD000	160x764x505	800	3200
RK900G1B 0103RS2090JD000	160x864x505	900	3300

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 雙桿 (50 深)
JAS Aluminum Drawer w/ Soft-Close
(224mm Height Back Panel Round Railing) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400G2C 0103RS3040JD000	224x364x505	400	2800
RK450G2C 0103RS3045JD000	224x414x505	450	2900
RK500G2C 0103RS3050JD000	224x464x505	500	3000
RK600G2C 0103RS3060JD000	224x564x505	600	3100
RK800G2C 0103RS3080JD000	224x764x505	800	3300
RK900G2C 0103RS3090JD000	224x864x505	900	3400

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝止滑鋁抽組 50 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Aluminum Drawer Series (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝止滑鋁抽組 - 玻璃加高 (50 深)
 JAS Aluminum Drawer w/ Soft-Close
 (224mm Height Back Panel w/Glass Side) (505D)



JAS 緩衝止滑鋁抽組 - 鋼板加高 (50 深)
 JAS Steel Tall Drawer w/ Soft-Close (224mm Height)
 (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400GEC 0103RS4040JD000	224x364x505	400	3700
RK450GEC 0103RS4045JD000	224x414x505	450	3800
RK500GEC 0103RS4050JD000	224x464x505	500	3900
RK600GEC 0103RS4060JD000	224x564x505	600	4100
RK800GEC 0103RS4080JD000	224x764x505	800	4300
RK900GEC 0103RS4090JD000	224x864x505	900	4600

建議載重 Load Capacity: 30kg
 800 以上櫃體另附底板補強片 1pc
 Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400GBC 0103RS5040JD000	224x364x505	400	3700
RK450GBC 0103RS5045JD000	224x414x505	450	3800
RK500GBC 0103RS5050JD000	224x464x505	500	3900
RK600GBC 0103RS5060JD000	224x564x505	600	4100
RK800GBC 0103RS5080JD000	224x764x505	800	4300
RK900GBC 0103RS5090JD000	224x864x505	900	4600

建議載重 Load Capacity: 30kg
 800 以上櫃體另附底板補強片 1pc
 Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

3
 底櫃系列
 Base Cabinet

JAS 緩衝止滑鋁抽組 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Aluminum Drawer Series (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)

3

底櫃系列
Base Cabinet



JAS 緩衝止滑鋁抽組 - 抽中抽 (40 深)
JAS 4-Sided Aluminum Drawer w/ Soft-Close (405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400HA40 0103RS6040JD040	96.5x364x405	400	3200
RK450HA40 0103RS6045JD040	96.5x414x405	450	3300
RK500HA40 0103RS6050JD040	96.5x464x405	500	3400
RK600HA40 0103RS6060JD040	96.5x564x405	600	3700
RK800HA40 0103RS6080JD040	96.5x764x405	800	4100
RK900HA40 0103RS6090JD040	96.5x864x405	900	4300

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 抽中抽 (45 深)
JAS 4-Sided Aluminum Drawer w/ Soft-Close (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400HA45 0103RS6040JD045	96.5x364x455	400	3200
RK450HA45 0103RS6045JD045	96.5x414x455	450	3300
RK500HA45 0103RS6050JD045	96.5x464x455	500	3400
RK600HA45 0103RS6060JD045	96.5x564x455	600	3700
RK800HA45 0103RS6080JD045	96.5x764x455	800	4100
RK900HA45 0103RS6090JD045	96.5x864x455	900	4300

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝止滑鋁抽組 - 抽中抽 (50 深)
JAS 4-Sided Aluminum Drawer w/ Soft-Close (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400HA 0103RS6040JD000	96.5x364x505	400	3200
RK450HA 0103RS6045JD000	96.5x414x505	450	3300
RK500HA 0103RS6050JD000	96.5x464x505	500	3400
RK600HA 0103RS6060JD000	96.5x564x505	600	3700
RK800HA 0103RS6080JD000	96.5x764x505	800	4100
RK900HA 0103RS6090JD000	96.5x864x505	900	4300

建議載重 Load Capacity: 30kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



Accessories for Aluminum Drawers

· 此頁鋁抽配件僅適用於 P109 ~ P116 鋁抽系列產品，不適用於薄牆鋁抽系列
 · Accessories listed are available for page 109~116 of Aluminum Drawers, not available for Slim Double Wall Metal Drawer Series.



雙層加高板

Double-Layer Heightened Plate

鋼板烤銀灰 Steel, Silver Gray Epoxy

型號 Item No.	長 L (mm)	牌價 Price
M01033A000	500	1200
一組 2 入，左右各一 (1set=2pcs)		



橫隔板 (鋼板用)

Transverse Separating Plate

鋁合金烤銀灰 Silver Grey Aluminum Alloy

型號 Item No.	長 L (mm)	牌價 Price
M01009A000	1500	1900
一入 (1 pc)		



豎隔板 (鋼板用)

Vertical Separating Plate

鋁合金烤銀灰 Silver Grey Aluminum Alloy

型號 Item No.	長 L (mm)	牌價 Price
M01025A000	95	170
一入 (1 pc)，適配 M01009A000		



橫隔板連接件

Diaphragm Fitting

塑膠 ABS

型號 Item No.	牌價 Price
M01041A000	230
一組 2 入 (1set=2pcs)，適配 M01009A000	



橫桿

Horizontal Bar

鋁合金烤銀灰 Silver Grey Aluminum Alloy

型號 Item No.	直徑 x 長 Dia. x L (mm)	牌價 Price
M01019A000	Ø11x1500	500
一入 (1pc)		



縱桿

Vertical Bar

鋁合金烤銀灰 Silver Grey Aluminum Alloy

型號 Item No.	直徑 x 長 Dia. x L (mm)	牌價 Price
M01023A000	Ø11x475	180
一入 (1pc)		



橫桿固定件

Bar Fixture

塑膠 ABS

型號 Item No.	牌價 Price
M01042A000	60
一組 2 入 (1set=2pcs)，適配 M01019A000	



橫桿伸縮扣

Bar Flexible Fitting

塑膠 ABS

型號 Item No.	牌價 Price
M01043A000	35
一組 2 入 (1set=2pcs)，適配 M01019A000	




十字連接件

Cross Buckle

塑膠 ABS

型號 Item No.	牌價 Price
M01045A000	45
一組 3 入 (1set=3pcs)	

鋁抽配件




· 可依照個人使用習慣搭配，增加抽屜使用的機能性。

Accessories for Aluminum Drawers

3

底櫃系列
Base Cabinet




鋁抽磁吸底板 (16 板)
Magnetic Drawer Bottom (16 mm)

適用 BLUM / JAS 鋁抽
for BLUM / JAS Slide System

磁吸板 + 止滑墊 Steel + EVA

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK860B2 0103M3506000000	16x489x490	600	1400
RK872B2 0103M3507200000	16x609x490	720	1800
RK880B2 0103M3508000000	16x689x490	800	2000
RK890B2 0103M3509000000	16x789x490	900	2300
RK810B2 0103M3510000000	16x889x490	1000	2500
RK812B2 0103M3512000000	16x1089x490	1200	2900


一入 (1 pc)
可承重 30KG 不變形 Undeformed under 30kgs loading.



止滑墊 (灰色圓點紋)
Anti-Slip Liner

塑膠 PVC

型號 Item No.	長 x 寬 x 厚度 L x W x H (mm)	牌價 Price
D899 0103M1402000PVO	20Mx530x0.9	6300



止滑墊 含背膠 (鐵灰格紋)
Anti-Slip Liner with Glue

食品級環保膠 EVA

型號 Item No.	長 x 寬 x 厚度 L x W x H (mm)	牌價 Price
D899BC 0103M6102000PVO	20Mx500x0.9	7800



止水墊
Waterproof Liner

塑膠 HIPS

型號 Item No.	寬 x 深 x 厚度 W x D x H (mm)	牌價 Price
D877 0103M1500000PVO	2Mx580x2	1000

1 入包 (1pc/pack)

型號 Item No.	寬 x 深 x 厚度 W x D x H (mm)	牌價 Price
D877XT 0103M6500000PVO	2Mx580x2	9500

10 入包 (10pcs/pack)



磁吸棒
Magnetic Bar Divider

山毛櫸 Solid Beech Color

型號 Item No.	直徑 x 長 Dia. x L (mm)	牌價 Price
DE011B 0103M1200000000	Ø36x175	500



磁吸隔板
Magnetic Divider

碳鋼烤漆 Steel, Dark Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
KF15 0103M43055000TK	99x55x25	450



底背板 16mm 用




JAS Slim Double Wall Metal Drawer Series (for 16mm Bottom Panel & Back Panel)

底板與後背板 (16mm) 裁切尺寸 Bottom and Back Dimensions 16mm-thick MDF



LW : 櫃體淨寬
Internal cabinet width

A 底板寬度 = 櫃體淨寬 (LW) - 75mm ± 0.5
Bottom width = Internal cabinet width - 75mm ± 0.5

B 背板長度 = 櫃體淨寬 (LW) - 87mm ± 0.5
Back length = Internal cabinet width - 87mm ± 0.5



櫃體軌道安裝參數 (mm) Screw Position of the Slides (mm)



JAS 緩衝薄牆鋁抽 - 低


JAS Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel)

碳鋼烤漆 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌價 Price
RK130J 0103RU1030JDOTK	110x305	1800
RK135J 0103RU1035JDOTK	110x355	1800
RK140J 0103RU1040JDOTK	110x405	1800
RK145J 0103RU1045JDOTK	110x455	1800
RK150J 0103RU1050JDOTK	110x505	1800


建議載重 Load Capacity: 40kg
不含底、背板 Bottom Panel / Back Panel not Included.

面版安裝尺寸 - 低 (110mm)
Installation Dimensions (110mm)




3

底櫃系列
Base Cabinet



JAS 緩衝薄牆鋁抽 - 中


JAS Slim Double Wall Metal Drawer w/Soft-Close
(143mm Height Panel)



碳鋼烤漆 Steel, Gray Epoxy


型號 Item No.	高 x 深 H x D (mm)	牌價 Price
RK130J1 0103RU2030JDOTK	143x305	2000
RK135J1 0103RU2035JDOTK	143x355	2000
RK140J1 0103RU2040JDOTK	143x405	2000
RK145J1 0103RU2045JDOTK	143x455	2000
RK150J1 0103RU2050JDOTK	143x505	2000

建議載重 Load Capacity: 40kg
不含底、背板 Bottom Panel / Back Panel not Included.



JAS 緩衝薄牆鋁抽 - 高


JAS Slim Double Wall Metal Drawer w/Soft-Close
(190mm Height Panel)



碳鋼烤漆 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	牌價 Price
RK130J2 0103RU3030JDOTK	190x305	2200
RK135J2 0103RU3035JDOTK	190x355	2200
RK140J2 0103RU3040JDOTK	190x405	2200
RK145J2 0103RU3045JDOTK	190x455	2200
RK150J2 0103RU3050JDOTK	190x505	2200

建議載重 Load Capacity: 40kg
不含底、背板 Bottom Panel / Back Panel not Included.





JAS 緩衝薄牆鋁抽內抽面板

JAS Slim Internal Drawer Front Section



JAS 緩衝薄牆鋁抽內抽面板 - 低
Slim Internal Drawer Front Section
(110mm Height)



JAS 緩衝薄牆鋁抽內抽面板 - 中
Slim Internal Drawer Front Section
(143mm Height)



JAS 緩衝薄牆鋁抽內抽面板 - 高
Slim Internal Drawer Front Section
(190mm Height)

鋁合金烤鐵灰 Grey Aluminum Alloy

型號 Item No.	高 x 寬 H x W (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FAA 0103M5004000AGK	105x354	400	1000
RK450FAA 0103M5004500AGK	105x404	450	1100
RK500FAA 0103M5005000AGK	105x454	500	1200
RK600FAA 0103M5006000AGK	105x554	600	1400
RK800FAA 0103M5008000AGK	105x754	800	1600
RK900FAA 0103M5009000AGK	105x854	900	1700
RK10FAA 0103M5010000AGK	105x954	1000	1800

可客製長度 / 不含底、背板 The Size Can be Customized.
Bottom Panel / Back Panel not Included.

鋁合金烤鐵灰 Grey Aluminum Alloy

型號 Item No.	高 x 寬 H x W (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1BA 0103M5104000AGK	143x354	400	1200
RK450F1BA 0103M5104500AGK	143x404	450	1300
RK500F1BA 0103M5105000AGK	143x454	500	1400
RK600F1BA 0103M5106000AGK	143x554	600	1600
RK800F1BA 0103M5108000AGK	143x754	800	1800
RK900F1BA 0103M5109000AGK	143x854	900	1900
RK10AF1BA 0103M5110000AGK	143x954	1000	2100

可客製長度 / 不含底、背板 The Size Can be Customized.
Bottom Panel / Back Panel not Included.

鋁合金烤鐵灰 Grey Aluminum Alloy

型號 Item No.	高 x 寬 H x W (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2CA 0103M5204000AGK	190x354	400	1400
RK450F2CA 0103M5204500AGK	190x404	450	1500
RK500F2CA 0103M5205000AGK	190x454	500	1600
RK600F2CA 0103M5206000AGK	190x554	600	1800
RK800F2CA 0103M5208000AGK	190x754	800	2000
RK900F2CA 0103M5209000AGK	190x854	900	2100
RK10AF2CA 0103M5210000AGK	190x954	1000	2300

可客製長度 / 不含底、背板 The Size Can be Customized.
Bottom Panel / Back Panel not Included.

3

底櫃系列

Base Cabinet



薄牆鋁抽加高桿配件

3

底櫃系列
Base Cabinet



Square Rails



鋁合金烤鐵灰 Grey Aluminum Alloy

型號 Item No.	長 L (mm)	牌價 Price
RV1007A000	300	230
RV1008A000	350	250
RV1009A000	400	270
RV1010A000	450	300
RV1011A000	500	330

內含方桿 x2+ 高 30mm 薄抽後接器 x2
Square Rail x2+Height 30mm Rear bracketx2

鋁合金烤鐵灰 Grey Aluminum Alloy

型號 Item No.	長 L (mm)	牌價 Price
RV1012A000	300	460
RV1013A000	350	490
RV1014A000	400	550
RV1015A000	450	600
RV1016A000	500	660

內含方桿 x4+ 高 183mm 薄抽後接器 x2
Square Rail x4+Height 183mm Rear bracketx2

JAS 緩衝薄牆止滑淺櫃鋁抽組 40 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Slim Double Wall Metal Drawer Kit _405D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝薄牆鋁抽組 - 低 (40 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel)(405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400KA40 0103RV1040JD040	110x364x405	400	2700
RK450KA40 0103RV1045JD040	110x414x405	450	2800
RK500KA40 0103RV1050JD040	110x464x405	500	2900
RK600KA40 0103RV1060JD040	110x564x405	600	3000
RK800KA40 0103RV1080JD040	110x764x405	800	3200
RK900KA40 0103RV1090JD040	110x864x405	900	3300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

3

底櫃系列

Base Cabinet



JAS 緩衝薄牆鋁抽組 - 中 (40 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel)(405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400K1B40 0103RV2040JD040	143x364x405	400	2900
RK450K1B40 0103RV2045JD040	143x414x405	450	3000
RK500K1B40 0103RV2050JD040	143x464x405	500	3100
RK600K1B40 0103RV2060JD040	143x564x405	600	3200
RK800K1B40 0103RV2080JD040	143x764x405	800	3400
RK900K1B40 0103RV2090JD040	143x864x405	900	3600

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 高 (40 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (190mm Height Panel)(405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
RK400K2C40 0103RV3040JD040	190x364x405	400	3100
RK450K2C40 0103RV3045JD040	190x414x405	450	3200
RK500K2C40 0103RV3050JD040	190x464x405	500	3300
RK600K2C40 0103RV3060JD040	190x564x405	600	3400
RK800K2C40 0103RV3080JD040	190x764x405	800	3700
RK900K2C40 0103RV3090JD040	190x864x405	900	3800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝薄牆止滑淺櫃鋁抽組 45 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Slim Double Wall Metal Drawer Kit _455D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)

3

底櫃系列
Base Cabinet



JAS 緩衝薄牆鋁抽組 - 低 (45 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel)(455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400KA45 0103RV1040JD045	110x364x455	400	2700
RK450KA45 0103RV1045JD045	110x414x455	450	2800
RK500KA45 0103RV1050JD045	110x464x455	500	2900
RK600KA45 0103RV1060JD045	110x564x455	600	3000
RK800KA45 0103RV1080JD045	110x764x455	800	3200
RK900KA45 0103RV1090JD045	110x864x455	900	3300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 中 (45 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel)(455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400K1B45 0103RV2040JD045	143x364x455	400	2900
RK450K1B45 0103RV2045JD045	143x414x455	450	3000
RK500K1B45 0103RV2050JD045	143x464x455	500	3100
RK600K1B45 0103RV2060JD045	143x564x455	600	3200
RK800K1B45 0103RV2080JD045	143x764x455	800	3400
RK900K1B45 0103RV2090JD045	143x864x455	900	3600

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 高 (45 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (190mm Height Panel)(455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400K2C45 0103RV3040JD045	190x364x455	400	3100
RK450K2C45 0103RV3045JD045	190x414x455	450	3200
RK500K2C45 0103RV3050JD045	190x464x455	500	3300
RK600K2C45 0103RV3060JD045	190x564x455	600	3400
RK800K2C45 0103RV3080JD045	190x764x455	800	3700
RK900K2C45 0103RV3090JD045	190x864x455	900	3800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝薄牆止滑淺櫃鋁抽組 50 深 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS Slim Double Wall Metal Drawer Kit_505D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝薄牆鋁抽組 - 低 (50 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel)(505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400KA 0103RV1040JD000	110x364x505	400	2700
RK450KA 0103RV1045JD000	110x414x505	450	2800
RK500KA 0103RV1050JD000	110x464x505	500	2900
RK600KA 0103RV1060JD000	110x564x505	600	3000
RK800KA 0103RV1080JD000	110x764x505	800	3200
RK900KA 0103RV1090JD000	110x864x505	900	3300

建議載重 Load Capacity: 40kg

800 以上櫃體另附底板補強片 1pc

Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

3

底櫃系列

Base Cabinet



JAS 緩衝薄牆鋁抽組 - 中 (50 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel)(505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400K1B 0103RV2040JD000	143x364x505	400	2900
RK450K1B 0103RV2045JD000	143x414x505	450	3000
RK500K1B 0103RV2050JD000	143x464x505	500	3100
RK600K1B 0103RV2060JD000	143x564x505	600	3200
RK800K1B 0103RV2080JD000	143x764x505	800	3400
RK900K1B 0103RV2090JD000	143x864x505	900	3600

建議載重 Load Capacity: 40kg

800 以上櫃體另附底板補強片 1pc

Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 高 (50 深)

JAS Slim Double Wall Metal Drawer w/Soft-Close (190mm Height Panel)(505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400K2C 0103RV3040JD000	190x364x505	400	3100
RK450K2C 0103RV3045JD000	190x414x505	450	3200
RK500K2C 0103RV3050JD000	190x464x505	500	3300
RK600K2C 0103RV3060JD000	190x564x505	600	3400
RK800K2C 0103RV3080JD000	190x764x505	800	3700
RK900K2C 0103RV3090JD000	190x864x505	900	3800

建議載重 Load Capacity: 40kg

800 以上櫃體另附底板補強片 1pc

Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝薄牆止滑鋁抽組 40 深 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS 4-Sided Slim Double Wall Metal Drawer_405D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)

3

底櫃系列
Base Cabinet



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 低 (40 深)
JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (405D)



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 中 (40 深)
JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel) (405D)



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 高 (40 深)
JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (194mm Height Panel) (405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FA40 0103RW1040JD040	110x364x405	400	3700
RK450FA40 0103RW1045JD040	110x414x405	450	3900
RK500FA40 0103RW1050JD040	110x464x405	500	4100
RK600FA40 0103RW1060JD040	110x564x405	600	4200
RK800FA40 0103RW1080JD040	110x764x405	800	4700
RK900FA40 0103RW1090JD040	110x864x405	900	4900

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1B40 0103RW2040JD040	143x364x405	400	3900
RK450F1B40 0103RW2045JD040	143x414x405	450	4100
RK500F1B40 0103RW2050JD040	143x464x405	500	4300
RK600F1B40 0103RW2060JD040	143x564x405	600	4600
RK800F1B40 0103RW2080JD040	143x764x405	800	5100
RK900F1B40 0103RW2090JD040	143x864x405	900	5300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2C40 0103RW3040JD040	194x364x405	400	4100
RK450F2C40 0103RW3045JD040	194x414x405	450	4400
RK500F2C40 0103RW3050JD040	194x464x405	500	4700
RK600F2C40 0103RW3060JD040	194x564x405	600	5000
RK800F2C40 0103RW3080JD040	194x764x405	800	5400
RK900F2C40 0103RW3090JD040	194x864x405	900	5800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝薄牆止滑鋁抽組 45 深 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS 4-Sided Slim Double Wall Metal Drawer_455D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 低 (45 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FA45 0103RW1040JD045	110x364x455	400	3700
RK450FA45 0103RW1045JD045	110x414x455	450	3900
RK500FA45 0103RW1050JD045	110x464x455	500	4100
RK600FA45 0103RW1060JD045	110x564x455	600	4200
RK800FA45 0103RW1080JD045	110x764x455	800	4700
RK900FA45 0103RW1090JD045	110x864x455	900	4900

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

3

底櫃系列

Base Cabinet



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 中 (45 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1B45 0103RW2040JD045	143x364x455	400	3900
RK450F1B45 0103RW2045JD045	143x414x455	450	4100
RK500F1B45 0103RW2050JD045	143x464x455	500	4300
RK600F1B45 0103RW2060JD045	143x564x455	600	4600
RK800F1B45 0103RW2080JD045	143x764x455	800	5100
RK900F1B45 0103RW2090JD045	143x864x455	900	5300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 高 (45 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (194mm Height Panel) (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2C45 0103RW3040JD045	194x364x455	400	4100
RK450F2C45 0103RW3045JD045	194x414x455	450	4400
RK500F2C45 0103RW3050JD045	194x464x455	500	4700
RK600F2C45 0103RW3060JD045	194x564x455	600	5000
RK800F2C45 0103RW3080JD045	194x764x455	800	5400
RK900F2C45 0103RW3090JD045	194x864x455	900	5800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝薄牆止滑鋁抽組 50 深 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板+止滑墊)

JAS 4-Sided Slim Double Wall Metal Drawer(1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)

3 底櫃系列 Base Cabinet



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 低 (50 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FA 0103RW1040JD000	110x364x505	400	3700
RK450FA 0103RW1045JD000	110x414x505	450	3900
RK500FA 0103RW1050JD000	110x464x505	500	4100
RK600FA 0103RW1060JD000	110x564x505	600	4200
RK800FA 0103RW1080JD000	110x764x505	800	4700
RK900FA 0103RW1090JD000	110x864x505	900	4900

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 中 (50 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1B 0103RW2040JD000	143x364x505	400	3900
RK450F1B 0103RW2045JD000	143x414x505	450	4100
RK500F1B 0103RW2050JD000	143x464x505	500	4300
RK600F1B 0103RW2060JD000	143x564x505	600	4600
RK800F1B 0103RW2080JD000	143x764x505	800	5100
RK900F1B 0103RW2090JD000	143x864x505	900	5300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 高 (50 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (194mm Height Panel) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2C 0103RW3040JD000	194x364x505	400	4100
RK450F2C 0103RW3045JD000	194x414x505	450	4400
RK500F2C 0103RW3050JD000	194x464x505	500	4700
RK600F2C 0103RW3060JD000	194x564x505	600	5000
RK800F2C 0103RW3080JD000	194x764x505	800	5400
RK900F2C 0103RW3090JD000	194x864x505	900	5800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



刀叉盤
Utensil Tray



塑膠 HIPS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
LG400X5 0103M3204000HP0	47x350x490	400	2600
LG450X5 0103M3204500HP0	47x400x490	450	2800
LG500X5 0103M3205000HP0	47x440x490	500	3000
LG600X5 0103M3206000HP0	47x540x490	600	3400
LG800X5 0103M3208000HP0	47x745x490	800	5250
LG900X5 0103M3209000HP0	47x840x490	900	5600
LG100X5 0103M3210000HP0	47x950x490	1000	5900


包裝方式：5 入 / 箱 (不可拆箱販售)
Packaging : 5pcs / Box

3

底櫃系列

Base Cabinet

示意圖 Schematic



鋁合金收納盒



Utensil Holder

3


底櫃系列
Base Cabinet




鋁合金材質耐用且時尚
Aluminum Alloy Storage Box.



空間分隔自由
擋片可根據物品大小，任意調節
Durable and stylish aluminum alloy material.




兩種尺寸 隨意搭配
提供更人性化的收納方式
Choice of two sizes for a more user friendly storage solution.




型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適配導軌深度 Slide Length	牌價 Price
M7000903 0103M7000900AG0	55 x 96 x 460	500	1300
M7001403 0103M7001400AG0	55 x 146 x 460	500	1600


三個組合示意圖 抽屜淨寬 W




四個組合示意圖 抽屜淨寬 W



五個組合示意圖 抽屜淨寬 W



六個組合示意圖 抽屜淨寬 W



伸縮款實木收納盒

Extendable Wood Storage Kit for JAS / Blum Drawer



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
ML405047 0103ML104000W00	60x255~430x460~470	400~500	4100

選購
Optional



刀具架
Knives Kit

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
MLK1047N 0103ML200000W00	50x90x430	4800
· 附刀具 3 支 / Includes 3 Knives		



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
ML608047 0103ML106000W00	60x430~730x460~470	600~800	5800

選購
Optional



PP 塑料盒 (小)
PP Basket (S)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
MLPPB01 0103ML300700PP0	48x75x348	320



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
ML9010047 0103ML109000W00	60x730~930x460~470	900~1000	6300




選購
Optional



PP 塑料盒 (大)
PP Basket (L)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
MLPPB02 0103ML301100PP0	48x118x348	320

伸縮款細部圖
Detail Drawings



實內 470
Interior Width 470

實內 460
Interior Width 460

緩衝檯面延伸架



3

Extension Worktop w/ Soft Close

磁鋼烤漆 Steel, Gray epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
FD101G 0103FD1040GEOTK	97x364~564x503	400~600	4700
FD102G 0103FD1070GEOTK	97x664~1164x503	700~1200	4800

建議載重 Load Capacity: 20kg
 附重型鋼珠緩衝滑軌 Include heavy duty soft closing ball-bearing slide.
 本產品不能使用於不銹鋼桶身



檯面延伸架
Counter top Extension Support

檯面延伸架使用說明 Extension Worktop User Guide








示意圖 Schematic



輔助檯面尺寸圖
Counter top Template

側板尺寸圖 Side Panel Template

門板尺寸圖 Door Template



X, Y = 門板縫隙
 T = 實際檯面厚度
 X, Y = Gap
 T = Table Top Thickness is available from 30mm up to 40mm



150 小側拉 - 塑盒 (鋼珠緩衝滑軌)
Side-Mounted Kit Pull Out w/ ABS Basket,
Soft Closing Ball-Bearing Slide





碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA115G2B 0103FA4015GBABH	585x111x472	150	FBB025A0MCx1 FN1038A100x2 FA4501A2MCx2 FP1541A0QBx1	3000


建議載重 Load Capacity: 20kg

門板孔位圖 Door Panel Schematic

示意圖 Schematic



側板孔位示意圖
Sidepanel Schematic



FBB025A0MC 骨架 / 左右共用
Frame (Universal)

附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included



收納盒
ABS Basket

塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN1038A100	76x444x97



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FA4501A2MC	78x83x430



隔瓶架
Divider

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FP1541A0QB	98x92x410

3

底櫃系列
Base Cabinet



150 小側拉 - 線籃

Small Side-Mounted Kit Pull Out w/ Wire Basket, Concealed Soft Closing Slide

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FC100JBB 0103FP5015JDOTL	553x106x492	150	FA1902A000x1 FP5520A0MCx1 FP5511A0MCx1	3250

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FC200JBB 0103FP5015JDSTL	553x106x492	150	FA1902A000x1 FP5530A0MCx1 FP5511A0MCx1	3900

建議載重 Load Capacity: 30kg



骨架附止滑墊 / 左右共用 (Universal)
Frame Included Anti-Slip Liner
碳鋼亮鉻 Steel, Chrome Plated

型號

Item No.

FP5520A0MC

不鏽鋼亮鉻 S.S. Chrome Plated

型號

Item No.

FP5530A0MC




FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide




FP5511A0MC 蓋板 Shroud

示意圖
Schematic




單位: mm

門板孔位圖
Door Panel Schematic



側板孔位圖
Sidewall Schematic



JASMINE®

照片僅供參考，請以實物為準



150 小側拉 - 抗倍特板


Small Side-Mounted Kit Pull Out
w/ Compact Laminate Bottom

碳鋼亮鉻抗倍特板底 Steel, Chrome Plated, Compact Laminate Bottom


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FC100JWB 0103FP5015JDW00	553x106x492	150	FA1902A000x1 FP5510A0MCx1 FP5511A0MCx1 FP5512A0MCx2	4300

建議載重 Load Capacity: 30kg


示意圖
Schematic



門板孔位圖
Door Panel Schematic



側板孔位圖
Sidewall Schematic



FP5510A0MC 骨架 / 左右共用
Frame (Universal)



FA1902A000 座式緩衝滑軌
Concealed Soft Closing Slide



FP5511A0MC 蓋板 Shroud



FP5512A0MC 抗倍特板 + 夾
Compact Laminate + Clip

3

底櫃系列

Base Cabinet

3

底櫃系列
Base Cabinet



小側拉-35 深線籃 (鋼珠緩衝滑軌) Side-Mounted Kit Pull Out w/ Wire Basket (317D), Soft Closing Ball-Bearing Slide

碳鋼亮鉻 Steel, Chrome Plated





型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA115GBB35 0103FBF015GBOTL	585x110x317	150	FBF025A0MCx1 FBF715A0MCx1 FBF716A0MCx1	3000
FA120GBB35 0103FBF020GBOTL	585x129x317	200	FBF025A0MCx1 FBF720A0MCx1 FBF721A0MCx1	3000
FA125GBB35 0103FBF025GBOTL	585x179x317	250	FBF025A0MCx1 FBF725A0MCx1 FBF726A0MCx1	3200
FA130GBB35 0103FBF030GBOTL	585x229x317	300	FBF025A0MCx1 FBF730A0MCx1 FBF731A0MCx1	3400

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA215GBB35 0103FBF015GBSTL	585x110x317	150	FBF025A0MCx1 FBF815A0MCx1 FBF816A0MCx1	4000
FA220GBB35 0103FBF020GBSTL	585x129x317	200	FBF025A0MCx1 FBF820A0MCx1 FBF821A0MCx1	4000
FA225GBB35 0103FBF025GBSTL	585x179x317	250	FBF025A0MCx1 FBF825A0MCx1 FBF826A0MCx1	4200
FA230GBB35 0103FBF030GBSTL	585x229x317	300	FBF025A0MCx1 FBF830A0MCx1 FBF831A0MCx1	4500

建議載重 Load Capacity: 20kg
附止滑墊 Anti-Slip Liner included.

示意圖 Schematic





FBF025A0MC 骨架 / 左右共用
Frame (Universal)

附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF716A0MC	120x96x281	150



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF721A0MC	120x115x281	200

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF816A0MC	120x96x281	150

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF821A0MC	120x115x281	200



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF715A0MC	91x96x281	150
FBF720A0MC	120x115x281	200
FBF725A0MC	120x165x281	250
FBF730A0MC	120x215x281	300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF815A0MC	91x96x281	150
FBF820A0MC	120x115x281	200
FBF825A0MC	120x165x281	250
FBF830A0MC	120x215x281	300



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF726A0MC	120x165x281	250

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF826A0MC	120x165x281	250



掛籃
Clip-on Basket


碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF731A0MC	120x215x281	300


不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (m m)	適用櫃體 Cabinet Width
FBF831A0MC	120x215x281	300

門板孔位圖
Door Panel Schematic



側板孔位圖
Sidewall Schematic



3

底櫃系列
Base Cabinet



小側拉 - 線籃 (鋼珠緩衝滑軌)
Side-Mounted Kit Pull Out w/ Wire Basket,
Soft Closing Ball-Bearing Slide



碳鋼亮鉻 Steel, Chrome Plated





型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA115GBB 0103FBB015GBOTL	585x110x472	150	FBB025A0MCx1 FB1615A0MCx1 FB1616A0MCx1	2500
FA120GBB 0103FBB020GBOTL	585x129x472	200	FBB025A0MCx1 FB1620A0MCx1 FB1621A0MCx1	2500
FA125GBB 0103FBB025GBOTL	585x179x472	250	FBB025A0MCx1 FB1625A0MCx1 FB1626A0MCx1	2600
FA130GBB 0103FBB030GBOTL	585x229x472	300	FBB025A0MCx1 FB1630A0MCx1 FB1631A0MCx1	2700

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA215GBB 0103FBB015GBSTL	585x110x472	150	FBB025A0MCx1 FB1715A0MCx1 FB1716A0MCx1	3500
FA220GBB 0103FBB020GBSTL	585x129x472	200	FBB025A0MCx1 FB1720A0MCx1 FB1721A0MCx1	3500
FA225GBB 0103FBB025GBSTL	585x179x472	250	FBB025A0MCx1 FB1725A0MCx1 FB1726A0MCx1	3700
FA230GBB 0103FBB030GBSTL	585x229x472	300	FBB025A0MCx1 FB1730A0MCx1 FB1731A0MCx1	3900

建議載重 Load Capacity: 20kg
附止滑墊 Anti-Slip Liner included.

示意圖 Schematic





FBB025A0MC 骨架 / 左右共用
Frame (Universal)

附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1615A0MC	91x96x436	150
FB1620A0MC	120x115x436	200
FB1625A0MC	120x165x436	250
FB1630A0MC	120x215x436	300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1715A0MC	91x96x436	150
FB1720A0MC	120x115x436	200
FB1725A0MC	120x165x436	250
FB1730A0MC	120x215x436	300



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1616A0MC	120x96x436	150

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1716A0MC	120x96x436	150



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1621A0MC	120x115x436	200

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1721A0MC	120x115x436	200



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1626A0MC	120x165x436	250

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1726A0MC	120x165x436	250



掛籃
Clip-on Basket


碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1631A0MC	120x215x436	300


不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1731A0MC	120x215x436	300

門板孔位圖
Door Panel Schematic



側板孔位圖
Sidewall Schematic



3

底櫃系列
Base Cabinet



小側拉 - 線籃 (座式緩衝滑軌)
Side-Mounted Kit Pull Out w/ Wire Basket,
Concealed Soft Closing Slide



碳鋼亮鉻 Steel, Chrome Plated




型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA120JBB 0103FBC020JDOTL	586x140x478	200	FBC025A0MCx1 FB1620A0MCx1 FB1621A0MCx1	3100
FA125JBB 0103FBC025JDOTL	586x190x478	250	FBC025A0MCx1 FB1625A0MCx1 FB1626A0MCx1	3200
FA130JBB 0103FBC030JDOTL	586x240x478	300	FBC025A0MCx1 FB1630A0MCx1 FB1631A0MCx1	3300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220JBB 0103FBC020JDSTL	586x140x478	200	FBC025A0MCx1 FB1720A0MCx1 FB1721A0MCx1	4050
FA225JBB 0103FBC025JDSTL	586x190x478	250	FBC025A0MCx1 FB1725A0MCx1 FB1726A0MCx1	4300
FA230JBB 0103FBC030JDSTL	586x240x478	300	FBC025A0MCx1 FB1730A0MCx1 FB1731A0MCx1	4500

建議載重 Load Capacity: 30kg
附止滑墊 Anti-Slip Liner included.

示意圖 Schematic





FBC025A0MC 骨架 / 左右共用
Frame (Universal)

附座式緩衝滑軌
Concealed Soft Closing Slide Included



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1620A0MC	120x115x436	200
FB1625A0MC	120x165x436	250
FB1630A0MC	120x215x436	300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1720A0MC	120x115x436	200
FB1725A0MC	120x165x436	250
FB1730A0MC	120x215x436	300



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1621A0MC	120x115x436	200

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1721A0MC	120x115x436	200



掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1626A0MC	120x165x436	250

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1726A0MC	120x165x436	250





掛籃
Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1631A0MC	120x215x436	300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1731A0MC	120x215x436	300



3

底櫃系列
Base Cabinet





小側拉 - 塑盒 (鋼珠緩衝滑軌)
Side-Mounted Kit Pull Out w/ ABS Basket,
Soft Closing Ball-Bearing Slide



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220G2B 0103FA4020GBABH	585x137x472	200	FBB025A0MCx1 FA1103A0MCx2 FA1115A0MCx1	2900
FA230G2B 0103FA4030GBABH	585x235x472	300	FBB025A0MCx1 FA1104A0MCx2 FA1116A0MCx1	3400

建議載重 Load Capacity: 20kg

示意圖 Schematic





小側拉 - 塑盒 (座式緩衝滑軌)
Side-Mounted Kit Pull Out w/ ABS Basket,
Concealed Soft Closing Slide

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220J3B 0103FA5020JDABH	586x158x478	200	FBC025A0MCx1 FA1103A0MCx2 FA1115A0MCx1	3400
FA230J3B 0103FA5030JDABH	586x258x478	300	FBC025A0MCx1 FA1104A0MCx2 FA1116A0MCx1	3900

建議載重 Load Capacity: 30kg

示意圖 Schematic





FBB025A0MC 骨架 / 左右共用
Frame (Universal)
附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included



收納盒
ABS Basket
塑膠 ABS
型號 Item No. FA1103A0MC
高 x 寬 x 深 H x W x D (mm) 80x121x470
適用櫃體 Cabinet Width 200




隔瓶架
Partition
塑膠 ABS
型號 Item No. FA1115A0MC
長度 Length(mm) 120
· 4 短 / 包
· 4pcs / pack



FBC025A0MC 骨架 / 左右共用
Frame (Universal)
附座式緩衝滑軌
Concealed Soft Closing Slide Included




收納盒
ABS Basket
塑膠 ABS
型號 Item No. FA1104A0MC
高 x 寬 x 深 H x W x D (mm) 80x221x470
適用櫃體 Cabinet Width 300




隔瓶架
Partition
塑膠 ABS
型號 Item No. FA1116A0MC
長度 Length(mm) 120 / 480
· 4 短 1 長 / 包
· 5pcs / pack


鋼珠緩衝滑軌門板孔位圖
(Soft Closing Ball-Bearing Slide)




鋼珠緩衝滑軌側板孔位圖
(Soft Closing Ball-Bearing Slide)



座式緩衝滑軌門板孔位圖
(Concealed Soft Closing Slide)



座式緩衝滑軌側板孔位圖
(Concealed Soft Closing Slide)



3

底櫃系列
Base Cabinet



小側拉 - 抗倍特板
Small Side-Mounted Kit Pull Out
w/ Compact Laminate Bottom



碳鋼亮鉻抗倍特板底 Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA120JWB 0103FC5020JDW00	586x149x484	200	FC5525A0MCx1 FLW010A1MCx2	4400
FA130JWB 0103FC5030JDW00	586x249x484	300	FC5525A0MCx1 FLW015A1MCx2	4800

建議載重 Load Capacity: 30kg



FC5525A0MC 骨架 / 左右共用
Frame (Universal)

附座式緩衝滑軌
Concealed Soft Closing Slide Included




掛籃 Clip-on Basket

碳鋼亮鉻抗倍特板底
Steel, Chrome Plated, Compact
Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FLW010A1MC	101x110x482	200
FLW015A1MC	101x210x482	300

示意圖
Schematic



選購
Optional

使用說明影片
User Manual




隔瓶架 Divider


不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE500000STL	300

門板孔位圖
Door Panel Schematic



側板孔位圖
Sidewall Schematic





小側拉 - 玻璃

Small Side-Mounted Kit Pull Out w/ Tempered Glass Bottom



304 不鏽鋼砂鍊強化玻璃底 S.S. Satin Nickel Plated, Tempered Glass Bottom


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA720JGB 0103FC5020JDGLP	586x149x484	200	FC5525A0MCx1 FLW110A1MCx2	5700
FA730JGB 0103FC5030JDGLP	586x249x484	300	FC5525A0MCx1 FLW115A1MCx2	6800

建議載重 Load Capacity: 30kg


請於到貨後立即開箱確認產品狀況。

Be sure to inspect the product once you're received it on the same day.


示意圖
Schematic



門板孔位圖
Door Panel Schematic



側板孔位圖
Sidewall Schematic



FC5525A0MC 骨架 / 左右共用 Frame (Universal)

附座式緩衝滑軌
Concealed Soft Closing Slide Included



掛籃 Clip-on Basket

304 不鏽鋼砂鍊強化玻璃底
S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FLW110A1MC	101x110x482	200
FLW115A1MC	101x210x482	300

選購 Optional

使用說明影片
User Manual



隔瓶架 Divider

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE500000STL	300

3

底櫃系列
Base Cabinet



JAS 砧板 / 刀架 (鋼珠緩衝滑軌) JAS Small Side-Mounted Kit Pull Out w/ Soft Closing Ball-Bearing Slide (L Series)




不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220GLB 0103FE3020GBSTL	585x129x472	200	FBB025A0MCx1 FB1720A0MCx1 FA3002A1MCx1	4400
FA225GLB 0103FE3025GBSTL	585x179x472	250	FBB025A0MCx1 FB1725A0MCx1 FA3002A1MCx1	4600
FA230GLB 0103FE3030GBSTL	585x229x472	300	FBB025A0MCx1 FB1730A0MCx1 FA3002A1MCx1	4700

建議載重 Load Capacity: 20kg

示意圖 Schematic




JAS 緩衝砧板 / 刀架 (座式緩衝滑軌) JAS Small Side-Mounted Kit Pull Out w/ Concealed Soft Closing Slide (L Series)

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220JLB 0103FE4020JDSTL	586x147x478	200	FBC025A0MCx1 FB1720A0MCx1 FA3002A1MCx1	5000
FA225JLB 0103FE4025JDSTL	586x197x478	250	FBC025A0MCx1 FB1725A0MCx1 FA3002A1MCx1	5100
FA230JLB 0103FE4030JDSTL	586x247x478	300	FBC025A0MCx1 FB1730A0MCx1 FA3002A1MCx1	5200

建議載重 Load Capacity: 30kg

示意圖 Schematic





FBB025A0MC 骨架 / 左右共用
Frame (Universal)

附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included



掛籃
Clip-on Basket

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1720A0MC	120x115x436	200
FB1725A0MC	120x165x436	250
FB1730A0MC	120x215x436	300

附止滑墊 Anti-Slip Liner included.



FBC025A0MC 骨架 / 左右共用
Frame (Universal)

附座式緩衝滑軌
Concealed Soft Closing Slide Included




砧板、刀架 (含集水盤)


Cutting Board/Knife Holder w/Drops Tray
不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FA3002A1MC	229x103x436


鋼珠緩衝滑軌門板孔位圖
(Soft Closing Ball-Bearing Slide)




鋼珠緩衝滑軌側板孔位圖
(Soft Closing Ball-Bearing Slide)



座式緩衝滑軌門板孔位圖
(Concealed Soft Closing Slide)



座式緩衝滑軌側板孔位圖
(Concealed Soft Closing Slide)



3

底櫃系列
Base Cabinet




JAS 側拉寶 · 砧板 / 刀架 (鋼珠緩衝滑軌) JAS Small Side-Mounted Kit Pull Out w/ Soft Closing Ball-Bearing Slide (L Series)

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220G2LB 0103FA6020GBABH	585x137x472	200	FBB025A0MCx1 FA1103A0MCx1 FA1115A0MCx1 FA3002A1MCx1	4200
FA230G2LB 0103FA6030GBABH	585x235x472	300	FBB025A0MCx1 FA1104A0MCx1 FA1116A0MCx1 FA3002A1MCx1	4500

建議載重 Load Capacity: 20kg

示意圖 Schematic




JAS 側拉寶 · 砧板 / 刀架 (座式緩衝滑軌) JAS Small Side-Mounted Kit Pull Out w/ Concealed Soft Closing Slide (L Series)

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FA220J3LB 0103FA7020JDABH	586x158x478	200	FBC025A0MCx1 FA1103A0MCx1 FA1115A0MCx1 FA3002A1MCx1	4800
FA230J3LB 0103FA7030JDABH	586x258x478	300	FBC025A0MCx1 FA1104A0MCx1 FA1116A0MCx1 FA3002A1MCx1	5100

建議載重 Load Capacity: 30kg

示意圖 Schematic





FBB025A0MC 骨架 / 左右共用
Frame (Universal)

附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included



FBC025A0MC 骨架 / 左右共用
Frame (Universal)

附座式緩衝滑軌
Concealed Soft Closing Slide Included



收納盒
ABS Basket
塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FA1103A0MC	80x121x470	200




收納盒
ABS Basket
塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FA1104A0MC	80x221x470	300



隔瓶架
Partition
塑膠 ABS

型號 Item No.	長度 Length(mm)
FA1115A0MC	120



隔瓶架
Partition
塑膠 ABS


型號 Item No.	長度 Length(mm)
FA1116A0MC	120 / 480




砧板、刀架 (含集水盤)
Cutting Board/Knife Holder
w/Drops Tray
不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FA3002A1MC	229x103x436


鋼珠緩衝滑軌門板孔位圖
(Soft Closing Ball-Bearing Slide)




鋼珠緩衝滑軌側板孔位圖
(Soft Closing Ball-Bearing Slide)



座式緩衝滑軌門板孔位圖
(Concealed Soft Closing Slide)



座式緩衝滑軌側板孔位圖
(Concealed Soft Closing Slide)



3

底櫃系列
Base Cabinet



組合式功能架 - 線籃
2-Tier Pull Out Rack (Wire Basket)



碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FI140JB 0103FI3040JDOTL	559x304x491	400/450	FI2540A0MCx1 FI2601A0MCx2 FB1201A0MCx2 FI2541A0QAx1	4900
FI160JB 0103FI3060JDOTL	559x504x491	600	FI2540A0MCx1 FI2603A0MCx2 FB1301A0MCx2 FI2541A0QAx1	5400

抽頭式需加購門板結合器 Door mount brackets available (sold separately)
建議載重 Load Capacity: 40kg
附止滑墊 Anti-Slip Liner included.

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FI240JB 0103FI3040JDSTL	559x304x491	400/450	FI2540A0MCx1 FI2701A0MCx2 FB1202A0MCx2 FI2541A0QAx1	6700
FI260JB 0103FI3060JDSTL	559x504x491	600	FI2540A0MCx1 FI2703A0MCx2 FB1302A0MCx2 FI2541A0QAx1	8100

抽頭式需加購門板結合器 Door mount brackets available (sold separately)
建議載重 Load Capacity: 40kg
附止滑墊 Anti-Slip Liner included.

選購
Optional



門板座 Door Brackets

碳鋼烤漆 Steel. Gray Epoxy

型號 Item No.	適用櫃體 Cabinet Width	牌價 Price
FI2550A0SD	400~600	500

門板孔位圖 Door Panel Schematic






示意圖 Schematic





FI2540A0MC 骨架組 Frame

含座式緩衝滑軌 / 骨架 / 底板座
Concealed Soft Closing Slide, Frame, Bottom Panel included.



掛籃 Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FI2601A0MC	100x152x436	400/450
FI2603A0MC	100x252x436	600

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FI2701A0MC	100x152x436	400/450
FI2703A0MC	100x252x436	600



掛籃 Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1201A0MC	90x110x435	400/450
FB1301A0MC	90x210x435	600

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FB1202A0MC	90x110x435	400/450
FB1302A0MC	90x210x435	600



把手 Handle

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FI2541A0QA	31x94x114

選購
Optional

使用說明影片
User Manual



隔瓶架 Divider

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE500000STL	300

3

底櫃系列
Base Cabinet



組合式功能架 - 塑盒
2-Tier Pull Out Rack (ABS Basket)

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FI140JA 0103FI2040JDOTL	559x304x491	400/450	FI2540A0MCx1 FI2601A0MCx2 FA1103A0MCx2 FA1115A0MCx1 FI2541A0QAx1	5300
FI160JA 0103FI2060JDOTL	559x504x491	600	FI2540A0MCx1 FI2603A0MCx2 FA1104A0MCx2 FA1116A0MCx1 FI2541A0QAx1	6100

抽頭式需加購門板結合器 Door mount brackets available (sold separately)
建議載重 Load Capacity: 40kg
附止滑墊 Anti-Slip Liner included.

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FI240JA 0103FI2040JDSTL	559x304x491	400/450	FI2540A0MCx1 FI2701A0MCx2 FA1103A0MCx2 FA1115A0MCx1 FI2541A0QAx1	6100
FI260JA 0103FI2060JDSTL	559x504x491	600	FI2540A0MCx1 FI2703A0MCx2 FA1104A0MCx2 FA1116A0MCx1 FI2541A0QAx1	7500

抽頭式需加購門板結合器 Door mount brackets available (sold separately)
建議載重 Load Capacity: 40kg
附止滑墊 Anti-Slip Liner included.

選購
Optional



門板座 Door Brackets

碳鋼烤漆 Steel. Gray Epoxy

型號 Item No.	適用櫃體 Cabinet Width	牌價 Price
FI2550A0SD	400~600	500

門板孔位圖 Door Panel Schematic






示意圖 Schematic





FI2540A0MC 骨架組 Frame

含座式緩衝滑軌 / 骨架 / 底板座
Concealed Soft Closing Slide, Frame, Bottom Panel included.



把手 Handle

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FI2541A0QA	31x94x114



收納盒
ABS Basket

塑膠 ABS


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FA1103A0MC	80x121x470	200



收納盒
ABS Basket

塑膠 ABS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FA1104A0MC	80x221x470	300



掛籃 Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FI2601A0MC	100x152x436	400/450
FI2603A0MC	100x252x436	600

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
FI2701A0MC	100x152x436	400/450
FI2703A0MC	100x252x436	600



隔瓶架
Partition

塑膠 ABS

型號 Item No.	長度 Length(mm)
FA1115A0MC	120

x4
• 4 短 / 包
• 4pcs / pack



隔瓶架
Partition

塑膠 ABS

型號 Item No.	長度 Length(mm)
FA1116A0MC	120 / 480

x1
• 4 短 1 長 / 包
• 5pcs / pack

選購
Optional

使用說明影片
User Manual



隔瓶架 Divider

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE500000STL	300

3

底櫃系列
Base Cabinet



雙層置物籃
2-Layer Multi-Purpose Basket Kit



不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FL200A 0103FY3030SCSTL	410x255x470	400 以上	FY1003A0QEx1 FY1101A1MCx1 FY1102A0MCx1	2800

建議載重 Load Capacity: 20kg
附止滑墊 Anti-Slip Liner included.



FY1003A0QE 鋼珠滑軌
Ball-Bearing Slide



框架組 Rack
不鏽鋼亮鉻 S.S. Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FY1101A1MC	393x230x470



砧板架 Cutting Board Holder
不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FY1102A0MC	150x135x57

示意圖
Schematic





緩衝雙層底抽架

Bottom-Mounted 2-layer Storage Kit
w/ Soft-Close



不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
FN242G1 0103FN2045GBSTL	469x337x458	400	7000

建議載重 Load Capacity: 20kg

門板孔位圖 Door Panel Schematic





示意圖 Schematic



框架組 Frame

附鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide Included

選購
Optional

使用說明影片
User Manual



隔瓶架 Divider

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE500000STL	300

3

底櫃系列

Base Cabinet

3

底櫃系列
Base Cabinet



台灣專利 M516365

專利

緩衝多功能底抽架

Bottom-Mounted Multi-purpose Kit
w/ Soft-Close Series





304 不鏽鋼砂鍊 S.S. Satin Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FN745JA 0103FN1045JDSTL	499x388x479	450	FN1150A0MCx1 FI2900A000x1 FZ5500A0SDx1	8200

建議載重 Load Capacity: 40kg

門板孔位圖 Door Panel Schematic

示意圖 Schematic



框架組 Frame

304 不鏽鋼砂鍊 S.S. Satin Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN1150A0MC	465x393x478



FI2900A000 座式緩衝滑軌
Concealed Soft Closing Slide



門板調整器 Door Bracket

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

選購
Optional

使用說明影片
User Manual



隔瓶架 Divider


不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE50000STL	300

4

Waste Bin

垃圾桶系列





4

垃圾桶系列
Waste Bin



示意圖 / 門板孔位圖
Schematic



緩衝加蓋分類桶架

Soft Closing Waste Bin w/ Lid

專利
台灣專利 M516365

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FJ132J 0104FJ1030JDOTL	470x252x479	300	FJ1026A1MCx1 FZ5500A0SDx1 028039A0MCx1	4400

建議載重 Load Capacity: 40kg



框架組
Frame Set

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FJ1026A1MC	385x252x479

附座式緩衝滑軌 FI2900A000
Concealed Soft Closing Slide Included



門板調整器
Door Bracket

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

附門板座
Door Mount Bracket Included



分類桶
Waste Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
028039A0MC	420x250x320

桶身顏色: 藍 / Color: Blue
容量: 29 L / Capacity: 29 L



示意圖 / 門板孔位圖
Schematic
Door Hole Location Diagram

專利

台灣專利 M516365


緩衝加蓋分類桶架

Soft Closing Waste Bin w/ Lid


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FJ162J	430x360x526	400	FJ1028A2MCx1	5400
0104FJ1040JDOTL	445x360x526	450(開門式)	FZ5500A0SDx1	
			028039A0MCx1 028038A0MCx1	

建議載重 Load Capacity: 40kg

開門式因需閃避鉸鍊故適用櫃體為 450



抽頭式




開門式

4


垃圾桶系列

Waste Bin



此產品上方不可安裝有門板之抽屜。

Mounting of drawer front above this unit is not suitable.



框架組

Frame Set

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FJ1028A2MC	372x360x526 445x360x526

附座式緩衝滑軌 FI2901A000

Concealed Soft Closing Slide Included



門板調整器

Door Bracket

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

附門板座

Door Mount Bracket Included



分類桶

Waste Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
028039A0MC	420x250x320

桶身顏色: 藍 / Color: Blue

桶身顏色: 灰 / Color: Gray

028038A0MC 420x250x320

容量: 29 L / Capacity: 29 L

4

垃圾桶系列
Waste Bin



專利

台灣專利 M516365



緩衝分類垃圾桶 (小)

Soft Closing Waste Bin (Small)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FJ140JE 0104FW1040JDOTK	430x340x479	400~450	FW1030A1MCx1 FZ5500A0SDx1 FW1031A0MCx1 FW1131A0MCx1 FW1009A000x1	6000

建議載重 Load Capacity: 40kg

示意圖 / 門板孔位圖
Schematic



門座框架組
Frame Set

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1030A1MC	94x340x479

附座式緩衝滑軌 F12900A000
Concealed Soft Closing Slide Included



分格盤
Flatware

塑膠 PS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1009A000	80x318x470

顏色: 白 / Color: White



分類桶
Waste Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1131A0MC	380x305x214

桶蓋顏色: 綠 / Lid Color: Green

FW1031A0MC 380x305x214

桶蓋顏色: 灰 / Lid Color: Gray

FW1031A0MC 380x305x214

容量: 22 L / Capacity: 22 L



門板調整器
Door Bracket


碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

附門板座 Door Mount Bracket Included



示意圖 / 門板孔位圖
Schematic / Door Hole Positioning Diagram



4

垃圾桶系列


Waste Bin

緩衝分類垃圾桶 (大)
Soft Closing Waste Bin (Large)

專利
台灣專利 M516365

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FJ160JE 0104FW1060JDOTK	515x528x479	600	FW1032A1MCx1 FZ5500A0SDx1 FW1033A0MCx1 FW1133A0MCx1 FN1038A100x1 FW1029A000x1	7500

建議載重 Load Capacity: 40kg



門座框架組
Frame Set

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1032A1MC	509x528x479

附座式緩衝滑軌 F12900A000
Concealed Soft Closing Slide Included



分格盤
Flatware

塑膠 PS

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1029A000	76x522x332

顏色: 白 / Color: White



分類桶
Waste Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FW1133A0MC	462x261x350

桶蓋顏色: 綠 / Lid Color: Green

FW1033A0MC 462x261x350

桶蓋顏色: 灰 / Lid Color: Gray

FW1033A0MC 462x261x350

容量: 38 L / Capacity: 38 L



門板調整器
Door Bracket

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

附門板座 Door Mount Bracket Included



ABS 收納盒
ABS Organizing Basket

塑膠 ABS



型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FN1038A100	76x444x97

4

垃圾桶系列
Waste Bin



示意圖 / 門板孔位圖
Schematic / Door Hole Location Diagram



緩衝資源分類桶架 (小) Soft Closing Trash Drawer (Small, 300mm)

專利
台灣專利 M516365

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FJ130J 0104FQ1030JDOTK	372x256x483	300	FQ1014A1QCx1 FZ5500A0SDx1 FQ1073A0MCx1 FQ3074A0MCx1	4600

建議載重 Load Capacity: 40kg
不可選配顏色 Cannot choose color



框架組
Frame Set

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FQ1014A1QC	372x256x483

附座式緩衝滑軌 F12900A000
Concealed Soft Closing Slide Included



小分類桶
Small Size Trash Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
桶蓋顏色: 黃 / Color: Yellow FQ1073A0MC	310x150x225

容量: 7 L / Capacity: 7 L



大分類桶
Regular Size Trash Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
桶蓋顏色: 綠 / Lid Color: Green FQ3074A0MC	310x225x300

容量: 14 L / Capacity: 14 L



門板調整器
Door Bracket



碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

附門板座 Door Mount Bracket Included



示意圖 / 門板孔位圖
Schematic



4 垃圾桶系列
Waste Bin

緩衝資源分類桶架 (大) Soft Closing Trash Drawer (Large, 400mm)

專利
台灣專利 M516365

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
FJ141J 0104FQ4040JDOTK	372x342x498	400	FQ3014A1QCx1 FZ5500A0SDx1 FQ1072A0MCx1 FQ1073A0MCx1 FQ3074A0MCx1	5250

建議載重 Load Capacity: 40kg
不可選配顏色 Cannot choose color



框架組
Frame Set

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FQ3014A1QC	372x342x498

附座式緩衝滑軌 F12900A000
Concealed Soft Closing Slide Included



小分類桶
Small Size Trash Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
桶蓋顏色: 黃 / Color: Yellow	
FQ1073A0MC	310x150x225

桶蓋顏色: 藍 / Color: Blue
FQ1072A0MC 310x150x225
容量: 7 L / Capacity: 7 L



大分類桶
Regular Size Trash Bin

塑膠 PP

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
桶蓋顏色: 綠 / Lid Color: Green	
FQ3074A0MC	310x225x300

容量: 14 L / Capacity: 14 L



門板調整器
Door Bracket

碳鋼烤鐵灰 Steel, Gray Powder Coating

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
FZ5500A0SD	300x28x132

附門板座 Door Mount Bracket Included


JASMINE[®]

M e m o

5

Corner Cabinet

轉角櫃系列





緩衝旋弧小怪 鋼珠滑軌 · 左右共用
Magic Corner Soft-Close (Universal Opening)


碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MH111D 0105MH3090SNOTL	534x860~968x520	900 1000	MH3100A0MCx1 MH4801A0MCx2 MH4802A0MCx2	9800

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MH211D 0105MH3090SNSTL	534x860~968x520	900 1000	MH3100A0MCx1 MH4901A0MCx2 MH4902A0MCx2	12400

功能示意圖 Functional Schematic



- 附鋼珠滑軌，緩衝棒 · 櫃體實內高度 550mm 以上
- 左右邊安裝方式步驟相同方向相反 · 適用門板寬度為 400~500mm
- 使用重點：重物置於下，輕物置於上，常用置外側
- Ball-bearing slide included.
- Inner height of cabinet should be over 550mm.
- Available for door panel width from 400mm to 500mm.
- Same installation process but with different direction for right & left hand side.
- Remark: Please always put light stuff on upper basket & heavy stuff on bottom basket. Put regular using stuff on outside wire baskets, and non-regular using stuff on internal wire baskets.



骨架 / 左右共用 Frame (Universal)

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH3100A0MC	534x860~968x520



· 附止滑墊 Anti-Slip Liner included.

小掛籃 Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4801A0MC	103x254x449

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4901A0MC	103x254x449



· 附止滑墊 Anti-Slip Liner included.

大掛籃 Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4802A0MC	103x369x469

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH4902A0MC	103x369x469

選購
Optional
使用說明影片
User Manual



隔瓶架 Divider

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	牌價 Price
KE25 0103KE500000STL	300

建議載重 (不含門板重)

外框架 : 8 kg / 內框架 : 15 kg

Load Capacity
Side frame 17.6 lb / Inner frame 33 lb




緩衝旋弧小怪 鋼珠滑軌 · 左右共用
Magic Corner Soft-Close (Universal Opening)

碳鋼亮鉻抗倍特板底 Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MH111DWAS 0105MH3090SNW00	534x860~968x520	900 1000	MH3100A0MCx1 MHW001A0MCx2 MHW002A0MCx2	14200

功能示意圖 Functional Schematic



- 附鋼珠滑軌, 緩衝棒 · 櫃體實內高度 550mm 以上
- 左右安裝方式步驟相同方向相反 · 適用門板寬度為 400~500mm
- 使用重點: 重物置於下, 輕物置於上, 常用置外側。
- Ball-bearing slide included.
- Inner height of cabinet should be over 550mm.
- Same installation process but with different direction for right & left hand side.
- Available for door front panel 400~500mm.
- Remark: Please always put light stuff on upper basket & heavy stuff on bottom basket. Put regular using stuff on outside wire baskets, and non-regular using stuff on internal wire baskets.



骨架 / 左右共用 Frame (Universal)

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH3100A0MC	534x860~968x520



小掛籃 Clip-on Basket

碳鋼亮鉻抗倍特板底

Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MHW001A0MC	103x255x455



大掛籃 Clip-on Basket

碳鋼亮鉻抗倍特板底

Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MHW002A0MC	103x478x370

建議載重 (不含門板重)

外框架 : 8 kg / 內框架 : 15 kg

Load Capacity

Side frame 17.6 lb / Inner frame 33 lb



緩衝旋弧小怪 鋼珠滑軌 · 左右共用
Magic Corner Soft-Close (Universal Opening)


304 不鏽鋼砂鍊強化玻璃底 S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MH711DGAS	534x860~968x520	900	MH3100A0MCx1	16900
0105MH3090SNGLO		1000	MHW101A0MCx2 MHW102A0MCx2	

請於到貨後立即開箱確認產品狀況。

Be sure to inspect the product once you're received it on the same day.

功能示意圖 Functional Schematic




- 附鋼珠滑軌, 緩衝棒 · 櫃體實內高度 550mm 以上
- 左右安裝方式步驟相同方向相反 · 適用門板寬度為 400~500mm
- 使用重點: 重物置於下, 輕物置於上, 常用置外側。
- Ball-bearing slide included.
- Inner height of cabinet should be over 550mm.
- Same installation process but with different direction for right & left hand side.
- Available for door front panel 400~500mm.
- Remark: Please always put light stuff on upper basket & heavy stuff on bottom basket. Put regular using stuff on outside wire baskets, and non-regular using stuff on internal wire baskets.



骨架 / 左右共用 Frame (Universal)

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MH3100A0MC	534x860~968x520



小掛籃 Clip-on Basket

304 不鏽鋼砂鍊強化玻璃底
S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MHW101A0MC	103x255x455



大掛籃 Clip-on Basket

304 不鏽鋼砂鍊強化玻璃底
S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MHW102A0MC	103x478x370

建議載重 (不含門板重)

外框架: 8 kg / 內框架: 15 kg

Load Capacity

Side frame 17.6 lb / Inner frame 33 lb



緩衝全都露

2-Way Soft Closing Magic Corner (Universal Opening)

碳鋼亮鉻 Steel, Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MR115G 0105MR1090X2OTL	534x672x515	900 } 1000	MRW050A1MCx1 MR2051A0MCx4	12200

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MR215G 0105MR1090X2STL	534x672x515	900 } 1000	MRW050A1MCx1 MR2151A0MCx4	14900

建議載重 Load Capacity: 28kg

功能示意圖 Functional Schematic



左開 Left-Handed

右開 Right-Handed

開啟角度與相鄰櫃體示意圖

Opening Angle & Neighboring Cabinetry Illustration

- 附鋼珠緩衝滑軌 · 櫃體實內高度 540mm 以上
- 適用門板寬度 ≥ 450 mm
- 左右邊安裝方式步驟相同方向相反
- 使用重點: 重物置於下, 輕物置於上
- Soft closing ball-bearing slide included.
- Suitable for 450mm cabinet width.
- Inner cabinet height: 540mm +.
- The installation steps are the same but opposite direction for Left & Right side.
- NOTE: Please always put the heavy stuff on the bottom level and lighter stuff on the top.

本產品型錄皆為未稅價



骨架 / 左右共用 Frame (Universal)

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRW050A1MC	534x672x515



• 附止滑墊 Anti-Slip Liner included.

掛籃 Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MR2051A0MC	90x302x422

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MR2151A0MC	90x302x422

5

轉角櫃系列

Corner Cabinet



緩衝全都露


2-Way Soft Closing Magic Corner (Universal Opening)

碳鋼亮鉻抗倍特板底 Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MR115GWAS1	534x672x515	900	MRW050A1MCx1 MRW002A0MCx4	15800
0105MRW090X2OTL		1000		

建議載重 Load Capacity: 28kg

功能示意圖 Functional Schematic



開啟角度與相鄰櫃體示意圖
Opening Angle & Neighboring Cabinetry Illustration

- 附鋼珠緩衝滑軌・櫃體實內高度 540mm 以上
- 適用門板寬度 ≥ 450 mm
- 左右邊安裝方式步驟相同方向相反
- 使用重點：重物置於下，輕物置於上
- Soft closing ball-bearing slide included.
- Suitable for 450mm cabinet width.
- Inner cabinet height: 540mm +.
- The installation steps are the same but opposite direction for Left & Right side.
- NOTE: Please always put the heavy stuff on the bottom level and lighter stuff on the top.



骨架 / 左右共用 Frame (Universal)

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRW050A1MC	534x672x515



掛籃 Clip-on Basket

碳鋼亮鉻抗倍特板底

Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRW002A0MC	90x300x420



緩衝全都露

2-Way Soft Closing Magic Corner (Universal Opening)

304 不鏽鋼砂鍊強化玻璃底 S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
MR715GGAS1	534x672x515	900	MRW050A1MCx1 MRW102A1MCx4	18400
0105MRG090X2STL		1000		

建議載重 Load Capacity: 28kg

請於到貨後立即開箱確認產品狀況。

Be sure to inspect the product once you're received it on the same day.



骨架 / 左右共用 Frame (Universal)

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRW050A1MC	534x672x515




掛籃 Clip-on Basket

304 不鏽鋼砂鍊強化玻璃底
S.S. Satin Nickel Plated, Tempered Glass Bottom


型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MRW102A1MC	90x300x420

功能示意圖 Functional Schematic




左開 Left-Handed

右開 Right-Handed



開啟角度與相鄰櫃體示意圖

Opening Angle & Neighboring Cabinetry Illustration



- 附鋼珠緩衝滑軌 · 櫃體實內高度 540mm 以上
- 適用門板寬度 ≥ 450mm
- 左右邊安裝方式步驟相同方向相反
- 使用重點：重物置於下，輕物置於上
- Soft closing ball-bearing slide included.
- Suitable for 450mm cabinet width.
- Inner cabinet height: 540mm +.
- The installation steps are the same but opposite direction for Left & Right side.
- NOTE: Please always put the heavy stuff on the bottom level and lighter stuff on the top.



180° 半圓掛式轉籃

180° Swivel Basket Kit

碳鋼亮鉻 Steel, Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體/門板 CabinetWidth/DoorBoard	組件 Component	牌價 Price
MF168A 0105MF108000OTL	140x675x384	800/400	MF1001A0MCx2 MF1006A0MCx1	3500
MF175A 0105MF109000OTL	140x750x421	900/450	MF1002A0MCx2 MF1006A0MCx1	3800

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體/門板 CabinetWidth/DoorBoard	組件 Component	牌價 Price
MF268A 0105MF108000STL	140x675x384	800/400	MF1101A0MCx2 MF1006A0MCx1	5900
MF275A 0105MF109000STL	140x750x421	900/450	MF1102A0MCx2 MF1006A0MCx1	6300

建議載重 Load Capacity: 20kg

示意圖 Schematic



配件組 Accessories Kit

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
MF1006A0MC	130x30x46



半圓掛籃 180° Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	直徑 x 高 Dia. x H (mm)
MF1001A0MC	Ø675x132
MF1002A0MC	Ø750x132

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	直徑 x 高 Dia. x H (mm)
MF1101A0MC	Ø675x132
MF1102A0MC	Ø750x132

- 安裝請避開鉸鍊位置
- Please avoid the hinge position during installation.



6

Tall Cabinet

高櫃系列



緩衝低昇櫃 · 重型緩衝滑軌 (線籃)
Tall Unit w/Soft-Close · Heavy Duty Unit



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
H04532A0MC	1270~1570x457	附 HW1159A0SDx1
H04542A0MC	1270~1570x457	附 HW1160A0SDx1
H04552A0MC	1270~1570x457	附 HW1161A0SDx1
H04562A0MC	1270~1570x457	附 HW1163A0SDx1



專利重型滾輪滑軌 (緩衝式)
Soft Close Heavy Runner
碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	長度 Length (mm)
H01039A1QC	490

· 附止滑墊
Anti-Slip Liner included.



掛籃

Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01041A0MC	100x122x436
H01042A0MC	100x172x436
H01043A0MC	100x222x436
H01044A0MC	100x277x436

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01141A0MC	100x122x436
H01142A0MC	100x172x436
H01143A0MC	100x222x436
H01144A0MC	100x277x436

碳鋼亮鉻 Steel, Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HA131G1 0106H04030X3OTL	1270~1570x243x495	300	H04532A0MCx1 H01039A1QCx1 H01041A0MCx8	11300
HA141G1 0106H04040X3OTL	1270~1570x343x495	400	H04542A0MCx1 H01039A1QCx1 H01042A0MCx8	11700
HA151G1 0106H04050X3OTL	1270~1570x443x495	500	H04552A0MCx1 H01039A1QCx1 H01043A0MCx8	12200
HA161G1 0106H04060X3OTL	1270~1570x543x495	600	H04562A0MCx1 H01039A1QCx1 H01044A0MCx8	13300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HA231G1 0106H04030X3STL	1270~1570x243x495	300	H04532A0MCx1 H01039A1QCx1 H01141A0MCx8	14400
HA241G1 0106H04040X3STL	1270~1570x343x495	400	H04542A0MCx1 H01039A1QCx1 H01142A0MCx8	15300
HA251G1 0106H04050X3STL	1270~1570x443x495	500	H04552A0MCx1 H01039A1QCx1 H01143A0MCx8	16100
HA261G1 0106H04060X3STL	1270~1570x543x495	600	H04562A0MCx1 H01039A1QCx1 H01144A0MCx8	16700

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式。
- 重物請由下層開始放置，依重量由下往上放置。
- 勿懸空安裝。 · Do not install without support pillar.
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.

示意圖 Schematic



建議載重 : 80 kg (176 lb)
Load Capacity



緩衝中昇櫃 · 重型緩衝滑軌 (線籃)
Tall Unit w/Soft-Close · Heavy Duty Unit



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
H05532A0MC	1570~1870x457	附 HW1159A0SDx2
H05542A0MC	1570~1870x457	附 HW1160A0SDx2
H05552A0MC	1570~1870x457	附 HW1161A0SDx2
H05562A0MC	1570~1870x457	附 HW1163A0SDx2



專利重型滾輪滑軌 (緩衝式)
Soft Close Heavy Runner
碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	長度 Length (mm)
H01039A1QC	490

· 附止滑墊
Anti-Slip Liner included.



掛籃

Clip-on Basket

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01041A0MC	100x122x436
H01042A0MC	100x172x436
H01043A0MC	100x222x436
H01044A0MC	100x277x436

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01141A0MC	100x122x436
H01142A0MC	100x172x436
H01143A0MC	100x222x436
H01144A0MC	100x277x436

碳鋼亮鉻 Steel, Chrome Plated


型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HB131G1 0106H05030X3OTL	1570~1870x243x495	300	H05532A0MCx1 H01039A1QCx1 H01041A0MCx10	12000
HB141G1 0106H05040X3OTL	1570~1870x343x495	400	H05542A0MCx1 H01039A1QCx1 H01042A0MCx10	12600
HB151G1 0106H05050X3OTL	1570~1870x443x495	500	H05552A0MCx1 H01039A1QCx1 H01043A0MCx10	13300
HB161G1 0106H05060X3OTL	1570~1870x543x495	600	H05562A0MCx1 H01039A1QCx1 H01044A0MCx10	13900

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HB231G1 0106H05030X3STL	1570~1870x243x495	300	H05532A0MCx1 H01039A1QCx1 H01141A0MCx10	15900
HB241G1 0106H05040X3STL	1570~1870x343x495	400	H05542A0MCx1 H01039A1QCx1 H01142A0MCx10	17000
HB251G1 0106H05050X3STL	1570~1870x443x495	500	H05552A0MCx1 H01039A1QCx1 H01143A0MCx10	18100
HB261G1 0106H05060X3STL	1570~1870x543x495	600	H05562A0MCx1 H01039A1QCx1 H01144A0MCx10	19300

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式。
- 重物請由下層開始放置，依重量由下往上放置。
- 勿懸空安裝。 · Do not install without support pillar.
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.

示意圖 Schematic



建議載重 : 80 kg (176 lb)
Load Capacity



緩衝高昇櫃・重型緩衝滑軌(線籃)
Tall Unit w/Soft-Close・Heavy Duty Unit



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
H06532A0MC	1870~2170x457	附 HW1159A0SDx2
H06542A0MC	1870~2170x457	附 HW1160A0SDx2
H06552A0MC	1870~2170x457	附 HW1161A0SDx2
H06562A0MC	1870~2170x457	附 HW1163A0SDx2



專利重型滾輪滑軌(緩衝式)

Soft Close Heavy Runner

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	長度 Length (mm)
H01039A1QC	490

· 防止滑墊
Anti-Slip Liner included.



掛籃

Clip-on Basket


碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01041A0MC	100x122x436
H01042A0MC	100x172x436
H01043A0MC	100x222x436
H01044A0MC	100x277x436

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01141A0MC	100x122x436
H01142A0MC	100x172x436
H01143A0MC	100x222x436
H01144A0MC	100x277x436

示意圖 Schematic



建議載重 : 80 kg (176 lb)
Load Capacity

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HC131G1 0106H06030X3OTL	1870~2170x243x495	300	H06532A0MCx1 H01039A1QCx1 H01041A0MCx12	12800
HC141G1 0106H06040X3OTL	1870~2170x343x495	400	H06542A0MCx1 H01039A1QCx1 H01042A0MCx12	13500
HC151G1 0106H06050X3OTL	1870~2170x443x495	500	H06552A0MCx1 H01039A1QCx1 H01043A0MCx12	14200
HC161G1 0106H06060X3OTL	1870~2170x543x495	600	H06562A0MCx1 H01039A1QCx1 H01044A0MCx12	15500

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HC231G1 0106H06030X3STL	1870~2170x243x495	300	H06532A0MCx1 H01039A1QCx1 H01141A0MCx12	17500
HC241G1 0106H06040X3STL	1870~2170x343x495	400	H06542A0MCx1 H01039A1QCx1 H01142A0MCx12	18800
HC251G1 0106H06050X3STL	1870~2170x443x495	500	H06552A0MCx1 H01039A1QCx1 H01143A0MCx12	21500
HC261G1 0106H06060X3STL	1870~2170x543x495	600	H06562A0MCx1 H01039A1QCx1 H01144A0MCx12	24100

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式。
- 重物請由下層開始放置，依重量由下往上放置。
- 勿懸空安裝。 · Do not install without support pillar.
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.



緩衝低 / 中 / 高昇櫃 · 重型緩衝滑軌
Tall Unit w/Soft-Close · Heavy Duty Unit



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
HW1113A0MC	1270~1570x457	附 HW1159A0SDx1
HW1123A0MC	1570~1870x457	附 HW1159A0SDx2
HW1133A0MC	1870~2170x457	附 HW1159A0SDx2
HW1114A0MC	1270~1570x457	附 HW1160A0SDx1
HW1124A0MC	1570~1870x457	附 HW1160A0SDx2
HW1134A0MC	1870~2170x457	附 HW1160A0SDx2



專利重型滾輪滑軌 (緩衝式)

Soft Close Heavy Runner

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	長度 Length (mm)
H01039A1QC	490



掛籃

Clip-on Basket

碳鋼亮鉻抗倍特板底

Steel, Chrome Plated, Compact Laminate Bottom


型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HW1078A0MC	91x225x437
HW1079A0MC	91x340x437

碳鋼亮鉻抗倍特板底 Steel, Chrome Plated, Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HA131GWAS 0106HW1030X3OTL	1270~1570x247x495	300	HW1113A0MCx1 H01039A1QCx1 HW1078A0MCx4	14200
HA141GWAS 0106HW1040X3OTL	1270~1570x340x495	400	HW1114A0MCx1 H01039A1QCx1 HW1079A0MCx4	14600
HB131GWAS 0106HW2030X3OTL	1570~1870x247x495	300	HW1123A0MCx1 H01039A1QCx1 HW1078A0MCx5	15700
HB141GWAS 0106HW2040X3OTL	1570~1870x340x495	400	HW1124A0MCx1 H01039A1QCx1 HW1079A0MCx5	16300
HC131GWAS 0106HW3030X3OTL	1870~2170x247x495	300	HW1133A0MCx1 H01039A1QCx1 HW1078A0MCx6	17100
HC141GWAS 0106HW3040X3OTL	1870~2170x340x495	400	HW1134A0MCx1 H01039A1QCx1 HW1079A0MCx6	17800

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式。
- 勿懸空安裝。
- 重物請由下層開始放置，依重量由下往上放置。
- 門板座特殊設計可解決高櫃門板變形問題。
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Do not install without support pillar.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.
- The special design of door bracket helps solve the potential bending problem on the tall door panel.

示意圖 Schematic



建議載重 : 80 kg (176 lb)
Load Capacity



緩衝低 / 中 / 高昇櫃 · 重型緩衝滑軌
Tall Unit w/Soft-Close · Heavy Duty Unit

304 不鏽鋼砂鍍強化玻璃底 S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HA731GGAS 0106HG1030X3STL	1270~1570x247x495	300	HW1113A0MCx1 H01039A1QCx1 HW1178A0MCx4	18100
HA741GGAS 0106HG1040X3STL	1270~1570x340x495	400	HW1114A0MCx1 H01039A1QCx1 HW1179A0MCx4	20400
HB731GGAS 0106HG2030X3STL	1570~1870x247x495	300	HW1123A0MCx1 H01039A1QCx1 HW1178A0MCx5	20700
HB741GGAS 0106HG2040X3STL	1570~1870x340x495	400	HW1124A0MCx1 H01039A1QCx1 HW1179A0MCx5	23500
HC731GGAS 0106HG3030X3STL	1870~2170x247x495	300	HW1133A0MCx1 H01039A1QCx1 HW1178A0MCx6	23100
HC741GGAS 0106HG3040X3STL	1870~2170x340x495	400	HW1134A0MCx1 H01039A1QCx1 HW1179A0MCx6	26500

請於到貨後立即開箱確認產品狀況。
Be sure to inspect the product once you're received it on the same day.

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式。
- 勿懸空安裝。
- 重物請由下層開始放置，依重量由下往上放置。
- 門板座特殊設計可解決高櫃門板變形問題。
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Do not install without support pillar.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.
- The special design of door bracket helps solve the potential bending problem on the tall door panel.



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
HW1113A0MC	1270~1570x457	附 HW1159A0SDx1
HW1123A0MC	1570~1870x457	附 HW1159A0SDx2
HW1133A0MC	1870~2170x457	附 HW1159A0SDx2
HW1114A0MC	1270~1570x457	附 HW1160A0SDx1
HW1124A0MC	1570~1870x457	附 HW1160A0SDx2
HW1134A0MC	1870~2170x457	附 HW1160A0SDx2




專利重型滾輪滑軌 (緩衝式)

Soft Close Heavy Runner

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	長度 Length (mm)
H01039A1QC	490




掛籃

Clip-on Basket

304 不鏽鋼砂鍍強化玻璃底
S.S. Satin Nickel Plated, Tempered Glass Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
HW1178A0MC	91x225x437
HW1179A0MC	91x340x437

示意圖 Schematic



建議載重 : 80 kg (176 lb)
Load Capacity

低 / 中 / 高昇櫃系列選購配件

Accessories for Tall Unit

選購
Optional



把手

Handle

304 不鏽鋼 304 Stainless Steel

型號 Item No.	直徑 x 高 Dia. x H (mm)	牌價 Price
HB21 0106HB106000ST0	Ø25x600	1400
HB22 0106HB109000ST0	Ø25x900	1700

選購
Optional



把手

Handle

碳鋼烤鐵灰 Steel, Dark Gray Epoxy

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
HB106001 0106HB106000OTK	20x20x600	700
HB109001 0106HB109000OTK	20x20x880	900

選購
Optional



門板防變形座

Door Mount Bracket


碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	適用門板 Cabinet Width	牌價 Price
HW1159A0SD	300~400	350
HW1160A0SD	400~450	450
HW1161A0SD	500	550
HW1163A0SD	600	650

門板座特殊設計可解決高櫃門板變形問題

The special design of door bracket helps solve the potential bending problem on the tall door panel.

把手門板孔距圖 Schematic



6


高櫃系列

Tall Cabinet




半邊怪物組
Heavy Larder Unit


示意圖 Schematic




鉸杯孔 Hinge Holes



鉸鍊孔位示意圖 Holes Schematic



AB120G / AB220G / AC120G / AC220G



AB180G / AB280G / AC180G / AC280G



小掛籃

Clip-on Basket

· 附止滑墊 Anti-Slip Liner included.

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
AB1037A0MC	80x329x145
AC1037A0MC	80x479x145

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
AB1137A0MC	80x329x145
AC1137A0MC	80x479x145



大掛籃

Clip-on Basket

· 附止滑墊 Anti-Slip Liner included.

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
AB1038A0MC	80x364x300
AC1038A0MC	80x514x300

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
AB1138A0MC	80x364x300
AC1138A0MC	80x514x300



BLUM 170° 鉸鍊

BLUM 170° Hinge

型號 Item No.	牌價 Price
022002A0QA	600 / 1PC

搭配本產品開門角度僅能 150°

When used with this product, hinged can only be opened to 150°



BLUM 170° 緩衝背包

BLUM 170° Soft-Closing Hinge Buffer

型號 Item No.	牌價 Price
022003A0QA	400

搭配本產品開門角度僅能 150°

When used with this product, hinged can only be opened to 150°

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
AB120G2 0106AB1045X50TL	1265~1570x396x505	450	AB1120A1MCx1 022002A0QAx3 022003A0QAx2 AB1037A0MCx5 AB1038A0MCx5	15100
AB180G2 0106AB2045X50TL	1765~2110x396x505	450	AB1180A1MCx1 022002A0QAx4 022003A0QAx2 AB1037A0MCx6 AB1038A0MCx6	17400
AC120G2 0106AC1060X50TL	1265~1570x546x505	600	AC1120A1MCx1 022002A0QAx4 022003A0QAx2 AC1037A0MCx5 AC1038A0MCx5	18000
AC180G2 0106AC2060X50TL	1765~2110x546x505	600	AC1180A1MCx1 022002A0QAx4 022003A0QAx2 AC1037A0MCx6 AC1038A0MCx6	20800

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
AB220G2 0106AB1045X5STL	1265~1570x396x505	450	AB1120A1MCx1 022002A0QAx3 022003A0QAx2 AB1137A0MCx5 AB1138A0MCx5	19800
AB280G2 0106AB2045X5STL	1765~2110x396x505	450	AB1180A1MCx1 022002A0QAx4 022003A0QAx2 AB1137A0MCx6 AB1138A0MCx6	23100
AC220G2 0106AC1060X5STL	1265~1570x546x505	600	AC1120A1MCx1 022002A0QAx4 022003A0QAx2 AC1137A0MCx5 AC1138A0MCx5	23800
AC280G2 0106AC2060X5STL	1765~2110x546x505	600	AC1180A1MCx1 022002A0QAx4 022003A0QAx2 AC1137A0MCx6 AC1138A0MCx6	27800

建議載重 Load Capacity: 40kg (88lb)



骨架
Frame


碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
AB1120A1MC	1265~1570x396x505
AC1120A1MC	1265~1570x546x505
AB1180A1MC	1765~2110x396x505
AC1180A1MC	1765~2110x546x505

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式。
- 勿懸空安裝。
- Do not install without support pillar.
- Please thicken the bottom or place extra foundation to reinforce the bottom.

JASMINE[®]

M e m o



7


Wall Cabinet

吊櫃系列





示意圖
Schematic



專利

台灣專利 M486327


昇降櫃

Pull-Down Storage Kit


碳鋼亮鉻線籃層架 Steel, Chrome Plated Wire Basket

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	載重 Load Capacity	牌價 Price
WD160C 0107W0106000OTL	464x564x257	600	MAX.8 kg	8900
WD180C 0107W0108000OTL	464x764x257	800	MAX.10 kg	9400
WD190C 0107W0109000OTL	464x864x257	900	MAX.12 kg	10000

附止滑墊 Anti-Slip Liner included.



- 材質批覆：主體碳鋼烤漆 / 碳鋼亮鉻線籃層架
- 防回彈裝置：主體於 " 零承載 " 狀態下可定位
- 本產品裝載置物後無自動回歸功能，需手動輔助推移歸位
- 安裝實內櫃體深度至少 280 mm
- 避免鉸鍊與產品產生碰撞，鉸鍊安裝高度需從底板往上 12cm 以上
- Material finishing : steel epoxy coated frame / steel chrome plated wire basket.
- Patented lock-device design.
- This product doesn't have an automatic return function after carrying loads. It needs to be manually assisted to push it back.
- Inner depth of cabinet \geq 280 mm
- The hinge should be installed above 12 cm from bottom panel to prevent crash between hinge and product.



專利

台灣專利 M486327

昇降櫃



Pull-Down Storage Kit

碳鋼亮鉻抗倍特板層架

Steel, Chrome Plated Wire Basket w/ Compact Laminate Bottom

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	載重 Load Capacity	牌價 Price
WD160CWAS 0107WW106000OTL	464x564x257	600	MAX.8 kg	9800
WD180CWAS 0107WW108000OTL	464x764x257	800	MAX.10 kg	10500
WD190CWAS 0107WW109000OTL	464x864x257	900	MAX.12 kg	11100

示意圖
Schematic




- 材質批覆：主體碳鋼烤漆 / 碳鋼亮鉻抗倍特板底層架
- 防回彈裝置：主體於 " 零承載 " 狀態下可定位
- 本產品裝載置物後無自動回歸功能，需手動輔助推移歸位
- 安裝實內櫃體深度至少 280 mm
- 避免鉸鍊與產品產生碰撞，鉸鍊安裝高度需從底板往上 12cm 以上
- Material finishing : steel epoxy coated frame / steel chrome plated wire basket w/compact laminate bottom.
- Patented lock-device design.
- This product doesn't have an automatic return function after carrying loads. It needs to be manually assisted to push it back.
- Inner depth of cabinet \geq 280 mm
- The hinge should be installed above 12 cm from bottom panel to prevent crash between hinge and product.

7

吊櫃系列

Wall Cabinet



掀門滑軌

Pocket Door Slide

碳鋼鍍鋅 Steel, Zinc Plated

型號 Item No.	長度 Slide Length(mm)	牌價 Price
RH130B 0107RH103000OTL	305	1690
RH135B 0107RH103500OTL	355	1720
RH140B 0107RH104000OTL	405	1740
RH145B 0107RH104500OTL	455	1770
RH150B 0107RH105000OTL	505	1800
RH155B 0107RH105500OTL	555	1820
RH160B 0107RH106000OTL	605	1850


型號尺寸是以滑軌長度為準

The item No. is corresponded with the length of the slide.

示意圖
Schematic

連動木條依下列規格裁切：

長(櫃內高度-165mm)x寬(68~70mm)x高(16~19mm)
Strip size : L(Inner Height-165mm)x
W(68~70mm)x H(16~19mm)



將滑軌分別安裝於櫃牆最上方與最下方

前緣尺寸A1：門厚+3mm

鉸鍊孔/尺寸B1：39~40 mm

尺寸B2：5~7 mm



Separately install the slides on top and bottom of the side panel of cabinet
Front edge A1 : Door Thickness+3mm

Cup diameter of hinge:

B1 : 39~40 mm

B2 : 5~7 mm

*詳細安裝尺寸請參閱產品說明書







德國 HAFELE 掀蓋短搖臂

HAFELE Lift-Up Fitting Stay Arm (Duo Series)

型號 Item No.	型式 Type	門板重量 Weight of Door Board	牌價 Price
FD130A 0207R0500000000	最大開啟角度範圍 =75~110 度 Max. Opening = 75° ~110°	木門 Wood Door	1200/ 支



開啟角度 Opening Angle	尺寸 A(mm) Dimension A	尺寸 C(mm) Dimension C
75 度	160	148
90 度	160	106
100 度	128	108

掀板高度 Flap Height	最大掀板重量 Max.Flap Weight(kg)			
	鎖定功能 Stopping		制動功能 Braking Function	
	1支桿 1 Stay	2支桿 2 Stays	1支桿 1 Stay	2支桿 2 Stays
200	9.0	15.0	11.5	15.0
250	7.0	15.0	9.5	15.0
300	6.0	12.0	7.5	15.0
350	5.0	10.0	6.5	13.0
400	4.5	9.0	6.0	11.5
450	4.0	8.0	5.0	10.0
500	3.5	7.0	4.5	9.0

開啟角度75度 For opening angle 75°				
200	9.0	15.0	11.5	15.0
250	7.0	15.0	9.5	15.0
300	6.0	12.0	7.5	15.0
350	5.0	10.0	6.5	13.0
400	4.5	9.0	6.0	11.5
450	4.0	8.0	5.0	10.0
500	3.5	7.0	4.5	9.0

開啟角度90度 For opening angle 90°				
200	7.5	15.0	9.5	15.0
250	6.0	12.0	7.5	15.0
300	5.0	10.0	6.0	13.0
350	4.0	8.5	5.5	11.0
400	3.5	7.0	5.0	10.0
450	3.5	6.5	4.0	8.5
500	3.0	6.0	4.0	8.0

開啟角度110度 For opening angle 110°				
200	6.0	12.0	8.0	15.0
250	5.0	9.5	6.0	12.0
300	4.0	8.0	5.0	10.0
350	3.0	7.0	4.5	9.0
400	3.0	6.0	4.0	7.5
450	2.5	5.0	3.5	7.0
500	2.0	5.0	3.0	6.0

- 隨掀隨停，可調鬆緊度 / 左右共用
- 適用範圍：木製掀板或框寬度 45mm 以上的鋁框掀板
- 距邊緣距離：37mm
- Adjustable tension for perfect fit / Reversible on left/right
- Application : For doors made of wood or with aluminum frame 45mm.
- Edge distance : 37mm.



德國 HAFELE 掀蓋搖臂 (重型)

HAFELE Lift-Up Fitting Stay Arm (Heavy Duty)

型號 Item No.	型式 Type	門板重量 Weight of Door Board	牌 價 Price
FD110A 0207R0400000000	最大開啟角度範圍 = 75°~110° Max. Opening = 75° ~110°	木門 Wood Door	2100/ 支

A. 掀板高度 (mm)	掀板重量 (kg)	掀板高度 (mm)	掀板重量 (kg)
300	11.9-21.0	700	5.0-8.8
400	8.9-15.8	800	4.4-7.9
500	7.2-12.5	900	4.0-7.0
600	5.9-10.6	1000	3.6-6.3

B. 掀板高度 (mm)	掀板重量 (kg)	掀板高度 (mm)	掀板重量 (kg)
300	9.1-15.8	700	3.8-6.6
400	6.9-11.9	800	3.4-5.9
500	5.5-9.6	900	3.0-5.2
600	4.6-7.9	1000	2.7-4.7

C. 掀板高度 (mm)	掀板重量 (kg)	掀板高度 (mm)	掀板重量 (kg)
300	6.8-11.6	700	2.9-4.8
400	5.1-8.7	800	2.6-4.3
500	4.0-7.1	900	2.3-3.8
600	3.3-5.9	1000	2.0-3.5








示意圖
Schematic



木置掀板固定用角度托架
Bracket for Wooden Frame




鋁框掀板固定用鎖螺絲托架
Bracket for Aluminum Frame

- 隨掀隨停，可調鬆緊度，建議載重 15 kg (33 lb.)
- Adjustable tension to stop at any position / Load capacity: 15 kg (33 lb.)

8

Hinge Series

鉸鍊系列



• 鉸杯孔距 Pitch: 52mm



JAS 1"15 六分緩衝鉸鍊 (2 孔)
JAS Soft Closing Full Overlay Hinge, 2 Holes

304 電解 Electrolyze 304 Stainless Steel 售完為止

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DS3092J 0108DS600200STZ	無膠栓 W/o plastic hinge dowel	135
DS3092AJ 0108DS6A0200STZ	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	140



兩孔底座
Hinge Mounting Plate, 2 Holes



四孔底座
Hinge Mounting Plate, 4 Holes

• 鉸杯孔距 Pitch: 52mm



JAS 1"15 六分緩衝鉸鍊 (4 孔)
JAS Soft Closing Full Overlay Hinge, 4 Holes

碳鋼鍍鎳 Steel, Nickel Plated 售完為止


型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DS1094AJ 0108DS6A0400OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	80




鉸杯
Cup Plate

304 電解 Electrolyze 304 Stainless Steel 售完為止

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DS3094J 0108DS600400STZ	無膠栓 W/o plastic hinge dowel	145
DS3094AJ 0108DS6A0400STZ	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	150



二孔底座
Hinge Mounting Plate, 2 Holes



四孔底座
Hinge Mounting Plate, 4 Holes

全蓋 (6分) Full Overlay

- 鉸杯直徑 : 35mm · 鉸杯深度 : 11.5mm · 適用門板厚度 : 14~21mm · 開啟角度 : 105°
- Cup Diameter: 35mm · Cup Depth: 11.5mm · Door Thickness: 14~21mm · Opening Angle: 105°



調整範圍 :

左右調整 : 0~+3mm 調整深度 : 0~+2mm 調整高度 : -2~+2mm


Adjustment Range:

Left & Right: 0~+3mm Depth: 0~+2mm Height: -2~+2mm

門覆蓋距離 Doorcover Range 底座高度(H) Mounting Plate Height	C距離 C distance	3	4	5	6	7
H=0		16	17	18	19	20



· 鉸杯孔距 Pitch: 52mm



3D 調節入柱緩衝鉸鍊 (4 孔)

JAS Soft Closing Insert Hinge,
4 Holes, 3D Adjustment

碳鋼鍍鎳 Steel, Nickel Plated

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DO1074J 0108DO1014H2OTL	無膠栓 W/o plastic hinge dowel	100
DO1074AJ 0108DO1A14H2OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	110

· 鉸杯孔距 Pitch: 52mm



3D 調節入柱緩衝鉸鍊 (4 孔)

JAS Soft Closing Insert Hinge,
4 Holes, 3D Adjustment

碳鋼鍍槍黑色 Steel, Nickel Plated -Gun-Colour

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DO2074J 0108DO2014H2OTL	無膠栓 W/o plastic hinge dowel	110
DO2074AJ 0108DO2A14H2OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	120


嵌入 (入柱) Embed

- 底座可拆卸 · 鉸杯直徑: 35mm · 鉸杯深度: 11.5mm · 適用門板厚度: 14~21mm · 開啟角度: 105 度
- Detachable base · Cup Diameter: 35mm · Cup Depth: 11.5mm · Door Thickness: 14~21mm · Opening Angle: 105°


調整範圍:

左右調整: 0~+3mm 調整深度: 0~+2mm 調整高度: -5~0mm Adjustment Range: Left & Right: 0~+3mm Depth: 0~+2mm Height: -5~0mm

示意圖 Schematic



內嵌門板間隙(A) Embed door panel clearance 底座高度(H) Hinge base height	K距離 K distance		
	3	4	5
H=0	-2.5	-1.5	-0.5



K=鑽孔孔位到門板邊緣距離
Hinge cup drilling distance

A=內嵌門板間隙
Embed door panel clearance

H=鉸鍊底座高度
Hinge base height

T=門板厚度
Door panel thickness

8

鉸鍊系列
Hinge Series

· 鉸杯孔距 Pitch: 52mm



3D 調節三分緩衝鉸鏈 (4 孔)

JAS Soft Closing Half Overlay Hinge,
4 Holes, 3D Adjustment

碳鋼鍍鎳 Steel, Nickel Plated

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DO1084J 0108DO1024H2OTL	無膠栓 W/o plastic hinge dowel	100
DO1084AJ 0108DO1A24H2OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	110

· 鉸杯孔距 Pitch: 52mm



3D 調節三分緩衝鉸鏈 (4 孔)

JAS Soft Closing Half Overlay Hinge,
4 Holes, 3D Adjustment


碳鋼鍍槍黑色 Steel, Nickel Plated -Gun-Colour

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DO2084J 0108DO2024H2OTL	無膠栓 W/o plastic hinge dowel	110
DO2084AJ 0108DO2A24H2OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	120


全蓋 (3 分) Half Overlay

· 底座可拆卸 · 鉸杯直徑: 35mm · 鉸杯深度: 11.5mm · 適用門板厚度: 14~21mm · 開啟角度: 105 度
 · Detachable base · Cup Diameter: 35mm · Cup Depth: 11.5mm · Door Thickness: 14~21mm · Opening Angle: 105°
 調整範圍: Adjustment Range:
 左右調整: 0~+3mm 調整深度: 0~+2mm 調整高度: -5~0mm Left & Right: 0~+3mm Depth: 0~+2mm Height: -5~0mm

示意圖 Schematic



門板覆蓋距離(D) Door panel coverage distance	K距離 K distance	3	4	5	6	7
H=0	底座高度(H) Hinge base height	9	10	11	12	13



K=鑽孔孔位到門板邊緣距離
Hinge cup drilling distance
D=門板覆蓋距離
Door panel coverage distance
H=鉸鍊底座高度
Hinge base height
T=門板厚度
Door panel thickness

· 鉸杯孔距 Pitch: 52mm



3D 調節六分緩衝鉸鍊 (4 孔)

JAS Soft Closing Full Overlay Hinge,
4 Holes, 3D Adjustment

碳鋼鍍鎳 Steel, Nickel Plated

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DO1094J 0108DO1004H2OTL	無膠栓 W/o plastic hinge dowel	100
DO1094AJ 0108DO1A04H2OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	110

· 鉸杯孔距 Pitch: 52mm



3D 調節六分緩衝鉸鍊 (4 孔)

JAS Soft Closing Full Overlay Hinge,
4 Holes, 3D Adjustment

碳鋼鍍槍黑色 Steel, Nickel Plated -Gun-Colour

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DO2094J 0108DO2004H2OTL	無膠栓 W/o plastic hinge dowel	110
DO2094AJ 0108DO2A04H2OTL	鉸杯附 Ø10x12mm 膠栓 2 個 Hinge cup including Ø10x12mm plastic hinge dowel, 2pcs	120

全蓋 (6 分) Full Overlay

· 底座可拆卸 · 鉸杯直徑: 35mm · 鉸杯深度: 11.5mm · 適用門板厚度: 14~21mm · 開啟角度: 105 度
· Detachable base · Cup Diameter: 35mm · Cup Depth: 11.5mm · Door Thickness: 14~21mm · Opening Angle: 105 °


調整範圍:

左右調整: 0~+3mm 調整深度: 0~+2mm 調整高度: -5~0mm


Adjustment Range:

Left & Right: 0~+3mm Depth: 0~+2mm Height: -5~0mm

示意圖 Schematic



門板覆蓋距離(D) Door panel coverage distance	K距離 K distance	3	4	5	6	7
H=0		17	18	19	20	21



K=鑽孔位到門板邊緣距離
Hinge cup drilling distance

D=門板覆蓋距離
Door panel coverage distance

H=鉸鍊底座高度
Hinge base height

T=門板厚度
Door panel thickness

8

鉸鍊系列
Hinge Series

· 鉸杯孔距 Pitch: 52mm



緩衝鋁框門鉸鍊 (4 孔)

Aluminum Profile Hydraulic Buffering Hinge

碳鋼鍍鎳 Steel, Nickel Plated

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DSA1094J 0108DSA004H2OTL	無膠栓 W/o plastic hinge dowel	100

· 鉸杯孔距 Pitch: 52mm



緩衝鋁框門鉸鍊 (4 孔)

Aluminum Profile Hydraulic Buffering Hinge

碳鋼鍍槍黑色 Steel, Nickel Plated -Gun-Colour

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DSA2094J 0108DSA0B4H2OTL	無膠栓 W/o plastic hinge dowel	110

全蓋 (6 分) Full Overlay


- 底座可拆卸 · 適用鋁框規格: 19~22mm · 開啟角度: 95 度
- Detachable base · Aluminum profile specifications: 19~22mm · Opening Angle: 95 °

調整範圍:


左右調整: 0~+3mm 調整深度: 0~+2mm 調整高度: -2~+2mm Left & Right: 0~+3mm Depth: 0~+2mm Height: -2~+2mm

Adjustment Range:

示意圖 Schematic



門板覆蓋距離(D) Door panel coverage distance	鋁框厚度(V) Aluminum profile thickness	19	20	21	22
H=0		17	18	19	20



- D=門板覆蓋距離
Door panel coverage distance
- H=鉸鍊底座高度
Hinge base height
- V=鋁框厚度
Aluminum profile thickness
- T=鋁框厚度
Aluminum profile thickness

· 鉸杯孔距 Pitch: 52mm



3D 調節緩衝 165 度鉸鍊 (4 孔)

165° Opening Angle
3D Adjustment Hydraulic Buffering Hinge

碳鋼鍍槍黑色 Steel, Nickel Plated - Gun-Colour

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
----------------	---------------------------------	-------------

DKP165J 無膠栓 230
0108DA1004H2OTL W/o plastic hinge dowel

含臂蓋 Arm cover included.

全蓋 (6 分)

- 鉸杯直徑 : 35mm · 鉸杯深度 : 12mm
- 適用門板厚度 : 16~23mm · 開啟角度 : 165 度

Full Overlay

- Cup Diameter: 35mm · Cup Depth: 12mm
- Door Thickness: 16~23mm · Opening Angle: 165 °


調整範圍 :

- 左右調整 : 0~+2mm
- 調整深度 : 0~+2mm
- 調整高度 : -5~0mm


Adjustment Range:

- Left & Right: 0~+2mm
- Depth: 0~+2mm
- Height: -5~0mm

示意圖 Schematic



門板覆蓋距離(D) Door panel coverage distance	K距離 K distance	3	4	5	6	7	8
H=0 底座高度(H) Hinge base height		17	18	19	20	21	22



K=鑽孔孔位到門板邊緣距離
Hinge cup drilling distance

D=門板覆蓋距離
Door panel coverage distance

H=鉸鍊底座高度
Hinge base height

T=門板厚度
Door panel thickness

8

鉸鍊系列

Hinge Series

· 鉸杯孔距 Pitch: 52mm



3D 調節緩衝 165 度鉸鍊 (4 孔) _ 玻璃門框
 165° Opening Angle
 3D Adjustment Hydraulic Buffering Hinge

碳鋼鍍槍黑色 Steel, Nickel Plated -Gun-Colour

型號 Item No.	孔數 x 膠栓 Hole / Plastic Dowel	牌價 Price
DKPA165J 0108DA2004H2OTL	無膠栓 W/o plastic hinge dowel	290

含臂蓋 Arm cover included.


全蓋 (6 分)
 · 適用鋁框門寬: 19~22mm · 開啟角度: 165 度

Full Overlay
 · Applicable to aluminum door: 19~22mm
 · Opening Angle: 165°


調整範圍:
 左右調整: 0~+2mm
 調整深度: 0~+2mm
 調整高度: -5~0mm

Adjustment Range:
 Left & Right: 0~+2mm
 Depth: 0~+2mm
 Height: -5~0mm

示意圖 Schematic



門板覆蓋距離(D) Door panel coverage distance	鋁框厚度(V) Aluminum profile thickness	19	20	21	22
H=0	Hinge base height	18	19	20	21



- D=門板覆蓋距離
Door panel coverage distance
- H=鉸鍊底座高度
Hinge base height
- V=鋁框厚度
Aluminum profile thickness
- T=鋁框厚度
Aluminum profile thickness





按彈開門器

Push Open Door Device Series

尼龍 Nylon


型號 Item No.	牌價 Price
C50 0108C0100000000	80
30N 反彈器 30N Rebound strength.	




注意:大彎鉸鍊安裝尺寸X+20、X+52、X=板厚

Note: installation embed hinge size is X+20、X+52、X=Plate thickness


安裝步驟 Installation Steps




- ① 定位並安裝螺絲
Locate and install screws




- ② 切除定位
Cut off positioning guide




- ③ 裝入反彈棒
Install rebound rod



- ④ 安裝飾蓋，按箭頭方向先扣入
Install cover buckle in the direction of the arrow



- ⑤ 裝入磁吸金屬片到相應位置
Install the magnetic metal sheet into the corresponding position



- ⑥ 旋轉調節5 mm
Rotary adjustment

8


鉸鍊系列

Hinge Series

9

Wardrobe Series

衣櫥系列





斜邊四邊籃 / 鋼珠滑軌 Ball-Bearing Slide Included
Slope Type 4-Sided Basket (125mm)


碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KA140K 0110KA1040SCOTK	125x364x480	400	KA1002A000x1 KA1014A1MCx1	1300
KA145K 0110KA1045SCOTK	125x414x480	450	KA1002A000x1 KA1001A1MCx1	1300
KA150K 0110KA1050SCOTK	125x464x480	500	KA1002A000x1 KA1007A1MCx1	1300
KA160K 0110KA1060SCOTK	125x564x480	600	KA1002A000x1 KA1008A1MCx1	1350
KA170K 0110KA1070SCOTK	125x664x480	700	KA1002A000x1 KA1009A1MCx1	1400
KA172K 0110KA1072SCOTK	125x684x480	720	KA1002A000x1 KA1010A1MCx1	1500
KA180K 0110KA1080SCOTK	125x764x480	800	KA1002A000x1 KA1011A1MCx1	1550
KA190K 0110KA1090SCOTK	125x864x480	900	KA1002A000x1 KA1012A1MCx1	1650
KA110K 0110KA1100SCOTK	125x964x480	1000	KA1002A000x1 KA1013A1MCx1	1750

建議載重 Load Capacity: 20kg



KA1002A000 鋼珠滑軌
Ball-Bearing Slide





斜邊四邊籃
Slope Type 4-Sided Basket


碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KA1014A1MC	125x314x480	400
KA1001A1MC	125x364x480	450
KA1007A1MC	125x414x480	500
KA1008A1MC	125x514x480	600
KA1009A1MC	125x614x480	700
KA1010A1MC	125x634x480	720
KA1011A1MC	125x714x480	800
KA1012A1MC	125x814x480	900
KA1013A1MC	125x914x480	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)

滑軌孔位示意圖
Holes Schematic





斜邊四邊籃 / 鋼珠緩衝滑軌
Slope Type 4-Sided Basket (125mm)
Soft Closing Ball-Bearing Slide Included


碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KA140KG2 0110KA1040GCOTK	125x364x480	400	KF1900A100x1 KA1014A1MCx1	1700
KA145KG2 0110KA1045GCOTK	125x414x480	450	KF1900A100x1 KA1001A1MCx1	1700
KA150KG2 0110KA1050GCOTK	125x464x480	500	KF1900A100x1 KA1007A1MCx1	1700
KA160KG2 0110KA1060GCOTK	125x564x480	600	KF1900A100x1 KA1008A1MCx1	1750
KA170KG2 0110KA1070GCOTK	125x664x480	700	KF1900A100x1 KA1009A1MCx1	1800
KA172KG2 0110KA1072GCOTK	125x684x480	720	KF1900A100x1 KA1010A1MCx1	1850
KA180KG2 0110KA1080GCOTK	125x764x480	800	KF1900A100x1 KA1011A1MCx1	1900
KA190KG2 0110KA1090GCOTK	125x864x480	900	KF1900A100x1 KA1012A1MCx1	2000
KA110KG2 0110KA1100GCOTK	125x964x480	1000	KF1900A100x1 KA1013A1MCx1	2100

建議載重 Load Capacity: 20kg



KF1900A100 鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide





斜邊四邊籃
Slope Type 4-Sided Basket

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KA1014A1MC	125x314x480	400
KA1001A1MC	125x364x480	450
KA1007A1MC	125x414x480	500
KA1008A1MC	125x514x480	600
KA1009A1MC	125x614x480	700
KA1010A1MC	125x634x480	720
KA1011A1MC	125x714x480	800
KA1012A1MC	125x814x480	900
KA1013A1MC	125x914x480	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)





高斜邊四邊籃 / 鋼珠滑軌 Ball-Bearing Slide Included
Slope Type 4-Sided Basket (195mm)


碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KH160K 0110KH1060SCOTK	195x564x480	600	KA1002A000x1 KH1003A1MCx1	1500
KH170K 0110KH1070SCOTK	195x664x480	700	KA1002A000x1 KH1004A1MCx1	1600
KH180K 0110KH1080SCOTK	195x764x480	800	KA1002A000x1 KH1005A1MCx1	1750
KH190K 0110KH1090SCOTK	195x864x480	900	KA1002A000x1 KH1006A1MCx1	1850
KH110K 0110KH1100SCOTK	195x964x480	1000	KA1002A000x1 KH1007A1MCx1	2000

建議載重 Load Capacity: 20kg



KA1002A000 鋼珠滑軌
Ball-Bearing Slide





斜邊四邊籃
Slope Type 4-Sided Basket

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KH1003A1MC	195x514x480	600
KH1004A1MC	195x614x480	700
KH1005A1MC	195x714x480	800
KH1006A1MC	195x814x480	900
KH1007A1MC	195x914x480	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)

滑軌孔位示意圖
Holes Schematic




9

衣櫥系列
Wardrobe Series



KF1900A100 鋼珠緩衝滑軌
Soft Closing Ball-Bearing Slide



斜邊四邊籃
Slope Type 4-Sided Basket

高斜邊四邊籃 / 鋼珠緩衝滑軌
Slope Type 4-Sided Basket (195mm)
Soft Closing Ball-Bearing Slide Included

碳鋼烤鐵灰 Steel, Gray Epoxy



碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
KH160KG2 0110KH1060GCOTK	195x564x480	600	KF1900A100x1 KH1003A1MCx1	1800
KH170KG2 0110KH1070GCOTK	195x664x480	700	KF1900A100x1 KH1004A1MCx1	1900
KH180KG2 0110KH1080GCOTK	195x764x480	800	KF1900A100x1 KH1005A1MCx1	2100
KH190KG2 0110KH1090GCOTK	195x864x480	900	KF1900A100x1 KH1006A1MCx1	2200
KH110KG2 0110KH1100GCOTK	195x964x480	1000	KF1900A100x1 KH1007A1MCx1	2300

建議載重 Load Capacity: 20kg

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width
KH1003A1MC	195x514x480	600
KH1004A1MC	195x614x480	700
KH1005A1MC	195x714x480	800
KH1006A1MC	195x814x480	900
KH1007A1MC	195x914x480	1000

不含滑軌 / 此為空籃本體實際尺寸
Product Dimension (Basket Only)



JAS 緩衝薄牆止滑鋁抽組 40 深 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS 4-Sided Slim Double Wall Metal Drawer_405D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 低 (40 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FA40 0103RW1040JD040	110x364x405	400	3700
RK450FA40 0103RW1045JD040	110x414x405	450	3900
RK500FA40 0103RW1050JD040	110x464x405	500	4100
RK600FA40 0103RW1060JD040	110x564x405	600	4200
RK800FA40 0103RW1080JD040	110x764x405	800	4700
RK900FA40 0103RW1090JD040	110x864x405	900	4900

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 中 (40 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel) (405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1B40 0103RW2040JD040	143x364x405	400	3900
RK450F1B40 0103RW2045JD040	143x414x405	450	4100
RK500F1B40 0103RW2050JD040	143x464x405	500	4300
RK600F1B40 0103RW2060JD040	143x564x405	600	4600
RK800F1B40 0103RW2080JD040	143x764x405	800	5100
RK900F1B40 0103RW2090JD040	143x864x405	900	5300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 高 (40 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (194mm Height Panel)(405D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2C40 0103RW3040JD040	194x364x405	400	4100
RK450F2C40 0103RW3045JD040	194x414x405	450	4400
RK500F2C40 0103RW3050JD040	194x464x405	500	4700
RK600F2C40 0103RW3060JD040	194x564x405	600	5000
RK800F2C40 0103RW3080JD040	194x764x405	800	5400
RK900F2C40 0103RW3090JD040	194x864x405	900	5800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

9

衣櫥系列
Wardrobe Series

JAS 緩衝薄牆止滑鋁抽組 45 深 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS 4-Sided Slim Double Wall Metal Drawer_455D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 低 (45 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FA45 0103RW1040JD045	110x364x455	400	3700
RK450FA45 0103RW1045JD045	110x414x455	450	3900
RK500FA45 0103RW1050JD045	110x464x455	500	4100
RK600FA45 0103RW1060JD045	110x564x455	600	4200
RK800FA45 0103RW1080JD045	110x764x455	800	4700
RK900FA45 0103RW1090JD045	110x864x455	900	4900

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 中 (45 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel) (455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1B45 0103RW2040JD045	143x364x455	400	3900
RK450F1B45 0103RW2045JD045	143x414x455	450	4100
RK500F1B45 0103RW2050JD045	143x464x455	500	4300
RK600F1B45 0103RW2060JD045	143x564x455	600	4600
RK800F1B45 0103RW2080JD045	143x764x455	800	5100
RK900F1B45 0103RW2090JD045	143x864x455	900	5300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 高 (45 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (194mm Height Panel)(455D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2C45 0103RW3040JD045	194x364x455	400	4100
RK450F2C45 0103RW3045JD045	194x414x455	450	4400
RK500F2C45 0103RW3050JD045	194x464x455	500	4700
RK600F2C45 0103RW3060JD045	194x564x455	600	5000
RK800F2C45 0103RW3080JD045	194x764x455	800	5400
RK900F2C45 0103RW3090JD045	194x864x455	900	5800

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

JAS 緩衝薄牆止滑鋁抽組 50 深 - 抽中抽 (每組皆含緩衝鋁抽、後背板、底板 + 止滑墊)

JAS 4-Sided Slim Double Wall Metal Drawer_505D (1 set includes JAS Aluminum Drawer w/soft-close, Bottom panel, Back panel, Anti-Slip Liner.)



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 低 (50 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (110mm Height Panel) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400FA 0103RW1040JD000	110x364x505	400	3700
RK450FA 0103RW1045JD000	110x414x505	450	3900
RK500FA 0103RW1050JD000	110x464x505	500	4100
RK600FA 0103RW1060JD000	110x564x505	600	4200
RK800FA 0103RW1080JD000	110x764x505	800	4700
RK900FA 0103RW1090JD000	110x864x505	900	4900

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 中 (50 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (143mm Height Panel) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F1B 0103RW2040JD000	143x364x505	400	3900
RK450F1B 0103RW2045JD000	143x414x505	450	4100
RK500F1B 0103RW2050JD000	143x464x505	500	4300
RK600F1B 0103RW2060JD000	143x564x505	600	4600
RK800F1B 0103RW2080JD000	143x764x505	800	5100
RK900F1B 0103RW2090JD000	143x864x505	900	5300

建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.



JAS 緩衝薄牆鋁抽組 - 抽中抽 - 高 (50 深)

JAS 4-Sided Slim Double Wall Metal Drawer w/Soft-Close (194mm Height Panel) (505D)

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌價 Price
RK400F2C 0103RW3040JD000	194x364x505	400	4100
RK450F2C 0103RW3045JD000	194x414x505	450	4400
RK500F2C 0103RW3050JD000	194x464x505	500	4700
RK600F2C 0103RW3060JD000	194x564x505	600	5000
RK800F2C 0103RW3080JD000	194x764x505	800	5400
RK900F2C 0103RW3090JD000	194x864x505	900	5800


建議載重 Load Capacity: 40kg
800 以上櫃體另附底板補強片 1pc
Cabinet width equal or above 800mm will include a piece of reinforced L-shaped bracket.

9

衣櫥系列
Wardrobe-Series



緩衝 180 度旋轉鞋架 (淺櫃)
180° Swivel Shoe Rack w/Soft-Close



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
DT180GA11 0110DT108AX7HP0	1116~1404x709x315	800	DT1031A1MCx1 DT1019A0MCx6 DT1020A0MCx1	15000
DT180GA21 0110DT108BX7HP0	2044~2172x709x315	800	DT1032A1MCx1 DT1019A0MCx13 DT1020A0MCx1	23300

建議載重 Load Capacity: 40kg (88 lb.)



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
DT1031A1MC	1116~1404x709x315
DT1032A1MC	2044~2172x709x315



置鞋架

Shoe Rack

HIPS 塑膠

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
DT1019A0MC	48x692x296
DT1020A0MC	74x692x296

- 安裝實內櫃體寬度至少 744 mm
- 勿懸空安裝
- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式
- Inner width of cabinet \geq 744 mm
- Please thicken the bottom or place extra foundation to reinforce the bottom.



緩衝高昇櫃 · 重型緩衝滑軌
Tall Unit w/Soft-Close · Heavy Duty Unit



骨架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 深 H x D (mm)	備註 Remarks
H06552A0MC	1870~2170x457	附 HW1161A0SDx2
H06562A0MC	1870~2170x457	附 HW1163A0SD x2



專利重型滾輪滑軌 (緩衝式)
Soft Close Heavy Runner

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	長度 Length (mm)
H01039A1QC	490

· 防止滑墊
Anti-Slip Liner included.



掛籃
Clip-on Basket


碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01043A0MC	100x222x436
H01044A0MC	100x277x436

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
H01143A0MC	100x222x436
H01144A0MC	100x277x436

示意圖 Schematic



建議載重 : 80 kg (176 lb)
Load Capacity

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HC151G1 0106H06050X3OTL	1870~2170x443x495	500	H06552A0MCx1 H01039A1QCx1 H01043A0MCx12	14200
HC161G1 0106H06060X3OTL	1870~2170x543x495	600	H06562A0MCx1 H01039A1QCx1 H01044A0MCx12	15500

不鏽鋼亮鉻 S.S. Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
HC251G1 0106H06050X3STL	1870~2170x443x495	500	H06552A0MCx1 H01039A1QCx1 H01143A0MCx12	21500
HC261G1 0106H06060X3STL	1870~2170x543x495	600	H06562A0MCx1 H01039A1QCx1 H01144A0MCx12	24100

- 建議底板的部份需補強增加支撐力。例如：加厚底板或增加支撐柱 / 腳座等方式
- 勿懸空安裝
- 重物請由下層開始放置，依重量由下往上放置
- Please thicken the bottom or place extra foundation to reinforce the bottom.
- Please always put the heavy stuff on the bottom level and lighter stuff on the top.

高昇櫃系列選購配件

Accessories for Tall Unit

選購
Optional



把手
Handle

304 不鏽鋼 304 Stainless Steel

型號 Item No.	直徑 x 高 Dia. x H (mm)	牌價 Price
HB21 0106HB106000ST0	Ø25x600	1400
HB22 0106HB109000ST0	Ø25x900	1700

選購
Optional



把手
Handle

碳鋼烤鐵灰 Steel, Dark Gray Epoxy

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
HB106001 0106HB106000OTK	20x20x600	700
HB109001 0106HB109000OTK	20x20x880	900

選購
Optional




門板防變形座
Door Mount Bracket

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	適用門板 Cabinet Width	牌價 Price
HW1161A0SD	500	550
HW1163A0SD	600	650

門板座特殊設計可解決高櫃門板變形問題
The special design of door bracket helps solve the potential bending problem on the tall door panel.

把手門板孔距圖 Schematic







緩衝旋轉燙衣板 / 鋼珠滑軌
Ironing Board / Ball-Bearing Slide



型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
DY140C 0110DYC040S0000	149x295x440	Min.600	6100

功能示意圖
Functional Schematic



使用說明示意圖
Instructions

1. 展開燙衣板前必須先拉出支撐桿，否則可能會造成產品損壞和影響使用壽命
2. 旋轉燙衣板前請先放鬆調整鈕
1. The support bracket must pull out before unfolding the ironing board. Otherwise, it may damage the product and influence its service life.
2. Please loosen the nut before rotating the ironing board.





衣櫥收納功能系列

Wardrobe Organizer Series



皮、領帶架

Pull-Out Tie Rack

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌 Price
DB120G1 0110D03035GBOTL	45x82x350	950



長褲架

Pull-Out Trouser Rack

碳鋼亮鉻 Steel, Chrome Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌 Price
DB141 0110D02045SNOTL	126x298x455	1800



旋轉鏡架

Swivel Dressing Mirror

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	組件 Component	牌價 Price
DB150C 0110DB1000SNGLO	926x60x425	開放 Open Cabinet	DB1012A0QCx1 DB1017A0QCx1	8300

附鋼珠滑軌 Ball-Bearing Slide Included.






鋁框鏡

Aluminum Frame Mirror

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
DB1012A0QC	904x20x354

功能示意圖
Functional Schematic



鏡子背面與櫃體前緣之距離

框架

Frame

碳鋼烤鐵灰 Steel, Gray Epoxy

型號 Item No.	高 x 寬 x 深 H x W x D (mm)
DB1017A0QC	899x40x406



衣櫥收納功能系列

Wardrobe Organizer Series



橢圓管固定座

Oval Tube Fix Plate

鋅合金鍍鎳 Alloy, Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
DJ12 0110D0403500ZNL	12x20x48	350	35

1set = 2pcs



橢圓管固定座

Oval Tube Fix Plate

鋅合金鍍鎳 Alloy, Nickel Plated

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌 價 Price
DJ13 0110D0500000ZNL	76x43x11	90



橢圓吊衣桿

Oval Tube

鋁合金陽極 Anodized Aluminum

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	適用櫃體 Cabinet Width	牌 價 Price
DJ655 0110D0806000AGS	30x15x555	600	140
DJ675 0110D0808000AGS	30x15x755	800	200
DJ685 0110D0809000AGS	30x15x855	900	220
DJ695 0110D0810000AGS	30x15x955	1000	250
DJ612 0110D0812000AGS	30x15x1155	1200	300
DJ615 0110D0815000AGS	30x15x1455	1500	380

9

衣櫥系列
Wardrobe Series

10

JASMINE®

X



光玥

LED Bulb

LED照明系列



光玥

Discover the Delight
of your life



Q1.LED燈的出線長度是多少？接線方式是什麼？

A:我們的LED燈具出線長度為 100mm，並附贈一條1800mm延長線，方便依安裝位置調整長度。

接線採用杜邦2P / 快接端子，具備以下優點：

- 隨插即用，安裝快速：無需焊接或繁瑣工具，直接插入即可完成連接。
- 接頭通用，維修更換方便：標準化接頭設計，後續維修或更換燈具更為簡便。
- 卡扣設計，連接穩固不鬆脫：確保接頭牢固，避免接觸不良或意外脫落。

Q2.人體熱源感應距離為什麼不是固定2M??

A:在25°C-26°C 時，人體感應最遠距離：2-3m

(感應距離與溫度有關，室溫溫度越高，感應距離越短)

Q3.為什麼櫥櫃裡自帶開關的燈開啟時亮光速度不一樣??

A:光玥目前燈亮光模式分為兩種: 漸亮模式、直亮模式，自帶開關的燈具的手掃感應及觸碰感應皆為漸亮模式

Q4.門控系列感應器為何無法有效感應?

A:1.門控感應距離為2-80mm,請確認是否超出範圍

2.門控感應為紅外線感應，感應頭正對位置若為黑色、半透明、透明門板則無法有效感應，選用前請務必確認。



裝修配件

Spare Parts



線孔蓋
Cover

塑膠 Plastic

型號 Item No.	直徑 x 高 Dia.xH(mm)	牌價 Price
GB115C 0109V0700600000	Ø55x20/ 黑	70
GB115D 0109V0800600000	Ø55x20/ 白	70
GB115E 0109V0900600000	Ø55x20/ 灰	70
GB114C 0109V0700700000	Ø60x21/ 黑	70
GB114D 0109V0800700000	Ø60x21/ 白	70
GB114E 0109V0900700000	Ø60x21/ 灰	70

鋁 Aluminum

型號 Item No.	直徑 x 高 Dia.xH(mm)	牌價 Price
GB116 0109V1000600AG0	Ø60x21	320



開關
Switch

塑膠 Plastic

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
GB110 0109V0200000000	21x21x25	100



插座
Socket

塑膠 Plastic

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
GB111 0109V0400000000	21x21x31	100



蓋板
Cover

塑膠 Plastic

型號 Item No.	高 x 寬 x 深 H x W x D (mm)	牌價 Price
GB107 0109V0100700000	75x32x10 單孔 1 hole	90
GB108 0109V0100800000	85x32x10 雙孔 2 hole	120



隱藏式觸碰開關
Hidden Touch Sensor Switch



電壓 Voltage: DC 12V · 功率 Wattage: 48W

型號 Item No.	直徑 x 高 Dia. x H (mm)	功能 Function	牌價 Price
S010-052P 0109ZJ706002PWT	Ø60x9	分控 Separate control	1350

感應板厚距離需 ≤ 40mm

- 線長輸出公端 2m，輸入母端 2m
- 10 小時後自動關燈功能，安全節能
- Length: 2m
- Automatic shut-off feature after 10 hours for safety and energy conservation.



觸碰感應 Touch Sensor




隱藏感應開關 Hidden Touch Sensor Switch



板材重疊會遮蔽感應，導致失效。

Overlapping panels may block the sensor and cause it to malfunction.



隱藏感應開關 Hidden Touch Sensor Switch



隱藏式觸碰開關
Hidden Touch Sensor Switch



電壓 Voltage: DC 12V · 功率 Wattage: 48W

型號 Item No.	直徑 x 高 Dia. x H (mm)	功能 Function	牌價 Price
S010-054P 0109ZJ706004PWT	Ø60x9	集控 Centralized control	1100

感應板厚距離需 ≤ 40mm

- 線長輸出公端 2m
- 10 小時後自動關燈功能，安全節能
- Length: 2m
- Automatic shut-off feature after 10 hours for safety and energy conservation.



2P/4P 超薄連接線組
Flat Wiring Harness



型號 Item No.	長 x 寬 x 高 L x W x H (mm)	功能 Function	牌價 Price
ZQ3-200PW2 0109ZQ320000PD2	2000x8x0.5	燈具 延長線	600
ZQ3-200PW4 0109ZQ320000PD4	2000x8x0.5	開關 延長線	700

薄型設計厚度 0.5mm，可減少開槽工序



2P/4P 連接線組
Wiring Harness

2P 白色 White / 4P 黑色 Black

型號 Item No.	長 L (mm)	功能 Function	牌價 Price
ZQ1-180PW 0109ZQ118000PW0	1800	燈具延長線	150
ZQ1-200PD 0109ZQ120000PD0	2000	開關延長線	240



分線盒
Junction Box

白色 White

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
ZQ2-010PW 0109ZQ201000PW0	51x31x18	250

可擴充端子接口數量 1 對 6
最大承載電流 5A (60W)

The terminal interface of the junction box can be expanded to one pair of six.
Maximum load current: 5A (60W).



導孔定位器套組
Drilling Jig


型號 Item No.	尺寸 (mm)	牌價 Price
T0100001 0109T0100000000	Ø8x600L 70Lx58Wx47H	2200

最大夾持板厚 45mm


- 表面噴砂、陽極氧化處理 - 防銹耐磨，外觀精美
- 加長滾針軸承設計 - 操作更穩定，確保精準打孔
- 8mm 和 10mm 槽設計 - 輔助定位，操作便捷
- 配備導孔：Ø 6mm Ø 8mm Ø 10mm
- 此為木工用鑽頭請勿使用於金屬及石材

- Surface sandblasting and anodizing treatment - rust-resistant and wear-resistant, with an exquisite appearance.
- Extended needle bearing design - more stable operation, ensuring precise drilling.
- 8mm and 10mm groove design - aids in positioning, convenient to operate.
- Equipped with guide holes: Ø 6mm Ø 8mm Ø 10mm





明裝式感應開關 Sensor Switch





材質：銀色塑膠 Silver Plastic

電壓 Voltage: DC 12V · 功率 Wattage: Max.60W

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	感應開關 sensor switch	牌價 Price
S007-05SD 0109ZJ100500PSD	50x35x19	門控感應 Door Motion Sensor (漸亮模式)	1200
S007-05SB 0109ZJ100500PSB	50x35x19	人體熱源感應 IR Sensor	1200
S007-05SH 0109ZJ100500PSH	50x35x19	手掃感應 Hand Motion Sensor	1200
S007-05ST 0109ZJ100500PST	50x35x19	觸控感應 Touch Sensor	1200

- 適用傢俱等櫃內感應開關 · 可單獨只做感應頭應用 · 一體化設計，直接連接燈具使用
- 門控感應 (漸亮模式)：感應距離需 ≤ 80mm，請留意安裝深度 · 手掃感應：感應距離最遠 80mm
- 人體熱源感應：感應範圍為 2M (會隨室溫影響)，最大感應角度為 120°，延時時間為 20-30 秒
- Suitable for furniture and cabinet interior motion sensor switch needs. · Can be used solely as a sensor unit.
- Door Motion Sensor: Sensing distance should be ≤ 80mm, please take note of the installation depth.
- Hand Motion Sensor: Sensing distance up to 80mm · Integrated design, directly connects to the LED units.
- IR Sensor: Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.



感應開關 附控制盒

Sensor Switch Control box included




材質：黑色塑膠 Black Plastic

電壓 Voltage: DC 12V

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	感應開關 sensor switch	牌價 Price
S013-03DD 0109ZJ200300PDD	32x31x7.5 51x31x17	門控感應 Door Motion Sensor	1300
S013-03DH 0109ZJ200300PDH	32x31x7.5 51x31x17	手掃感應 Hand Motion Sensor	1300

- 適用傢俱等櫃內感應開關 · 獨特卡扣式安裝 · 紅外線專用濾光片，隱藏式視窗設計
- 門控感應：感應距離需 ≤ 80mm，請留意安裝深度 · 手掃感應：感應距離最遠 80mm
- Suitable for furniture and cabinet interior motion sensor switch needs. · Can be used solely as a sensor unit.
- Door Motion Sensor: Sensing distance should be ≤ 80mm, please take note of the installation depth.
- Hand Motion Sensor: Sensing distance up to 80mm · Infrared-specific filter, hidden window design.

- 適用於多個變壓器配一個感應開關同步聯控燈具使用 · 每個控制盒可同時控制兩組變壓器燈具
- Suitable for multiple transformers synchronized and controlled by a single motion sensor switch to control lighting fixtures.
- Each control box can simultaneously control two sets of transformers



嵌式感應開關

Sensor Switch




材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color

型號 Item No.	直徑 x 高 Dia. x H (mm)	感應開關 sensor switch	牌價 Price
S030A-02SD 0109ZJ400200ASD	Ø14.6/13x15	門控感應 Door Motion Sensor	1000
S030A-02SB 0109ZJ400200ASB	Ø14.6/13x15	人體熱源感應 IR Sensor	1000
S030A-02SH 0109ZJ400200ASH	Ø14.6/13x15	手掃感應 Hand Motion Sensor	1000
S030A-02ST 0109ZJ400200AST	Ø14.6/13x15	觸控感應 Touch Sensor	1000

可直接插入變壓器
Can be plugged into the transformer directly.

- 適用傢俱等櫃內感應開關 · 航空級鋁合金外殼 · 手掃感應：感應距離最遠 80mm
- 門控感應：感應距離需 ≤ 80mm，請留意安裝深度
- 人體熱源感應：感應範圍為 2M (會隨室溫影響)，最大感應角度為 120°，延時時間為 20-30 秒
- Suitable for furniture and cabinet interior motion sensor switch needs. · Aviation-grade aluminum alloy outer casing.
- Door Motion Sensor: Sensing distance should be ≤ 80mm, please take note of the installation depth.
- Hand Motion Sensor: Sensing distance up to 80mm
- IR Sensor: Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.



感應開關

Sensor Switch




材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color

電壓 Voltage: DC 12V · 功率 Wattage: Max.30W

型號 Item No.	直徑 x 高 Dia. x H (mm)	感應開關 sensor switch	牌價 Price
S030B-01SD 0109ZJ500100ASD	Ø14.6/13x24	門控感應 Door Motion Sensor	1500
S030B-01SB 0109ZJ500100ASB	Ø14.6/13x24	人體熱源感應 IR Sensor	1500
S030B-01SH 0109ZJ500100ASH	Ø14.6/13x24	手掃感應 Hand Motion Sensor	1500
S030B-01ST 0109ZJ500100AST	Ø14.6/13x24	觸控感應 Touch Sensor (漸亮模式)	1500

- 適用傢俱等櫃內感應開關 · 航空級鋁合金外殼 · 一體化設計，直接連接燈具使用
- 門控感應：感應距離需 ≤ 80mm，請留意安裝深度 · 手掃感應：感應距離最遠 80mm
- 人體熱源感應：感應範圍為 2M (會隨室溫影響)，最大感應角度為 120°，延時時間為 20-30 秒
- Suitable for furniture and cabinet interior motion sensor switch needs. · Aviation-grade aluminum alloy outer casing.
- Door Motion Sensor: Sensing distance should be ≤ 80mm, please take note of the installation depth.
- Hand Motion Sensor: Sensing distance up to 80mm · Integrated design, directly connects to the LED units.
- IR Sensor: Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.



雙紅外線感應開關

Dual IR Sensor Switch



材質：銀色塑膠 Silver Plastic

電壓 Voltage: DC 12V · 功率 Wattage: Max.60W

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	感應開關 sensor switch	牌價 Price
S024B-03SD 0109ZJ300300PSD	40x33x10	門控感應 Door Motion Sensor	1600

- 適用傢俱等櫃內感應開關 · 可單獨只做感應頭應用
- 一體化設計，直接連接燈具使用 · 單門或雙門靈活運用
- 門控感應：感應距離需 ≤ 80mm，請留意安裝深度
- Suitable for furniture and cabinet interior motion sensor switch needs.
- Can be used solely as a sensor unit.
- Flexible application for single or double doors.
- Integrated design, directly connects to the LED units.
- Door Motion Sensor: Sensing distance should be ≤ 80mm, please take note of the installation depth.



變壓器
Transformer



材質：白色塑膠 White Plastic
電壓 Voltage: AC100~240V • DC 12V

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	功率 Wattage	牌價 Price
B012-24D 0109ZK302400PW0	145x60x18	24W	880
B012-36D 0109ZK303600PW0	145x60x18	36W	980
B012-60D 0109ZK306000PW0	173x60x18	60W	1500
B012-100D 0109ZK310000PW0	201x60x18	100W	2100

- 線組長 150cm
- 24W / 36W / 60W 內建 8 個電源輸出接口、2 個集控接口
- 100W 內建 10 個電源輸出接口、2 個集控接口、1 個快插接線座
- 指示燈亮起代表通電
- 有超載保護、溫度保護、短路保護功能
- 超薄設計，不佔空間
- Line length 150cm. • Ultra-thin design, space-saving.
- Total of 8 interfaces. (10 interfaces built-in for 100W)
- Indicator lights showing power continuity.
- Equipped with overload protection, temperature protection, and short circuit protection.



變壓器
Transformer



材質：白色塑膠 White Plastic
電壓 Voltage: AC100~220V • DC 12V

售完為止

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	功率 Wattage	牌價 Price
B012-18D 0109ZK301800PW0	117x55x18	18W	600

- 線組長 80cm
- 總共 6 個電源輸出接口、1 個集控接口
- 指示燈亮起代表通電
- 有超載保護、溫度保護、短路保護功能
- 超薄設計，不佔空間
- Total of 6 interfaces. • Line length 80cm.
- Indicator lights showing power continuity.
- Equipped with overload protection, temperature protection, and short circuit protection.
- Ultra-thin design, space-saving.


[注意] 使用螢光開關有突波風險造成作動不良

台灣專利 M663468

專利



變壓器收納盒
Transformer Storage Box




材質：銀色鋁合金 Aluminium Alloy in Silver

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
V1503003 0109V1503000AGS	310x121.6x32.7	1650

可放置佳飾美販賣的不同瓦數變壓器


Can hold different wattage transformers sold by JASMINE.

變壓器藏匿方式參考示意圖
Transformer concealment method reference diagram




全藏匿方式
Full concealment method

製作木條或木板置於底板上方四周(木條/木板高度需 $\geq 18\text{mm}$)
· 中空處可視櫃體長度需求放置木條以達支撐作用
安置好變壓器位置後，上方再用8mm薄板蓋住
依變壓氣位置預留變壓器出線孔位置
Create wood strips or boards placed around the top of the baseboard. (height of wood strips/boards should be $\geq 18\text{mm}$)
· Add wooden support according to the length requirements of the cabinet if needed.
After placing the transformer in position, cover the top with an 8mm panel, leaving space for the transformer wiring outlet hole according to the reserved position.




靠牆L邊藏匿方式
Concealment method along the wall's L-edge

製作L型木條邊框置於底板上方(木條高度需 $\geq 18\text{mm}$)
安置好變壓器位置後，上方再用8mm薄板蓋住
變壓器由側邊或後方出線
Create an L-shaped wooden frame placed above the baseboard (height of wood strips/boards should be $\geq 18\text{mm}$)
After placing the transformer in position, cover the top with an 8mm panel. The transformer can have wiring outlets from the side or rear.



高櫃/吊櫃藏匿方式可搭配通風飾板
Concealment method for tall cabinets/hanging cabinets can be combined with a ventilation panel


直接將變壓器置於櫃體頂端後方隱藏，
若需美化遮蔽可自行購買符合需求高度的通風飾板加以美化
Directly place the transformer on the top rear of the cabinet,
and use a ventilation panel covering for aesthetic purpose if desire.



抽油煙機櫃體藏匿方式
Concealment method for range hood cabinet

可直接藏匿於抽油煙機櫃體內的側板或背板
Can be directly place on the side panel or back panel inside the range hood cabinet.

變壓器收納盒安裝方式示意圖
Installation Diagram for Transformer Storage Box




Step 1 上固定板安裝至櫃內
Inside the upper fixed plate installation cabinet

Step 2 收納盒本體嵌入左、右側板
Insert the box body into the left and right panels

Step 3 收納盒向內推入
Push-in box



輔助 配件 系列





LED 矽膠軟條燈

Silicone Soft Strip Lighting Series



材質：白色矽膠 White Silicone

電壓 Voltage: DC 12V / 功率 Wattage: 5W/m

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	色溫 Color Temp	牌價 Price
0410-5000CWW 0109ZN1500CW0W0	4x10x5000	白光 6000K	4500
0410-5000WWW 0109ZN1500WW0W0	4x10x5000	自然光 4000K	4500

材質：白色矽膠 White Silicone

電壓 Voltage: DC 12V / 功率 Wattage: 5W/m

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	色溫 Color Temp	牌價 Price
0612-5000CWW 0109ZN2500CW0W0	6x12x5000	白光 6000K	5500
0612-5000WWW 0109ZN2500WW0W0	6x12x5000	自然光 4000K	5500

材質：白色矽膠 White Silicone

電壓 Voltage: DC 12V / 功率 Wattage: 5W/m

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	色溫 Color Temp	牌價 Price
0408-5000CWW 0109ZN3500CW0W0	4x8x5000	白光 6000K	3800
0408-5000WWW 0109ZN3500WW0W0	4x8x5000	自然光 4000K	3800

10


LED 照明系列

LED Bulb






矽 膠 軟 條 燈 系 列





GET OUT
BLANCHE
NEUES BAUEN NEUES GESTALTEN

※出線位置為下圖左方



LED 斜照頂層木層板燈 Angled Top Shelf LED

材質：古銅色鋁合金 Aluminum alloy in Antique bronze color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K


型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4029-60CWB 0109ZH3056CWAB0	563x36x13	600	1200
K4029-80CWB 0109ZH3076CWAB0	763x36x13	800	1500
K4029-90CWB 0109ZH3086CWAB0	863x36x13	900	1700
K4029-100CWB 0109ZH3096CWAB0	963x36x13	1000	1800
K4029-120CWB 0109ZH3116CWAB0	1163x36x13	1200	2100

材質：古銅色鋁合金 Aluminum alloy in Antique bronze color
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4029-60WWB 0109ZH3056WWAB0	563x36x13	600	1200
K4029-80WWB 0109ZH3076WWAB0	763x36x13	800	1500
K4029-90WWB 0109ZH3086WWAB0	863x36x13	900	1700
K4029-100WWB 0109ZH3096WWAB0	963x36x13	1000	1800
K4029-120WWB 0109ZH3116WWAB0	1163x36x13	1200	2100

可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • LED, 節能環保光源壽命 30000 小時 • 適用於 18mm 層板
- 安裝於頂層板前方, 可同時達到裝飾邊效果 • 可加強木層板強度, 不易變形 • 無需開槽, 一體化設計, 安裝簡易
- Transformer sold separately. • Customizable length and maximum length of 3000 mm. • For use with 18mm panel thickness.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Increase shelf structural integrity, preventing deformation.
- When installed on the front of the top shelf, achieving both decorative and edge lighting effects.



LED 直照木層板燈 Downward Shelf LED

材質：香檳色鋁合金 Aluminium Alloy in Champagne color
電壓 Voltage: DC 12V / 功率 Wattage: 17.5W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4010-60CWC 0109ZH2056CWAC0	563x22x20	600	1200
K4010-80CWC 0109ZH2076CWAC0	763x22x20	800	1500
K4010-90CWC 0109ZH2086CWAC0	863x22x20	900	1700
K4010-100CWC 0109ZH2096CWAC0	963x22x20	1000	1900
K4010-120CWC 0109ZH2116CWAC0	1163x22x20	1200	2200

層板深度 -16mm 請預留裝燈縫隙
Shelf panel depth needs to be recessed inward by 16mm.


色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4010-60WWC 0109ZH2056WWAC0	563x22x20	600	1200
K4010-80WWC 0109ZH2076WWAC0	763x22x20	800	1500
K4010-90WWC 0109ZH2086WWAC0	863x22x20	900	1700
K4010-100WWC 0109ZH2096WWAC0	963x22x20	1000	1900
K4010-120WWC 0109ZH2116WWAC0	1163x22x20	1200	2200

層板深度 -16mm 請預留裝燈縫隙
Shelf panel depth needs to be recessed inward by 16mm.

可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • LED, 節能環保光源壽命 30000 小時
- 適用於 18mm 層板 • 安裝於層板前方或後方 • 可加強木層板強度, 不易變形 • 上下發光設計
- 無需開槽, 一體化設計, 安裝簡易
- Transformer sold separately. • Customizable length and maximum length of 3000 mm. • For use with 18mm panel thickness.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Can be installed on both front or behind the shelf panel. • Increase shelf structural integrity, preventing deformation.
- Top and bottom illumination design.



LED 三面發光玻璃層板燈

Tri-directional Emitting Glass Shelf LED

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4035-60CWS 0109ZL3056CWAS0	563x16.5x22	600	1000
K4035-80CWS 0109ZL3076CWAS0	763x16.5x22	800	1200
K4035-90CWS 0109ZL3086CWAS0	863x16.5x22	900	1300
K4035-100CWS 0109ZL3096CWAS0	963x16.5x22	1000	1400
K4035-120CWS 0109ZL3116CWAS0	1163x16.5x22	1200	1700

材質：銀色鋁合金 Aluminium Alloy in Silver
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4035-60WWS 0109ZL3056WWAS0	563x16.5x22	600	1000
K4035-80WWS 0109ZL3076WWAS0	763x16.5x22	800	1200
K4035-90WWS 0109ZL3086WWAS0	863x16.5x22	900	1300
K4035-100WWS 0109ZL3096WWAS0	963x16.5x22	1000	1400
K4035-120WWS 0109ZL3116WWAS0	1163x16.5x22	1200	1700

材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4035-60CWI 0109ZL3056CWA10	563x16.5x22	600	1000
K4035-80CWI 0109ZL3076CWA10	763x16.5x22	800	1200
K4035-90CWI 0109ZL3086CWA10	863x16.5x22	900	1300
K4035-100CWI 0109ZL3096CWA10	963x16.5x22	1000	1400
K4035-120CWI 0109ZL3116CWA10	1163x16.5x22	1200	1700


材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K4035-60WWI 0109ZL3056WWA10	563x16.5x22	600	1000
K4035-80WWI 0109ZL3076WWA10	763x16.5x22	800	1200
K4035-90WWI 0109ZL3086WWA10	863x16.5x22	900	1300
K4035-100WWI 0109ZL3096WWA10	963x16.5x22	1000	1400
K4035-120WWI 0109ZL3116WWA10	1163x16.5x22	1200	1700

可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • LED, 節能環保光源壽命 30000 小時 • 適用於 8mm 玻璃使用
- 單邊包框設計 • 高品質鋁材, 表面經過高硬度陽極氧化處理, 耐磨、耐刮、吸熱節能、易清理
- Transformer sold separately. • Suitable for 8mm glass thickness.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- High-grade aluminum alloy with hardness anodized oxidation, wear-resistant, scratch-resistant, heat-absorbing for energy efficiency, and easy to clean.





LED 掛式斜照木層板燈 Hanging Angled Shelf LED

材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K3059-60CWI 0109ZH1056CWA10	563x15.8x18.5	600	850
K3059-80CWI 0109ZH1076CWA10	763x15.8x18.5	800	1100
K3059-90CWI 0109ZH1086CWA10	863x15.8x18.5	900	1150
K3059-100CWI 0109ZH1096CWA10	963x15.8x18.5	1000	1300
K3059-120CWI 0109ZH1116CWA10	1163x15.8x18.5	1200	1500

層板深度 -13mm 請預留裝燈縫隙
Shelf panel depth needs to be recessed inward by 13mm.

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K3059-60WWI 0109ZH1056WWA10	563x15.8x18.5	600	850
K3059-80WWI 0109ZH1076WWA10	763x15.8x18.5	800	1100
K3059-90WWI 0109ZH1086WWA10	863x15.8x18.5	900	1150
K3059-100WWI 0109ZH1096WWA10	963x15.8x18.5	1000	1300
K3059-120WWI 0109ZH1116WWA10	1163x15.8x18.5	1200	1500

層板深度 -13mm 請預留裝燈縫隙
Shelf panel depth needs to be recessed inward by 13mm.


可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • LED，節能環保光源壽命 30000 小時
- 適用於 18mm 層板 • 上下發光設計 • 無需開槽，一體化設計，安裝簡易
- Transformer sold separately. • Customizable length and maximum length of 3000 mm. • For use with 18mm panel thickness.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Top and bottom illumination design.




櫥櫃用

層板燈系列





※免變壓器




LED 小圓嵌燈

LED Round Recessed Lamp (S)

外殼：鋁陽極本色

Cover: Aluminum Anode Plated

型號 Item No.	電壓 Voltage	色光 Color	瓦數 Wattage	牌價 Price
GB9102CW	110V	白光	3W	1900
0109G92007CWAGS	220V	Cold White		
GB9102WW	110V	自然光	3W	1900
0109G92007WWAGS	220V	Natural White		



※免變壓器




LED 小圓嵌燈

LED Round Recessed Lamp (S)

外殼：鋁陽極本色

Cover: Aluminum Anode Plated

型號 Item No.	電壓 Voltage	色光 Color	瓦數 Wattage	牌價 Price
GB9101CW	110V	白光	1W	1100
0109G91005CWAGS	220V	Cold White		
GB9101WW	110V	自然光	1W	1100
0109G91005WWAGS	220V	Natural White		



產品技術規格

型號 Item No.	GB9102CW	GB9102WW
色光 Color	白光 Cold White	自然光 Natural White
功率 Wattage (W)	3W	
尺寸 Dimension (mm)	Ø79x11.5	
光通量 Lumen (Lm)	230	220
發光效率 Efficiency (Lm/w)	76	73
色溫 CCT (K)	6000K	4000K
演色指數 CRI	80	
工作電壓 Input Voltage (V)	110V / 220V	
功率因數 Power Factor (PF)	0.68	
嵌入尺寸 Lamp Holder(mm)	Ø40x12~14	
重量 Weight (g)	50	
工作溫度 Working Temp (°C)	-40~65	


產品技術規格

型號 Item No.	GB9101CW	GB9101WW
色光 Color	白光 Cold White	自然光 Natural White
功率 Wattage (W)	1W	
尺寸 Dimension (mm)	Ø50x10.5	
光通量 Lumen (Lm)	85	75
發光效率 Efficiency (Lm/w)	85	75
色溫 CCT (K)	6000K	4000K
演色指數 CRI	80	
工作電壓 Input Voltage (V)	110V / 220V	
功率因數 Power Factor (PF)	0.65	
嵌入尺寸 Lamp Holder(mm)	Ø40x10	
重量 Weight (g)	55	
工作溫度 Working Temp (°C)	-40~65	







LED 明裝式感應圓燈
Surface-mount Motion Sensor Round LED



LED 明裝式蜂巢護眼圓燈
Surface-mount Honeycomb Eye-Protective Round LED



手掃感應 Hand Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 2W

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5005-81CWSH 0109ZG3081CWASH	Ø81x10	白光 6000K Cool White	1300
K5005-81WWSH 0109ZG3081WWASH	Ø81x10	自然光 4000K Natural White	1300

漸亮式照明 / 感應距離：最遠 80mm
Gradual light up effect. Sensing distance: up to 80mm

人體熱源感應 IR Sensor

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5020-75CWSB 0109ZG4075CWASB	Ø75x11	白光 6000K Cool White	1200
K5020-75WWSB 0109ZG4075WWASB	Ø75x11	自然光 4000K Natural White	1200

感應範圍為 2M (會隨室溫影響)，
最大感應角度為 120°，延時時間為 20-30 秒
Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.

觸控感應 Touch Sensor


材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 2W

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5005-81CWST 0109ZG3081CWAST	Ø81x10	白光 6000K Cool White	1300
K5005-81WWST 0109ZG3081WWAST	Ø81x10	自然光 4000K Natural White	1300

漸亮式照明 / 一體式觸摸開關
Gradual light up effect. Integrated touch sensor switch.

- 需另購變壓器 • PC 燈罩，仿蜂巢設計，光線均勻明亮護眼
- LED，節能環保光源壽命 30000 小時
- 明裝式安裝，方便快捷
- Transformer sold separately.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Surface-mounted installation for convenient and quick setup.
- PC lampshade with honeycomb-like design, providing uniform and bright light for eye protection.

- 需另購變壓器
- LED，節能環保光源壽命 30000 小時
- 觸摸開關一體化設計 • 無須開槽，安裝方便
- Transformer sold separately.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- No need for grooves, easy and quick installation.



LED 薄款圓嵌燈


Low-profile Round Recessed LED

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 1.4W



型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5054-68CWS 0109ZG8068CWAS0	Ø68x10	白光 6000K Cool White	700
K5054-68WWS 0109ZG8068WWAS0	Ø68x10	自然光 4000K Natural White	700

可搭配感應開關使用
Can be used in conjunction with sensor switch.



LED 全鋁圓嵌燈

Full-Aluminum Round Recessed LED

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 1.3W



型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5055-65CWS 0109ZG9065CWAS0	Ø65x13.5	白光 6000K Cool White	950
K5055-65WWS 0109ZG9065WWAS0	Ø65x13.5	自然光 4000K Natural White	950

可搭配感應開關使用
Can be used in conjunction with sensor switch.

手掃感應 Hand Motion Sensor

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5054-68CWSH 0109ZG8068CWASH	Ø68x10	白光 6000K Cool White	1200
K5054-68WWSH 0109ZG8068WWASH	Ø68x10	自然光 4000K Natural White	1200

漸亮式照明 / 感應距離：最遠 80mm
Gradual light up effect. Sensing distance: up to 80mm

手掃感應 Hand Motion Sensor

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5055-65CWSH 0109ZG9065CWASH	Ø65x13.5	白光 6000K Cool White	1300
K5055-65WWSH 0109ZG9065WWASH	Ø65x13.5	自然光 4000K Natural White	1300

漸亮式照明 / 感應距離：最遠 80mm
Gradual light up effect. Sensing distance: up to 80mm

觸控感應 Touch Sensor

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5054-68CWST 0109ZG8068CWAST	Ø68x10	白光 6000K Cool White	1200
K5054-68WWST 0109ZG8068WWAST	Ø68x10	自然光 4000K Natural White	1200

漸亮式照明 / 一體式觸摸開關
Gradual light up effect. Integrated touch sensor switch.

觸控感應 Touch Sensor

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5055-65CWST 0109ZG9065CWAST	Ø65x13.5	白光 6000K Cool White	1300
K5055-65WWST 0109ZG9065WWAST	Ø65x13.5	自然光 4000K Natural White	1300

漸亮式照明 / 一體式觸摸開關
Gradual light up effect. Integrated touch sensor switch.

人體熱源感應 IR Sensor

型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	牌價 Price
K5054-68CWSB 0109ZG8068CWASB	Ø68x10	白光 6000K Cool White	1200
K5054-68WWSB 0109ZG8068WWASB	Ø68x10	自然光 4000K Natural White	1200

感應範圍為 2M (會隨室溫影響)，
最大感應角度為 120°，延時時間為 20-30 秒
Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.

- 需另購變壓器 • LED，節能環保光源壽命 30000 小時
- Transformer sold separately.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.


- 需另購變壓器 • LED，節能環保光源壽命 30000 小時
- Transformer sold separately.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.



LED 磁吸小圓嵌燈
Magnetic Mini Round Recessed LED




材質：黑色鋁合金 Aluminium Alloy in Black
電壓 Voltage: DC 12V / 功率 Wattage: 1W



型號 Item No.	直徑 x 高 Dia. x H (mm)	色溫 Color Temp	光源投射角度 Light Source Projection Angle	牌價 Price
K5061-29CWD 0109ZGA029CWAD0	Ø29x7.5	白光 6000K Cool White	40°	1200
K5061-29WWD 0109ZGA029WWAD0	Ø29x7.5	自然光 4000K Natural White	25°	1200


可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • LED, 節能環保, 光源壽命 30000 小時
- 嵌入式設計, 精緻小巧, 美觀且節省空間 • 採用最高等級精密光學技術
- 獨特磁吸式安裝設計, 光源與燈座分離, 可快速更換光源燈珠, 改變投射光型與角度
- 適用於酒櫃、書櫃、裝飾櫃等各種開放式單格層的小空間精確投射燈光
- 鋁合金外觀經過硬質陽極氧化處理, 耐磨、耐刮、吸熱節能、易清理
- Transformer sold separately.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Recessed design, compact and exquisite, aesthetically pleasing and saving space.
- Unique magnetic installation design, allowing for quick replacement of light source bulbs, changing the projection light pattern and angle.
- Precise projection LED, ideal for various open single-grid spaces such as wine cabinets, bookshelves, decorative cabinets etc.
- Aluminum alloy with hardness anodized oxidation, making it wear-resistant, scratch-resistant, heat-absorbing for energy efficiency, and easy to clean.
- Highest-grade precision optical technology.






圓
燈、
圓
嵌
燈
系
列



※出線位置為下圖右方



LED 嵌入式斜照寬版鋁條燈 Wide Angled Inlay Aluminum Strip LED



材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1053-60CWI 0109ZF3056CWA10	563x16.8x10	600	1200
K1053-80CWI 0109ZF3076CWA10	763x16.8x10	800	1500
K1053-90CWI 0109ZF3086CWA10	863x16.8x10	900	1600
K1053-100CWI 0109ZF3096CWA10	963x16.8x10	1000	1800
K1053-120CWI 0109ZF3116CWA10	1163x16.8x10	1200	2000

可搭配感應開關使用
Can be used in conjunction with sensor switch.

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1053-60WWI 0109ZF3056WWA10	563x16.8x10	600	1200
K1053-80WWI 0109ZF3076WWA10	763x16.8x10	800	1500
K1053-90WWI 0109ZF3086WWA10	863x16.8x10	900	1600
K1053-100WWI 0109ZF3096WWA10	963x16.8x10	1000	1800
K1053-120WWI 0109ZF3116WWA10	1163x16.8x10	1200	2000

可搭配感應開關使用
Can be used in conjunction with sensor switch.

產品尺寸含左右邊蓋長度共 20mm (左右各 10mm)


Product dimensions include the length of both left and right side covers, a total of 20mm (10mm on each side)

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 嵌入式設計，節省空間又美觀 • 燈光柔和不刺眼
- 附卡扣彈片，無須膠水，安裝方便 • 45° 內照發光 • LED，節能環保光源壽命 30000 小時
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- Illumination with a 45° inward angle. • Soft lighting and non glaring.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Embedded design, aesthetically pleasing, and space-saving.
- Comes with buckle clips, no need for glue, easy to install.





※出線位置為下圖右方



LED 無邊蓋內嵌斜照鋁條燈

Anti-glare Angled Inlay Aluminum Strip LED



材質：黑色鋁合金 Aluminium Alloy in Black
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1039-60CWD 0109ZF2056CWAD0	563x18x9.6	600	1100
K1039-80CWD 0109ZF2076CWAD0	763x18x9.6	800	1400
K1039-90CWD 0109ZF2086CWAD0	863x18x9.6	900	1500
K1039-100CWD 0109ZF2096CWAD0	963x18x9.6	1000	1700
K1039-120CWD 0109ZF2116CWAD0	1163x18x9.6	1200	1900

材質：黑色鋁合金 Aluminium Alloy in Black
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1039-60WWD 0109ZF2056WWAD0	563x18x9.6	600	1100
K1039-80WWD 0109ZF2076WWAD0	763x18x9.6	800	1400
K1039-90WWD 0109ZF2086WWAD0	863x18x9.6	900	1500
K1039-100WWD 0109ZF2096WWAD0	963x18x9.6	1000	1700
K1039-120WWD 0109ZF2116WWAD0	1163x18x9.6	1200	1900

材質：古銅色鋁合金 Aluminum Alloy in Antique bronze color
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1039-60CWB 0109ZF2056CWAB0	563x18x9.6	600	1100
K1039-80CWB 0109ZF2076CWAB0	763x18x9.6	800	1400
K1039-90CWB 0109ZF2086CWAB0	863x18x9.6	900	1500
K1039-100CWB 0109ZF2096CWAB0	963x18x9.6	1000	1700
K1039-120CWB 0109ZF2116CWAB0	1163x18x9.6	1200	1900

材質：古銅色鋁合金 Aluminum Alloy in Antique bronze color
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1039-60WWB 0109ZF2056WWAB0	563x18x9.6	600	1100
K1039-80WWB 0109ZF2076WWAB0	763x18x9.6	800	1400
K1039-90WWB 0109ZF2086WWAB0	863x18x9.6	900	1500
K1039-100WWB 0109ZF2096WWAB0	963x18x9.6	1000	1700
K1039-120WWB 0109ZF2116WWAB0	1163x18x9.6	1200	1900

可搭配感應開關使用 Can be used in conjunction with sensor switch.


- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 附卡扣彈片，無須膠水，安裝方便
- LED，節能環保光源壽命 30000 小時 • 45° 內照發光 • 無光點、條狀光設計 • 嵌入式設計，節省空間又美觀
- Transformer sold separately. • Customizable length and maximum length of 3000 mm. • Illumination with a 45° inward angle.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Embedded design, aesthetically pleasing, and space-saving.
- Comes with buckle clips, no need for glue, easy to install. • Dot-free linear light design.



cm		lux
0	120°	
25		210
50		70
75		30
100		20



內照發光120°

Illumination of 120° with an inward tilt light angle



⚠ 開槽長度尺寸為 總長L - 6mm
Groove length = L - 6mm

※出線位置為下圖右方



LED 無眩光內嵌斜照鋁條燈

Anti-glare Angled Inlay Aluminum Strip LED



材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1023-60CWS 0109ZF1056CWAS0	563x13.6x10	600	1000
K1023-80CWS 0109ZF1076CWAS0	763x13.6x10	800	1300
K1023-90CWS 0109ZF1086CWAS0	863x13.6x10	900	1400
K1023-100CWS 0109ZF1096CWAS0	963x13.6x10	1000	1500
K1023-120CWS 0109ZF1116CWAS0	1163x13.6x10	1200	1800

材質：銀色鋁合金 Aluminium Alloy in Silver
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1023-60WWS 0109ZF1056WWAS0	563x13.6x10	600	1000
K1023-80WWS 0109ZF1076WWAS0	763x13.6x10	800	1300
K1023-90WWS 0109ZF1086WWAS0	863x13.6x10	900	1400
K1023-100WWS 0109ZF1096WWAS0	963x13.6x10	1000	1500
K1023-120WWS 0109ZF1116WWAS0	1163x13.6x10	1200	1800

材質：黑色鋁合金 Aluminium Alloy in Black
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1023-60CWD 0109ZF1056CWAD0	563x13.6x10	600	1000
K1023-80CWD 0109ZF1076CWAD0	763x13.6x10	800	1300
K1023-90CWD 0109ZF1086CWAD0	863x13.6x10	900	1400
K1023-100CWD 0109ZF1096CWAD0	963x13.6x10	1000	1500
K1023-120CWD 0109ZF1116CWAD0	1163x13.6x10	1200	1800

材質：黑色鋁合金 Aluminium Alloy in Black
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1023-60WWD 0109ZF1056WWAD0	563x13.6x10	600	1000
K1023-80WWD 0109ZF1076WWAD0	763x13.6x10	800	1300
K1023-90WWD 0109ZF1086WWAD0	863x13.6x10	900	1400
K1023-100WWD 0109ZF1096WWAD0	963x13.6x10	1000	1500
K1023-120WWD 0109ZF1116WWAD0	1163x13.6x10	1200	1800

可搭配感應開關使用 Can be used in conjunction with sensor switch.


產品尺寸含左右邊蓋長度共 15mm (左右各 7.5mm)

Product dimensions include the length of both left and right side covers, a total of 15mm (7.5mm on each side)

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 嵌入式設計，節省空間又美觀
- 附卡扣彈片，無須膠水，安裝方便 • LED，節能環保光源壽命 30000 小時 • 無眩光斜照設計
- Transformer sold separately. • Customizable length and maximum length of 3000 mm. • Non-glare angled illumination design.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Embedded design, aesthetically pleasing, and space-saving. • Comes with buckle clips, no need for glue, easy to install.



LED 矽膠燈罩內嵌鋁條燈
Silicone Cover Inlay Aluminum Strip LED



材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color
電壓 Voltage: DC 12V / 功率 Wattage: 5W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1032-60CWI 0109ZE5056CWA10	563x6.7x8	600	1000
K1032-80CWI 0109ZE5076CWA10	763x6.7x8	800	1200
K1032-90CWI 0109ZE5086CWA10	863x6.7x8	900	1300
K1032-100CWI 0109ZE5096CWA10	963x6.7x8	1000	1400
K1032-120CWI 0109ZE5116CWA10	1163x6.7x8	1200	1600

色溫 Color Temp: 自然光 Natural White 4000K



型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1032-60WWI 0109ZE5056WWA10	563x6.7x8	600	1000
K1032-80WWI 0109ZE5076WWA10	763x6.7x8	800	1200
K1032-90WWI 0109ZE5086WWA10	863x6.7x8	900	1300
K1032-100WWI 0109ZE5096WWA10	963x6.7x8	1000	1400
K1032-120WWI 0109ZE5116WWA10	1163x6.7x8	1200	1600

可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 嵌入式設計，節省空間又美觀
- 附卡扣彈片，無須膠水，安裝方便 • LED，節能環保光源壽命 30000 小時 • 軟性矽膠燈罩，光線更加柔和典雅
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Embedded design, aesthetically pleasing, and space-saving. • Comes with buckle clips, no need for glue, easy to install.
- Soft silicone lampshade ensures softer and more elegant lighting.



LED 無邊蓋內嵌鋁條燈
Edgeless Inlay Aluminum Strip LED



⚠ 開槽長度尺寸為 總長L-6mm
Groove length = L - 6mm

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1014-60CWS 0109ZE4056CWAS0	563x17x13	600	900
K1014-80CWS 0109ZE4076CWAS0	763x17x13	800	1200
K1014-90CWS 0109ZE4086CWAS0	863x17x13	900	1300
K1014-100CWS 0109ZE4096CWAS0	963x17x13	1000	1400
K1014-120CWS 0109ZE4116CWAS0	1163x17x13	1200	1600

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1014-60WWS 0109ZE4056WWAS0	563x17x13	600	900
K1014-80WWS 0109ZE4076WWAS0	763x17x13	800	1200
K1014-90WWS 0109ZE4086WWAS0	863x17x13	900	1300
K1014-100WWS 0109ZE4096WWAS0	963x17x13	1000	1400
K1014-120WWS 0109ZE4116WWAS0	1163x17x13	1200	1600

可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 嵌入式設計，節省空間又美觀
- 可設計留邊或齊邊兩種安裝使用方式 • 使用燈罩替代邊蓋設計，燈罩比鋁材長 6mm
- LED，節能環保光源壽命 30000 小時 • 附卡扣彈片，無須膠水，安裝方便
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Designed to be installed with end covers or fully flush with extended lampshade cover.
- When use extended lampshade cover to replace the end covers, the lampshade cover needs to be 6mm longer than the aluminum body.
- Embedded design, aesthetically pleasing, and space-saving. • Comes with buckle clips, no need for glue, easy to install.



LED 無光點圓蓋內嵌鋁條燈

Dot-free Round Cover Recessed Aluminum Strip LED



產品尺寸含左右邊蓋長度共 18mm (左右各 9mm)

Product dimensions include the length of both left and right side covers, a total of 18mm (9mm on each side)

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • 嵌入式設計, 節省空間又美觀
- 附卡扣彈片, 無須膠水, 安裝方便 • LED, 節能環保光源壽命 30000 小時
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Embedded design, aesthetically pleasing, and space-saving. • Comes with buckle clips, no need for glue, easy to install.



材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1009-60CWS 0109ZE3056CWAS0	563x18x12	600	900
K1009-80CWS 0109ZE3076CWAS0	763x18x12	800	1200
K1009-90CWS 0109ZE3086CWAS0	863x18x12	900	1300
K1009-100CWS 0109ZE3096CWAS0	963x18x12	1000	1400
K1009-120CWS 0109ZE3116CWAS0	1163x18x12	1200	1600

可搭配感應開關使用
Can be used in conjunction with sensor switch.

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1009-60WWS 0109ZE3056WWAS0	563x18x12	600	900
K1009-80WWS 0109ZE3076WWAS0	763x18x12	800	1200
K1009-90WWS 0109ZE3086WWAS0	863x18x12	900	1300
K1009-100WWS 0109ZE3096WWAS0	963x18x12	1000	1400
K1009-120WWS 0109ZE3116WWAS0	1163x18x12	1200	1600

可搭配感應開關使用
Can be used in conjunction with sensor switch.

手掃感應 Hand Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1009-60CWSH 0109ZE3056CWASH	563x18x12	600	1300
K1009-80CWSH 0109ZE3076CWASH	763x18x12	800	1500
K1009-90CWSH 0109ZE3086CWASH	863x18x12	900	1600
K1009-100CWSH 0109ZE3096CWASH	963x18x12	1000	1700
K1009-120CWSH 0109ZE3116CWASH	1163x18x12	1200	1800

漸亮式照明 / 感應距離：最遠 80mm
Gradual light up effect. Sensing distance: up to 80mm

手掃感應 Hand Motion Sensor

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1009-60WWSH 0109ZE3056WWASH	563x18x12	600	1300
K1009-80WWSH 0109ZE3076WWASH	763x18x12	800	1500
K1009-90WWSH 0109ZE3086WWASH	863x18x12	900	1600
K1009-100WWSH 0109ZE3096WWASH	963x18x12	1000	1700
K1009-120WWSH 0109ZE3116WWASH	1163x18x12	1200	1800

漸亮式照明 / 感應距離：最遠 80mm
Gradual light up effect. Sensing distance: up to 80mm

人體熱源感應 IR Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1009-60CWBS 0109ZE3056CWASB	563x18x12	600	1300
K1009-80CWBS 0109ZE3076CWASB	763x18x12	800	1500
K1009-90CWBS 0109ZE3086CWASB	863x18x12	900	1600
K1009-100CWBS 0109ZE3096CWASB	963x18x12	1000	1700
K1009-120CWBS 0109ZE3116CWASB	1163x18x12	1200	1800

感應範圍為 2M (會隨室溫影響)，
最大感應角度為 120°，延時時間為 20-30 秒
Sensor range is approx. 2 meters (affected by room temperature),
maximum sensing angle is 120°, and the delay time is 20-30 seconds.

人體熱源感應 IR Sensor


色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1009-60WWSB 0109ZE3056WWASB	563x18x12	600	1300
K1009-80WWSB 0109ZE3076WWASB	763x18x12	800	1500
K1009-90WWSB 0109ZE3086WWASB	863x18x12	900	1600
K1009-100WWSB 0109ZE3096WWASB	963x18x12	1000	1700
K1009-120WWSB 0109ZE3116WWASB	1163x18x12	1200	1800

感應範圍為 2M (會隨室溫影響)，
最大感應角度為 120°，延時時間為 20-30 秒
Sensor range is approx. 2 meters (affected by room temperature),
maximum sensing angle is 120°, and the delay time is 20-30 seconds.



LED 柔光內嵌鋁條燈
Soft Glow Inlay Aluminum Strip LED



材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1017-60CWS 0109ZE1056CWAS0	563x10x9	900
K1017-80CWS 0109ZE1076CWAS0	763x10x9	1200
K1017-90CWS 0109ZE1086CWAS0	863x10x9	1300
K1017-100CWS 0109ZE1096CWAS0	963x10x9	1400
K1017-120CWS 0109ZE1116CWAS0	1163x10x9	1600

材質：銀色鋁合金 Aluminium Alloy in Silver
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1017-60WWS 0109ZE1056WWAS0	563x10x9	900
K1017-80WWS 0109ZE1076WWAS0	763x10x9	1200
K1017-90WWS 0109ZE1086WWAS0	863x10x9	1300
K1017-100WWS 0109ZE1096WWAS0	963x10x9	1400
K1017-120WWS 0109ZE1116WWAS0	1163x10x9	1600

材質：黑色鋁合金 Aluminium Alloy in Black
電壓 Voltage: DC 12V / 功率 Wattage: 7W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1017-60CWD 0109ZE1056CWAD0	563x10x9	900
K1017-80CWD 0109ZE1076CWAD0	763x10x9	1200
K1017-90CWD 0109ZE1086CWAD0	863x10x9	1300
K1017-100CWD 0109ZE1096CWAD0	963x10x9	1400
K1017-120CWD 0109ZE1116CWAD0	1163x10x9	1600

材質：黑色鋁合金 Aluminium Alloy in Black
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1017-60WWD 0109ZE1056WWAD0	563x10x9	900
K1017-80WWD 0109ZE1076WWAD0	763x10x9	1200
K1017-90WWD 0109ZE1086WWAD0	863x10x9	1300
K1017-100WWD 0109ZE1096WWAD0	963x10x9	1400
K1017-120WWD 0109ZE1116WWAD0	1163x10x9	1600

可搭配感應開關使用 Can be used in conjunction with sensor switch.


產品尺寸含左右邊蓋長度共 20mm (左右各 10mm)

Product dimensions include the length of both left and right side covers, a total of 20mm (10mm on each side)

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • PVC 燈罩使光線更柔和典雅
- 嵌入式設計, 節省空間又美觀 • LED, 節能環保光源壽命 30000 小時 • 附卡扣彈片, 無須膠水, 安裝方便
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- PVC lampshade provides softer and more elegant lighting.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Embedded design, aesthetically pleasing, and space-saving. • Comes with buckle clips, no need for glue, easy to install.







LED 霧面柔光內嵌鋁條燈

Frosted Soft Glow Inlay Aluminum Strip LED



材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1022-60CWS 0109ZE2056CWAS0	563x13x12	900
K1022-80CWS 0109ZE2076CWAS0	763x13x12	1200
K1022-90CWS 0109ZE2086CWAS0	863x13x12	1300
K1022-100CWS 0109ZE2096CWAS0	963x13x12	1400
K1022-120CWS 0109ZE2116CWAS0	1163x13x12	1600

可搭配感應開關使用

Can be used in conjunction with sensor switch.

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1022-60WWS 0109ZE2056WWAS0	563x13x12	900
K1022-80WWS 0109ZE2076WWAS0	763x13x12	1200
K1022-90WWS 0109ZE2086WWAS0	863x13x12	1300
K1022-100WWS 0109ZE2096WWAS0	963x13x12	1400
K1022-120WWS 0109ZE2116WWAS0	1163x13x12	1600

可搭配感應開關使用

Can be used in conjunction with sensor switch.

手掃感應 Hand Motion Sensor

色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1022-60CWSH 0109ZE2056CWASH	563x13x12	1400
K1022-80CWSH 0109ZE2076CWASH	763x13x12	1600
K1022-90CWSH 0109ZE2086CWASH	863x13x12	1700
K1022-100CWSH 0109ZE2096CWASH	963x13x12	1800
K1022-120CWSH 0109ZE2116CWASH	1163x13x12	2000

漸亮式照明 / 感應距離：最遠 80mm

Gradual light up effect. Sensing distance: up to 80mm

手掃感應 Hand Motion Sensor

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1022-60WWSH 0109ZE2056WWASH	563x13x12	1400
K1022-80WWSH 0109ZE2076WWASH	763x13x12	1600
K1022-90WWSH 0109ZE2086WWASH	863x13x12	1700
K1022-100WWSH 0109ZE2096WWASH	963x13x12	1800
K1022-120WWSH 0109ZE2116WWASH	1163x13x12	2000

漸亮式照明 / 感應距離：最遠 80mm

Gradual light up effect. Sensing distance: up to 80mm

產品尺寸含左右邊蓋長度共 18mm (左右各 9mm)

Product dimensions include the length of both left and right side covers, a total of 18mm (9mm on each side)


- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • PC 燈罩使光線更柔和典雅 • 嵌入式設計，節省空間又美觀
- LED，節能環保光源壽命 30000 小時
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- PC lampshade provides softer and more elegant lighting. • Embedded design, aesthetically pleasing, and space-saving.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.





櫥櫃用

內嵌鋁條燈系列





LED 上下發光感應式把手燈

Top & Bottom Emitting Motion Sensor Handle LED



※出線位置為上圖右方

手掃感應 Hand Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver



電壓 Voltage: DC 12V / 功率 Wattage: 9W/m

色溫 Color Temp: 白光 Cool White 6000K

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K3045-45CWSH 0109ZD1041CWASH	413x31.8x18.7	450	2000
K3045-60CWSH 0109ZD1056CWASH	563x31.8x18.7	600	2200
K3045-80CWSH 0109ZD1076CWASH	763x31.8x18.7	800	2500
K3045-90CWSH 0109ZD1086CWASH	863x31.8x18.7	900	2700
K3045-100CWSH 0109ZD1096CWASH	963x31.8x18.7	1000	2900

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K3045-45WWSH 0109ZD1041WWASH	413x31.8x18.7	450	2000
K3045-60WWSH 0109ZD1056WWASH	563x31.8x18.7	600	2200
K3045-80WWSH 0109ZD1076WWASH	763x31.8x18.7	800	2500
K3045-90WWSH 0109ZD1086WWASH	863x31.8x18.7	900	2700
K3045-100WWSH 0109ZD1096WWASH	963x31.8x18.7	1000	2900



⚠ 感應端至電源線間隔65mm為無光帶
Sensor end to power line has a 65mm no illumination zone

⚠ 底板深度需內縮30mm
Bottom panel depth needs to be recessed inward by 30mm

漸亮式照明 / 感應距離：最遠 80mm Gradual light up effect. Sensing distance: up to 80mm

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 雙面發光設計 • LED，節能環保光源壽命 30000 小時
- 專利型可拆卸開關模組，維修維護方便迅速
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Bi-directional illumination. • Patented detachable switch module for easy and quick maintenance.



可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • 燈光柔和不刺眼 • 無把手設計, 保留櫃體外部整體設計
- 獨特金屬氧化處理, 提升櫃體質感 • LED, 節能環保光源壽命 30000 小時
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- No handle design, preserving the overall exterior design of the cabinet. • Soft lighting and non glaring.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Unique metal oxidation treatment, enhancing the texture of the cabinet


※出線位置為下圖右方

※出線位置為下圖右方



LED 直向側開柔光把手燈

Vertical Side-Opening Soft Glow Cabinet Handle LED




材質：香檳色鋁合金 Aluminium Alloy in Champagne color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1037-70WWC 0109ZD5070WWACO	700x47.5x43	3600
K1037-100WWC 0109ZD5100WWACO	1000x47.5x43	4700
K1037-200WWC 0109ZD5200WWACO	2000x47.5x43	8000
K1037-240WWC 0109ZD5240WWACO	2400x47.5x43	9800



LED 直向對開柔光把手燈


Vertical Dual-Opening Cabinet Handle LED



材質：香檳色鋁合金 Aluminium Alloy in Champagne color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K1038-70WWC 0109ZD6070WWACO	700x66x43	4000
K1038-100WWC 0109ZD6100WWACO	1000x66x43	5600
K1038-200WWC 0109ZD6200WWACO	2000x66x43	9600
K1038-240WWC 0109ZD6240WWACO	2400x66x43	11500

櫃體安裝側板/中立隔板需加工尺寸俯視示意圖 Dimensions for processing side panels/center dividers for cabinet installation, as shown in the diagram



把手燈系列
Handle Lighting Series




※出線位置為下圖右方



LED 上抽屜柔光把手燈

Upper Drawer Soft Glow
Cabinet Handle LED



材質：香檳色鋁合金 Aluminium Alloy in Champagne color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 自然光 Natural White 4000K


型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
K1034-100WWC 0109ZD3100WWACO	1000x49.5x29	4500
K1034-200WWC 0109ZD3200WWACO	2000x49.5x29	7300
K1034-240WWC 0109ZD3240WWACO	2400x49.5x29	8700

※出線位置為下圖右方





LED 下抽屜柔光把手燈

Lower Drawer Soft Glow
Cabinet Handle LED



材質：香檳色鋁合金 Aluminium Alloy in Champagne color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
K1035-100WWC 0109ZD4100WWACO	1000x70x29	5000
K1035-200WWC 0109ZD4200WWACO	2000x70x29	8700
K1035-240WWC 0109ZD4240WWACO	2400x70x29	10200



可搭配感應開關使用 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • 採用獨特連接、拼接工藝, 燈光柔和不刺眼
- 無把手設計, 保留櫃體外部整體設計 • LED, 節能環保光源壽命 30000 小時
- 獨特金屬氧化處理, 提升櫃體質感 • 附排管線
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Includes cable conduit • Soft lighting and non glaring • No handle design, preserving the overall exterior design of the cabinet
- Unique metal oxidation treatment, enhancing the texture of the cabinet

NEW ARRIVAL



※出線位置為上圖右方



LED 觸控感應可調光把手燈

Touch Sensor Cabinet Handle LED with Dimmable Feature

觸控感應 Touch Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver



電壓 Voltage: DC 12V / 功率 Wattage: 9W/m

色溫 Color Temp: 白光 Cool White 6000K

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
T0910-060CWT 0109ZD7056CWAST	563x59.7x22.4	600	2800
T0910-080CWT 0109ZD7076CWAST	763x59.7x22.4	800	3200
T0910-090CWT 0109ZD7086CWAST	863x59.7x22.4	900	3400
T0910-100CWT 0109ZD7096CWAST	963x59.7x22.4	1000	3800
T0910-120CWT 0109ZD7116CWAST	1163x59.7x22.4	1200	4000

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
T0910-060WWT 0109ZD7056WWAST	563x59.7x22.4	600	2800
T0910-080WWT 0109ZD7076WWAST	763x59.7x22.4	800	3200
T0910-090WWT 0109ZD7086WWAST	863x59.7x22.4	900	3400
T0910-100WWT 0109ZD7096WWAST	963x59.7x22.4	1000	3800
T0910-120WWT 0109ZD7116WWAST	1163x59.7x22.4	1200	4000



⚠ 底板深度需內縮43mm
Bottom panel depth needs to be recessed inward by 43mm

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 1600mm • 適合 18mm 層板使用 • 隱藏式開關, 美觀又實用
- LED, 節能環保光源壽命 30000 小時 • 長按調光
- Transformer sold separately. • Customizable length and maximum length of 1600 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan. • Hidden Sensor Switch • Touch and hold to dim.
- For use with 18mm shelf panel thickness.



※出線位置為下圖左方



LED 感應式無光點把手燈

Motion Sensor Dot-free Cabinet Handle LED

手掃感應 Hand Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver




電壓 Voltage: DC 12V / 功率 Wattage: 7W/m

色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K3055-45CWSH 0109ZD2041CWASH	413x22.5x19.3	450	1800
K3055-60CWSH 0109ZD2056CWASH	563x22.5x19.3	600	2000
K3055-80CWSH 0109ZD2076CWASH	763x22.5x19.3	800	2200
K3055-90CWSH 0109ZD2086CWASH	863x22.5x19.3	900	2500
K3055-100CWSH 0109ZD2096CWASH	963x22.5x19.3	1000	2700

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K3055-45WWSH 0109ZD2041WWASH	413x22.5x19.3	450	1800
K3055-60WWSH 0109ZD2056WWASH	563x22.5x19.3	600	2000
K3055-80WWSH 0109ZD2076WWASH	763x22.5x19.3	800	2200
K3055-90WWSH 0109ZD2086WWASH	863x22.5x19.3	900	2500
K3055-100WWSH 0109ZD2096WWASH	963x22.5x19.3	1000	2700



⚠ 底板深度需內縮22mm

Bottom panel depth needs to be recessed inward by 22mm

漸亮式照明 / 感應距離：最遠 80mm Gradual light up effect. Sensing distance: up to 80mm


- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • 適合 18mm 層板使用
- LED，節能環保光源壽命 30000 小時 • 10 小時後自動關燈功能，安全節能
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- For use with 18mm shelf panel thickness. • Automatic shut-off feature after 10 hours for safety and energy conservation.





櫥櫃用

把手燈系列






LED 無光點鋁條燈

Dot-free Aluminum Strip LED



※出線位置為上圖右方



材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1019-60CWS 0109ZC4056CWAS0	563x21.2x7	600	1000
K1019-90CWS 0109ZC4086CWAS0	863x21.2x7	900	1100
K1019-100CWS 0109ZC4096CWAS0	963x21.2x7	1000	1200
K1019-120CWS 0109ZC4116CWAS0	1163x21.2x7	1200	1300

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1019-60WWS 0109ZC4056WWAS0	563x21.2x7	600	1000
K1019-90WWS 0109ZC4086WWAS0	863x21.2x7	900	1100
K1019-100WWS 0109ZC4096WWAS0	963x21.2x7	1000	1200
K1019-120WWS 0109ZC4116WWAS0	1163x21.2x7	1200	1300

可搭配感應開關使用

Can be used in conjunction with sensor switch.


- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • LED，節能環保光源壽命 30000 小時
- 明裝式安裝，無需開槽，安裝方便快速
- Transformer sold separately.
- Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Surface-mounted installation for convenient and quick setup.



LED 感應式櫃內燈
Door Sensor Cabinet Interior LED



※出線位置為下圖右方



門控感應 Door Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 6.5W/m
色溫 Color Temp: 白光 Cool White 6000K

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1011-60CWSD 0109ZC1056CWASD	563x24x17	600	1800
K1011-90CWSD 0109ZC1086CWASD	863x24x17	900	2200
K1011-120CWSD 0109ZC1116CWASD	1163x24x17	1200	2700

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1011-60WWSD 0109ZC1056WWASD	563x24x17	600	1800
K1011-90WWSD 0109ZC1086WWASD	863x24x17	900	2200
K1011-120WWSD 0109ZC1116WWASD	1163x24x17	1200	2700

感應距離需 ≤ 80mm, 請留意安裝深度

Sensing distance should be ≤ 80mm, please take note of the installation depth.


- 需另購變壓器 · 可訂製長度, 最長訂製長度為 3000mm · 適用於抽屜, 鉸鍊門, 橫移門
- LED, 節能環保光源壽命 30000 小時 · 適合 16mm 和 18mm 板材使用
- 10 小時後自動關燈功能 · 安全節能 · 門板內側感應頭正對位置不可為黑色、半透明、透明材質
- 安裝位置為櫃內側板, 白鐵櫃體須留意立柱
- Transformer sold separately. · Customizable length and maximum length of 3000 mm.
- Automatic shut-off feature after 10 hours for safety and energy conservation.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Inside door panel alignment with the sensor head should not be black, semi-transparent, or transparent.
- For use with 16mm and 18mm panel thickness.
- To be installed on the inside panel of the cabinet; for stainless steel cabinets, pay attention to the columns.
- Applicable to drawers, hinge doors, and sliding doors.



LED 三面發光扁形抽屜燈

Tri-directional Emitting Drawer LED

※出線位置為下圖右方



門控感應 Door Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 4.5W/m
色溫 Color Temp: 白光 Cool White 6000K

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price	型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
K1012-60CWSD 0109ZC2056CWASD	563x30x16.5	600	1800	K1012-60WWSD 0109ZC2056WWASD	563x30x16.5	600	1800
K1012-80CWSD 0109ZC2076CWASD	763x30x16.5	800	2200	K1012-80WWSD 0109ZC2076WWASD	763x30x16.5	800	2200
K1012-90CWSD 0109ZC2086CWASD	863x30x16.5	900	2300	K1012-90WWSD 0109ZC2086WWASD	863x30x16.5	900	2300
K1012-100CWSD 0109ZC2096CWASD	963x30x16.5	1000	2400	K1012-100WWSD 0109ZC2096WWASD	963x30x16.5	1000	2400
K1012-120CWSD 0109ZC2116CWASD	1163x30x16.5	1200	2600	K1012-120WWSD 0109ZC2116WWASD	1163x30x16.5	1200	2600

感應距離需 ≤ 80mm, 請留意安裝深度


Sensing distance should be ≤ 80mm, please take note of the installation depth.

- 需另購變壓器 • LED, 節能環保光源壽命 30000 小時 • 10 小時後自動關燈功能, 安全節能 • 附排線管
- 門板內側感應頭正對位置不可為黑色、半透明、透明材質 • 適合 16mm 和 18mm 板材使用
- 安裝位置為櫃內側板, 白鐵櫃體須留意立柱 • 適用於抽屜, 鉸鍊門, 橫移門
- 專為抽屜照明設計, 安裝方便 • 扁形設計, 為抽屜騰出更多儲物空間
- Transformer sold separately. • Includes cable conduit. • For use with 16mm and 18mm panel thickness.
- Automatic shut-off feature after 10 hours for safety and energy conservation.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Inside door panel alignment with the sensor head should not be black, semi-transparent, or transparent.
- To be installed on the inside panel of the cabinet; for stainless steel cabinets, pay attention to the columns.
- Applicable to drawers, hinge doors, and sliding doors. • Flat and space saving design.
- Specially designed for drawers, easy installation.



櫥櫃用


硬條燈系列








LED 感應式櫃下燈
Motion Sensor Under Cabinet LED



※出線位置為下圖右方



手掃感應 Hand Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K3041-60CWSH 0109ZB4056CWASH	563x42x13	2100
K3041-90CWSH 0109ZB4086CWASH	863x42x13	2600
K3041-120CWSH 0109ZB4116CWASH	1163x42x13	3100

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K3041-60WWSH 0109ZB4056WWASH	563x42x13	2100
K3041-90WWSH 0109ZB4086WWASH	863x42x13	2600
K3041-120WWSH 0109ZB4116WWASH	1163x42x13	3100

漸亮式照明 / 感應距離：最遠 80mm. Gradual light up effect. Sensing distance: up to 80mm.

- 需另購變壓器 • 明裝式安裝，方便快捷 • LED，節能環保光源壽命 30000 小時
- 10 小時後自動關燈功能，安全節能
- Transformer sold separately. • Automatic shut-off feature after 10 hours for safety and energy conservation.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Surface-mounted installation for convenient and quick setup.




LED 斜照感應式櫃下燈

Angled Motion Sensor Under Cabinet LED



※出線位置為上圖左方



手掃感應 Hand Motion Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver

電壓 Voltage: DC 12V / 功率 Wattage: 13.5W/m

色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K3037-60CWSH 0109ZB3056CWASH	563x42x19	2200
K3037-90CWSH 0109ZB3086CWASH	863x42x19	2700
K3037-100CWSH 0109ZB3096CWASH	963x42x19	2900
K3037-120CWSH 0109ZB3116CWASH	1163x42x19	3200

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
K3037-60WWSH 0109ZB3056WWASH	563x42x19	2200
K3037-90WWSH 0109ZB3086WWASH	863x42x19	2700
K3037-100WWSH 0109ZB3096WWASH	963x42x19	2900
K3037-120WWSH 0109ZB3116WWASH	1163x42x19	3200

漸亮式照明 / 感應距離：最遠 80mm. Gradual light up effect. Sensing distance: up to 80mm.

- 需另購變壓器 • 可訂製長度，最長訂製長度為 3000mm • LED，節能環保光源壽命 30000 小時
- 10 小時後自動關燈功能，安全節能 • 專利式可拆卸開關模組，維修維護方便快速 • 明裝式安裝，方便快速
- 反裝時照亮牆面增加整體氛圍
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Illuminates the wall to enhance the overall ambiance when installed in a reverse orientation.
- Automatic shut-off feature after 10 hours for safety and energy conservation.
- Patented detachable switch module for easy and quick maintenance. • Surface-mounted installation for convenient and quick setup.



NEW

※出線位置為下圖左方



LED 斜照式易利鉤燈
Angled Under Cabinet LED

觸控感應 Touch Sensor

材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
T0201-060CWST 0109ZB7060CWAST	600x56.8x83.6	4750
T0201-080CWST 0109ZB7080CWAST	800x56.8x83.6	5550
T0201-100CWST 0109ZB7100CWAST	1000x56.8x83.6	6250
T0201-140CWST 0109ZB7140CWAST	1400x56.8x83.6	7750

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
T0201-060WWST 0109ZB7060WWAST	600x56.8x83.6	4750
T0201-080WWST 0109ZB7080WWAST	800x56.8x83.6	5550
T0201-100WWST 0109ZB7100WWAST	1000x56.8x83.6	6250
T0201-140WWST 0109ZB7140WWAST	1400x56.8x83.6	7750

觸控感應 Touch Sensor

材質：黑色鋁合金 Aluminium Alloy in Black
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
T0201-060CWDT 0109ZB7060CWADT	600x56.8x83.6	4750
T0201-080CWDT 0109ZB7080CWADT	800x56.8x83.6	5550
T0201-100CWDT 0109ZB7100CWADT	1000x56.8x83.6	6250
T0201-140CWDT 0109ZB7140CWADT	1400x56.8x83.6	7750

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌 價 Price
T0201-060WWDT 0109ZB7060WWADT	600x56.8x83.6	4750
T0201-080WWDT 0109ZB7080WWADT	800x56.8x83.6	5550
T0201-100WWDT 0109ZB7100WWADT	1000x56.8x83.6	6250
T0201-140WWDT 0109ZB7140WWADT	1400x56.8x83.6	7750


- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • LED, 節能環保光源壽命 30000 小時
- 安裝方式: 從上方鎖固 • 長按調光 • 可搭配吊掛配件
- Transformer sold separately. • Customizable length and maximum length of 3000 mm.
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan. • Touch and hold to dim • Hanging accessories.



LED 斜照式櫃下燈
Angled Under Cabinet LED



※出線位置為上圖右方



材質：銀色鋁合金 Aluminium Alloy in Silver
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
K1028-60CWS 0109ZB1056CWASO	563x21x12	1000
K1028-90CWS 0109ZB1086CWASO	863x21x12	1200
K1028-120CWS 0109ZB1116CWASO	1163x21x12	1500

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	牌價 Price
K1028-60WWS 0109ZB1056WWASO	563x21x12	1000
K1028-90WWS 0109ZB1086WWASO	863x21x12	1200
K1028-120WWS 0109ZB1116WWASO	1163x21x12	1500


可搭配感應開關使用。 Can be used in conjunction with sensor switch.

- 需另購變壓器 • 可訂製長度, 最長訂製長度為 3000mm • 反裝時照亮牆面增加整體氛圍
- LED, 節能環保光源壽命 30000 小時 • 明裝式安裝, 無須開槽, 安裝方便
- Transformer sold separately. • LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Customizable length and maximum length of 3000 mm. • Surface-mounted installation for convenient and quick setup.
- Illuminates the wall to enhance the overall ambiance when installed in a reverse orientation.




櫥
櫃
用

櫃 下 燈 系 列









LED 鋰電池感應吊衣桿燈
Lithium battery powered Hanger Rod LED



※出線位置為上圖右方



! 電池請由下往上安裝，充電孔為Type-C
Rechargeable Type-C Lithium battery pack,
bottom to top installation

人體熱源感應 IR Sensor

材質：鐵灰色鋁合金 Aluminium Alloy in Metal Gray color
電壓 Voltage: DC 5V / 功率 Wattage: 1.1W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
W1034-60CWIB 0109ZA2055CWAIB	563x38x16	600	4300
W1034-80CWIB 0109ZA2075CWAIB	763x38x16	800	4900
W1034-90CWIB 0109ZA2085CWAIB	863x38x16	900	5200
W1034-100CWIB 0109ZA2095CWAIB	963x38x16	1000	5500
W1034-120CWIB 0109ZA2115CWAIB	1163x38x16	1200	6000

長度標示尺寸為已含掛件的總長；
LED 燈長度尺寸 = 總長 - 掛件 6mm
The dimension length indicated includes the total length with
the hanging device.

人體熱源感應 IR Sensor

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
W1034-60WWIB 0109ZA2055WWAIB	563x38x16	600	4300
W1034-80WWIB 0109ZA2075WWAIB	763x38x16	800	4900
W1034-90WWIB 0109ZA2085WWAIB	863x38x16	900	5200
W1034-100WWIB 0109ZA2095WWAIB	963x38x16	1000	5500
W1034-120WWIB 0109ZA2115WWAIB	1163x38x16	1200	6000

長度標示尺寸為已含掛件的總長；
LED 燈長度尺寸 = 總長 - 掛件 6mm
The dimension length indicated includes the total length with
the hanging device.

感應範圍為 2M (會隨室溫影響)，最大感應角度為 120°，延時時間為 20-30 秒

Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.


- 可訂製長度，最長訂製長度為 1163mm • LED，節能環保，光源壽命 30000 小時 • 建議載重：20 kg
- 充電時間為：3.5~5.5 小時，連續不間斷使用為 5.5~7 小時 • 衣桿上有軟膠墊條，避免移動衣架時產生的刺耳聲
- 大容量鋰電池供電，無接線取電的困擾，專利設計電池固定座，充電方便迅速
- Customizable length and maximum length of 1163 mm. • Load Capacity: 20 kg
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Soft rubber strip on top the hanger rod to avoid noise when sliding hangers.
- Charging time: 3.5~5.5 hours, continuous uninterrupted usage for 5.5~7 hour.s
- Powered by a high-capacity lithium battery, free from the wiring hassle. Patented Battery bay provides quick charging convenience.




LED 感應吊衣桿燈
IR Sensor Hanger Rod LED



※出線位置為上圖右方



⚠ 頂裝時，須從櫃體頂部挖孔鎖至固定座
Holes need to be drilled from the top of the cabinet and screw to the hanger brackets for top-mount installation.



L=櫃體中線

L=Distance to mid-point of cabinet inner dimension

人體熱源感應 IR Sensor

材質：香檳色鋁合金 Aluminium Alloy in Champagne color
電壓 Voltage: DC 12V / 功率 Wattage: 9W/m
色溫 Color Temp: 白光 Cool White 6000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
W1027-60CWCB 0109ZA1055CWACB	563x34x18	600	3300
W1027-80CWCB 0109ZA1075CWACB	763x34x18	800	3500
W1027-90CWCB 0109ZA1085CWACB	863x34x18	900	3600
W1027-100CWCB 0109ZA1095CWACB	963x34x18	1000	3700
W1027-120CWCB 0109ZA1115CWACB	1163x34x18	1200	3800

長度標示尺寸為已含掛件的總長；

LED 燈長度尺寸 = 總長 - 掛件 14mm

The dimension length indicated includes the total length with the hanging device.

人體熱源感應 IR Sensor

色溫 Color Temp: 自然光 Natural White 4000K

型號 Item No.	長 x 寬 x 高 L x W x H (mm)	適用櫃體 Cabinet Width	牌價 Price
W1027-60WWCB 0109ZA1055WWACB	563x34x18	600	3300
W1027-80WWCB 0109ZA1075WWACB	763x34x18	800	3500
W1027-90WWCB 0109ZA1085WWACB	863x34x18	900	3600
W1027-100WWCB 0109ZA1095WWACB	963x34x18	1000	3700
W1027-120WWCB 0109ZA1115WWACB	1163x34x18	1200	3800

長度標示尺寸為已含掛件的總長；

LED 燈長度尺寸 = 總長 - 掛件 14mm

The dimension length indicated includes the total length with the hanging device.

感應範圍為 2M (會隨室溫影響)，最大感應角度為 120°，延時時間為 20-30 秒


Sensor range is approx. 2 meters (affected by room temperature), maximum sensing angle is 120°, and the delay time is 20-30 seconds.

- 需另購變壓器 • 可訂製長度，最短訂製長度為 350mm，最長訂製長度為 1163mm • 安裝於側板建議載重：30kg
- 衣桿上有軟膠墊條，避免移動衣架時產生的刺耳聲
- LED，節能環保，光源壽命 30000 小時 • 固定座可以側裝或頂裝 (頂裝詳見圖示說明)
- Transformer sold separately. • Customizable length, minimum length of 350mm and maximum length of 1163 mm.
- Soft rubber strip on top the hanger rod to avoid noise when sliding hangers. • Load Capacity: 30 kg
- LEDs are energy efficient and environmental friendly, with 30,000 hours lifespan.
- Hanger Rod Brackets can be side-mount or top-mount (refer to diagram for top-mount installation)



櫥
櫃
用

吊 衣 桿 燈 系 列



Contents

目錄
Contents

Since 2023

| 吊衣桿燈系列

感應吊衣桿燈	271
鋰電池感應吊衣桿燈	270

| 櫃下燈系列

斜照式櫃下燈	267
斜照式易利鉤燈	266
斜照感應式櫃下燈	265
感應式櫃下燈	264

| 硬條燈系列

三面發光扁形抽屜燈	261
感應式櫃內燈	260
無光點鋁條燈	259

| 把手燈系列

感應式無光點把手燈	257
觸控感應可調光把手燈	256
上下抽屜柔光把手燈	255
直向對開把手燈	252
上下發光感應式把手燈	251

| 內嵌鋁條燈系列

霧面柔光內嵌鋁條燈	249
柔光內嵌鋁條燈	246
無光點圓蓋內嵌鋁條燈	244
無邊蓋內嵌鋁條燈	243
矽膠燈罩內嵌鋁條燈	242

| 內嵌斜照鋁條燈系列

無眩光內嵌斜照鋁條燈	241
無邊蓋內嵌斜照鋁條燈	239
嵌入式斜照寬版鋁條燈	237

| 圓燈、圓嵌燈系列

磁吸小圓嵌燈	235
薄款圓嵌燈	234
全鋁圓嵌燈	234
明裝式感應圓燈	233
明裝式蜂巢護眼圓燈	233
小圓嵌燈	232

| 層板燈系列

掛式斜照木層板燈	229
三面發光玻璃層板燈	228
直照木層板燈	227
斜照頂層木層板燈	226

| 矽膠軟條燈系列

矽膠軟條燈	223
-------	-----

| 輔助配件系列

變壓器 / 變壓器收納盒	220
感應開關	218
連接線組 / 分線盒	217
導孔定位器套組	217
隱藏式觸碰開關	216
裝修配件	215

品質保證
Quality Assurance

投保產品責任險

1200萬

Since 2023

全系列產品提供二年保固服務

不含人為因素損害，請注意使用說明



§#!"

通過中華民國經濟部標準檢驗局安全標章認證

通過CNS 14115商品品質測試

通過CNS 14335燈具安全測試

通過IEC 60598-2-1燈具安全及性能測試

變壓器安規通過CE認證





光玥

Discover the Delight
of your life



照亮未來的LED照明專家·點亮您的生活

光玥有限公司是一家綻放光芒的LED照明企業，是佳飾美為了提升空間整體設計氛圍於2023年成立的子公司，提供多種創新的LED照明產品，以符合各種照明需求。

追求高效、智能、節能、環保的四大卓越是我們的目標。將照明提升至新的高度，同時致力於保護我們珍愛的地球是我們的使命。

在光玥，我們不僅照亮空間，更將創新融入每一個燈光，成就了更環保、更智能、更美好的照明體驗。

無論您是追求高效節能的室內照明，還是想為環保盡一份心力，光玥都是您的照明之選。

讓我們一同為未來的光明努力，歡迎聯絡我們，一同體驗光玥照明專業的產品及服務。



 總門市：章記衛廚
高雄市前金區中華三路166號
07-2868111
客服LINE ID：@154mavis

 台南生活館：永昕衛廚
台南市南區健康路二段213號
06-2635899
客服LINE ID：@lys9118v

 夢時代百貨：章記衛廚
高雄市前鎮區中華五路789號B2
07-8416540
客服LINE ID：@893kindg

 遠東SOGO百貨：章記衛廚
高雄市前鎮區三多三路217號6F
07-3355330
客服LINE ID：@089bkeid